

GAP

Release 4.4.6
02 September 2005

Index

The GAP Group

<http://www.gap-system.org>

Full Index

This index covers the five main books of the GAP manual, pages are given with respect to each manual: **Ref**, **Tut**, **Prg**, **New**, and **Ext**. A page number in *italics* refers to a whole section which is devoted to the indexed subject. Keywords are sorted with case and spaces ignored, e.g., “**PermutationCharacter**” comes before “permutation group”.

- (Near-)Additive Magma Categories, *R 551*
- (Near-)Additive Magma Generation, *R 552*
- +, *R 48*
- , *R 48*
- A, *R 30*
- B, *R 30*
- C, *R 30*
- D, *R 30*
- K, *R 28*
- L, *R 29*
- M, *R 30*
- N, *R 30*
- O, *R 30*
- P, *R 30*
 - on Macintosh, *R 31*
- R, *R 29*
- T, *R 30*
- U, *R 30*
- W, *R 30*
 - on Macintosh, *R 31*
- X, *R 30*
- Y, *R 30*
- a, *R 29*
 - on Macintosh, *R 31*
- b, *R 27*
- e, *R 27*
 - on Macintosh, *R 31*
- f, *R 27*
 - on Macintosh, *R 31*
- g, *R 28*
- g -g, *R 28*
- h, *R 27*
- i, *R 30*
- l, *R 29*
- m, *R 28*
- n, *R 27*
 - on Macintosh, *R 31*
- o, *R 28*
 - on Macintosh, *R 31*
- q, *R 27*
- r, *R 29*
- x, *R 28*
- y, *R 28*
- z, *R 30*
 - on Macintosh, *R 31*
- ., *E 16*
- .gaprc, *R 33*
- /, *R 48*
 - for character tables, *R 725*
- %, *E 24*
- %display, *E 25*
- %enddisplay, *E 25*
- *, *R 48*
 - for character tables, *R 725*
- \', *R 248*
- \., *E 16*
- \>, *E 16*
- \Appendices, *E 11*
- \BeginningOfBook, *E 11*
- \Bibliography, *E 13*
- \C, *E 20*
- \Chapter, *E 15*
- \Chapters, *E 13*
- \Colophon, *E 11*
- \Day, *E 14*
- \Declaration, *E 27*
- \EndOfBook, *E 13*
- \F, *E 20*
- \FileHeader, *E 27*
- \FrontMatter, *E 11*
- \Index, *E 13*
- \Mailto, *E 16*
- \Month, *E 14*
- \N, *E 20*

`\OneColumnTableOfContents`, E 11
`\Package`, E 12
`\PseudoInput`, E 14
`\Q`, E 20
`\R`, E 20
`\Section`, E 15
`\TableOfContents`, E 11
`\TitlePage`, E 11
`\Today`, E 14
`\URL`, E 16
`\UseGapDocReferences`, E 12
`\UseReferences`, E 11
`\XYZ`, R 248
`\Year`, E 14
`\Z`, E 20
`\,`, R 248
`\,`, R 248
`\accent127`, E 16
`\atindex`, E 16
`\b`, R 248
`\beginexample`, E 22
 indicating unstable output, E 23
`\beginitems`, E 20
`\beginlist`, E 21
`\beginntt`, E 22
`\c`, R 248
`\calR`, E 20
`\endexample`, E 22
`\enditems`, E 20
`\endlist`, E 21
`\endtt`, E 22
`\fmark`, E 16
`\in`, operation for testing membership, R 273
`\index`, E 16
`\indextt`, E 16
`\item`, E 21
`\itemitem`, E 21
`\kernttindent`, E 16
`\lq`, E 16
`\matrix`, E 23
`\n`, R 248
`\nolabel`, use in index and label suppression, E 15
`\null`, use in index suppression, E 15
`\package`, E 11
`\pif`, E 16
`\r`, R 248
`\rq`, E 16
`ˆ`, R 48

for class functions, R 763
 1-Cohomology, *R* 375
 2-Cohomology and Extensions, *R* 454

A

A, Attribute mark-up, E 16
 AbelianGroup, R 505
 AbelianInvariants, for character tables, R 727
 for groups, R 364
 Abelian Invariants for Subgroups, *R* 473
 AbelianInvariantsMultiplier, R 378
 AbelianInvariantsNormalClosureFpGroup, R 473
 AbelianInvariantsNormalClosureFpGroupRrs, R 473
 AbelianInvariantsOfList, R 240
 AbelianInvariantsSubgroupFpGroup, R 473
 AbelianInvariantsSubgroupFpGroupMtc, R 473
 AbelianInvariantsSubgroupFpGroupRrs, R 473
 AbelianNumberField, R 583
 abelian number field, R 585
 abelian number fields, canonicalbasis, R 586
 abelian number fields, Galois group, R 588
 AbelianSubfactorAction, R 400
 About Functions, *T* 25
 About Group Actions, *R* 392
 AbsInt, R 127
 AbsoluteIrreducibleModules, R 744
 AbsoluteValue, R 157
 absolute value of an integer, R 127
 AbsolutIrreducibleModules, R 744
 abstract word, R 322
 AbstractWordTietzeWord, R 482
 accessing, list elements, R 172
 record elements, R 259
 Accessing a Module, *R* 689
 Accessing Record Elements, *R* 259
 Accessing Subgroups via Tables of Marks, *R* 710
 Accessing Weak Pointer Objects as Lists, *E* 53
 Acknowledgements, *T* 12
 AClosestVectorCombinationsMatFFFEVecFFE, R 216
 AClosestVectorCombinationsMatFFFEVec-FFFECoords, R 216
 ActingAlgebra, R 626
 ActingDomain, R 404
 Acting OnRight and OnLeft, *R* 430
 Action, R 399
 action, by conjugation, R 393

- on blocks, R 393
- on sets, R 393
- ActionHomomorphism, R 398
- Action of a group on itself, *R 400*
- Action on Subfactors Defined by a PcgS, *R 445*
- actions, R 393
- Actions of Groups, *T 47*
- Actions of Matrix Groups, *R 426*
- ActorOfExternalSet, R 406
- Add, R 175
- add, an element to a set, R 194
- AddCoeffs, R 214
- AddGenerator, R 484
- AddGenerators, R 341
- AddGeneratorsExtendSchreierTree, R 422
- AddHashEntry, N 10
- Adding a new Attribute, *P 37*
- Adding a new Operation, *P 36*
- Adding a new Representation, *P 38*
- Adding new Concepts, *P 39*
- addition, R 48
 - list and non-list, R 183
 - matrices, R 220
 - matrix and scalar, R 220
 - operation, R 293
 - rational functions, R 662
 - scalar and matrix, R 220
 - scalar and matrix list, R 222
 - scalar and vector, R 212
 - vector and scalar, R 212
 - vectors, R 212
- Addition of a Method, *P 34*
- Additive Arithmetic for Lists, *R 183*
- AdditiveInverse, R 291
- AdditiveInverseAttr, R 291
- AdditiveInverseImmutable, R 291
- AdditiveInverseMutable, R 291
- AdditiveInverseOp, R 291
- AdditiveInverseSameMutability, R 291
- AdditiveInverseSM, R 291
- AdditiveNeutralElement, R 553
- AddRelator, R 484
- AddRowVector, R 214
- AddRule, R 341
- AddRuleReduced, R 341
- AddSet, R 194
- AdjointAssociativeAlgebra, R 643
- AdjointBasis, R 615
- AdjointMatrix, R 643
- AdjointModule, R 628
- Advanced Features of GAP, *R 29*
- Advanced List Manipulations, *R 202*
- Advanced Methods for Dixon-Schneider
 - Calculations, *R 745*
- AffineAction, R 445
- AffineActionLayer, R 445
- AffineOperation, R 445
- AffineOperationLayer, R 445
- A First Attempt to Implement Elements of Residue
 - Class Rings, *P 44*
- Agemo, R 361
- AgGroup, T 79
- Algebra, R 606
- AlgebraByStructureConstants, R 609
- AlgebraGeneralMappingByImages, R 620
- AlgebraHomomorphismByImages, R 620
- AlgebraHomomorphismByImagesNC, R 620
- AlgebraicExtension, R 683
- Algebraic Structure, *T 69*
- Algebras, *T 61*
- AlgebraWithOne, R 606
- AlgebraWithOneGeneralMappingByImages, R 621
- AlgebraWithOneHomomorphismByImages, R 621
- AlgebraWithOneHomomorphismByImagesNC, R 621
- AllBlocks, R 403
- AllIrreducibleSolvableGroups, R 523
- AllLibraryGroups, R 511
- AllPrimitiveGroups, R 511
- AllSmallGroups, R 514
- AllTransitiveGroups, R 511
- Alpha, R 815
- AlternatingGroup, R 505
- and, R 168
 - for filters, R 117
- An Example of Advanced Dixon-Schneider
 - Calculations, *R 746*
- An Example of a GAP Package, *E 36*
- ANFAutomorphism, R 588
- AntiSymmetricParts, R 780
- antisymmetric relation, R 312
- Append, R 176
- AppendTo, R 95
 - for streams, R 101
- Apple, R 831
- ApplicableMethod, R 77, T 75
- ApplicableMethod, *R 77*

- Applicable Methods and Method Selection, *P 12*
- ApplicableMethodTypes, *R 77*
- Apply, *R 197*
- ApplyFunc, *T 79*
- ApplySimpleReflection, *R 640*
- ApproximateSuborbitsStabilizerPermGroup, *R 420*
- ARCH_IS_MAC, *R 34*
- ARCH_IS_UNIX, *R 34*
- ARCH_IS_WINDOWS, *R 34*
- arg, special function argument, *R 46*
- ArithmeticElementCreator, *P 42*
- Arithmetic for External Representations of Polynomials, *R 681*
- Arithmetic for Lists, *R 181*
- Arithmetic Issues in the Implementation of New Kinds of Lists, *P 27*
- Arithmetic Operations for Class Functions, *R 762*
- Arithmetic Operations for Elements, *R 293*
- Arithmetic Operations for General Mappings, *R 306*
- Arithmetic Operators, *R 48*
- Arrangements, *R 147*
- arrow notation for functions, *R 57*
- AsAlgebra, *R 615*
- AsAlgebraWithOne, *R 616*
- AsBinaryRelationOnPoints, *R 313*
- AsBlockMatrix, *R 236*
- AscendingChain, *R 367*
- AsDivisionRing, *R 572*
- AsDuplicateFreeList, *R 196*
- A Second Attempt to Implement Elements of Residue Class Rings, *P 46*
- AsField, *R 572*
- AsFreeLeftModule, *R 569*
- AsGroup, *R 346*
- AsGroupGeneralMappingByImages, *R 382*
- AsLeftIdeal, *R 559*
- AsLeftModule, *R 567*
- AsList, *R 268*
- AsMagma, *R 317*
- AsMonoid, *R 539*
- AsPolynomial, *R 664*
- AsRightIdeal, *R 559*
- AsRing, *R 556*
- AsSemigroup, *R 532*
- Assert, *R 80*
- AssertionLevel, *R 80*
- Assertions, *R 80*
- AsSet, *R 268*
- AssignGeneratorVariables, *R 329*
- assignment, *T 22*
 - to a list, *R 174*
 - to a record, *R 259*
 - variable, *R 50*
- Assignments, *R 50*
- AssignNiceMonomorphismAutomorphismGroup, *R 388*
- AssociatedPartition, *R 152*
- AssociatedReesMatrixSemigroupOfDClass, *R 538*
- Associates, *R 562*
- associativity, *R 48*
- AssocWordByLetterRep, *R 334*
- AsSomething, *T 70*
- AsSortedList, *R 268*
- AsSSortedList, *R 268*
- AsStruct, *R 285*
- AsSubalgebra, *R 616*
- AsSubalgebraWithOne, *R 616*
- AsSubgroup, *R 347*
- AsSubgroupOfWholeGroupByQuotient, *R 471*
- AsSubmagma, *R 318*
- AsSubmonoid, *R 539*
- AsSubsemigroup, *R 532*
- AsSubspace, *R 591*
- AsSubstruct, *R 288*
- AsTransformation, *R 549*
- AsTransformationNC, *R 549*
- AsTwoSidedIdeal, *R 559*
- AsVectorSpace, *R 590*
- at exit functions, *R 73*
- ATLAS Irrationalities, *R 159*
- AtlasIrrationality, *R 161*
- atomic irrationalities, *R 159*
- Attributes, *R 121, T 72*
- Attributes and Operations for Algebras, *R 614*
- Attributes and Properties for (Near-)Additive Magmas, *R 553*
- Attributes and Properties for Collections, *R 269*
- Attributes and Properties for Magmas, *R 319*
- Attributes and Properties for Matrix Groups, *R 425*
- Attributes and Properties of Character Tables, *R 725*
- Attributes and Properties of Elements, *R 289*
- Attributes of and Operations on Equivalence Relations, *R 314*
- Attributes of Tables of Marks, *R 700*

Attributes vs. Record Components, *T 81*
 AttributeValueNotSet, R 122
 AugmentationIdeal, R 655
 AugmentedCosetTableInWholeGroup, R 466
 AugmentedCosetTableMtc, R 466
 AugmentedCosetTableRrs, R 466
 Augmented Coset Tables and Rewriting, *R 466*
 Authorship and Maintenance, *T 12*
 automatic loading of gap packages, R 836
 AutomorphismDomain, R 387
 AutomorphismGroup, R 387
 for groups with pcgs, R 446
 automorphism group, of number fields, R 588
 Automorphisms and Equivalence of Character
 Tables, *R 754*
 AutomorphismsOfTable, R 728

B

b_N , R 159
 backslash character, R 248
 backspace character, R 248
 Backtrace, T 79
 GAP3 name for Where, R 70
 Backtrack, *R 422*
 BANNER, R 841
 BaseFixedSpace, R 227
 BaseIntersectionIntMats, R 237
 BaseIntMat, R 237
 BaseMat, R 230
 BaseMatDestructive, R 230
 BaseOfGroup, N 20, R 419
 BaseOrthogonalSpaceMat, R 230
 BasePointOfSchreierTransversal, N 17
 Bases of Vector Spaces, *R 592*
 BaseStabChain, R 419
 BaseSteinitzVectors, R 230
 Basic Actions, *R 393*
 Basic Groups, *R 504*
 Basic Operations for Class Functions, *R 760*
 Basic Operations for Lists, *R 172*
 BasicWreathProductOrdering, R 281
 Basis, R 593
 BasisNC, R 593
 BasisVectors, R 594
 Bell, R 146
 Bernoulli, R 146
 BestQuoInt, R 129
 BestSplittingMatrix, R 745

BiAlgebraModule, R 624
 BiAlgebraModuleByGenerators, R 624
 bibtex, E 26
 BilinearFormMat, R 639
 binary relation, R 311
 BinaryRelationByElements, R 311
 BinaryRelationOnPoints, R 313
 BinaryRelationOnPointsNC, R 313
 Binary Relations on Points, *R 313*
 BinaryRelationTransformation, R 550
 BindGlobal, P 31, R 45
 Binomial, R 145
 blank, R 41
 BlistList, R 207
 Block Matrices, *R 236*
 BlockMatrix, R 236
 Blocks, R 403
 BlocksInfo, R 733
 Block Systems, *R 403*
 BlownUpMat, R 232
 BlownUpVector, R 232
 BlowUpIsomorphism, R 426
 BNF, R 59
 body, R 55
 BombieriNorm, R 670
 Boolean Lists Representing Subsets, *R 207*
 bound, R 43
 Brauer character, R 767
 BrauerCharacterValue, R 790
 BrauerTable, R 719
 BrauerTableOp, R 719
 BravaisGroup, R 429
 BravaisSubgroups, R 429
 BravaisSupergroups, R 429
 Break, *R 55*
 break loop message, R 69
 Break Loops, *R 67*
 break loops, T 20
 break statement, R 55
 browsing backwards, R 22
 browsing backwards one chapter, R 23
 browsing forward, R 22
 browsing forward one chapter, R 23
 browsing the next section browsed, R 23
 browsing the previous section browsed, R 23
 Browsing through the Sections, *R 22*
 bug reports, see If Things Go Wrong, R 828
 Building new orderings, *R 277*

buildman.pe, E 27

C

C, Category mark-up, E 16

c_N , R 159

Calculating with Group Automorphisms, R 388

Calendar Arithmetic, R 255

CallFuncList, R 62

Calling a function with a list argument that is interpreted as several arguments, R 62

Calling of and Communication with External Binaries, E 39

Cancellation Tests for Rational Functions, R 682

CanComputeIndex, R 379

CanComputeIsSubset, R 379

CanComputeSize, R 379

CanComputeSizeAnySubgroup, R 379

candidates, for permutation characters, R 783

CanEasilyCompareElements, R 292

CanEasilyCompareElementsFamily, R 292

CanEasilyComputePcgs, R 432

CanEasilySortElements, R 292

CanEasilySortElementsFamily, R 292

CanEasilyTestMembership, R 379

CanonicalBasis, R 593

canonical basis, for matrix spaces, R 600
for row spaces, R 600

CanonicalElt, N 14

CanonicalGenerators, R 639

CanonicalPcElement, R 434

CanonicalPcgs, R 437

CanonicalPcgsByGeneratorsWithImages, R 439

CanonicalRepresentativeDeterminatorOf-
ExternalSet, R 406

CanonicalRepresentativeOfExternalSet, R 406

CanonicalRightCosetElement, R 353

Carmichael's lambda function, R 137

carriage return character, R 248

CartanMatrix, R 638

CartanSubalgebra, R 635

Cartesian, R 198

Categories, R 118

Categories and Properties of Algebras, R 613

Categories of Streams and the StreamsFamily, R 97

Categories of Associative Words, R 327

Categories of Matrices, R 219

CategoriesOfObject, R 120

Categories of Words and Nonassociative Words,
R 322

CategoryCollections, P 16, R 265

CategoryFamily, P 16

Catering for Plain Text and HTML Formats, E 25

Center, R 320

center, R 319

CentralCharacter, R 770

central character, R 770

CentralIdempotentsOfAlgebra, R 618

centraliser, R 319

Centralizer, R 319

for groups with pcgs, R 446

CentralizerInGLnZ, R 429

CentralizerModulo, R 368

CentralizerSizeLimitConsiderFunction, R 447

CentralNormalSeriesByPcgs, R 441

Centre, R 320

for groups with pcgs, R 446

centre, of a character, R 769

CentreOfCharacter, R 769

CF, R 583

ChainHomomorphicImage, N 20

ChainStatistics, N 20

ChainSubgroup, N 19

ChainSubgroupByDirectProduct, N 21

ChainSubgroupByHomomorphism, N 21

ChainSubgroupByProjectionFunction, N 21

ChainSubgroupByPSubgroupOfAbelian, N 21

ChainSubgroupBySiftFunction, N 21

ChainSubgroupByStabiliser, N 20

ChainSubgroupByTrivialSubgroup, N 21

ChainSubgroupQuotient, N 21

ChangedBaseGroup, N 20

Changed Command Line Options, T 77

Changed Functionality, T 78

Changed Variable Names, T 79

Changes from Earlier Versions, T 13

ChangeStabChain, R 421

Changing Presentations, R 484

Changing the Help Viewer, R 23

Changing the Representation, R 286

Changing the Structure, R 285, T 70

Chapters and Sections, E 15

CHAR.INT, R 254

CHAR.SINT, R 254

Character, R 765

Character Conversion, R 253

- CharacterDegrees, R 725
- Character Degrees and Derived Length, *R 815*
- Characteristic, R 289
- characteristic, for class functions, R 764
- CharacteristicPolynomial, R 231
- characteristic polynomial, for field elements, R 574
- CharacterNames, R 729
- characters, R 758
 - permutation, R 786
 - symmetrizations of, R 779
- CharacterTable, R 719
- Character Table Categories, *R 721*
- CharacterTableDirectProduct, R 748
- CharacterTableFactorGroup, R 749
- CharacterTableIsoclinic, R 750
- character tables, R 718
 - access to, R 718
 - calculate, R 718
 - infix operators, R 725
 - of groups, R 718
- CharacterTableString, R 741
- CharacterTableWithSortedCharacters, R 751
- CharacterTableWithSortedClasses, R 752
- CharacterTableWreathSymmetric, R 750
- character value, of group element using powering operator, R 763
- CharsFamily, R 250
- CharTable, T 79
- CheapFactorsInt, R 134
- CheckFixedPoints, R 804
- CheckForHandlingByNiceBasis, R 605
- CheckPermChar, R 811
- ChevalleyBasis, R 637
- ChiefNormalSeriesByPcgs, R 442
- ChiefSeries, R 365
- ChiefSeriesThrough, R 365
- ChiefSeriesUnderAction, R 365
- ChineseRem, R 130
- Chinese remainder, R 131
- Chomp, R 253
- CIUnivPols, R 662
- ClassElementLattice, R 370
- classes, real, R 730
- ClassesSolvableGroup, R 446
- ClassFunction, R 765
- class function, R 758
- class function objects, R 758
- class functions, R 801
 - as ring elements, R 762
- ClassFunctionSameType, R 766
- Class Fusions between Character Tables, *R 796*
- Classical Groups, *R 506*
- ClassMultiplicationCoefficient, for character tables, R 737
- class multiplication coefficient, R 737
- ClassNames, R 729
- ClassNamesTom, R 701
- ClassOrbit, R 730
- ClassPermutation, R 752
- ClassPositionsOfAgemo, R 731
- ClassPositionsOfCentre, for characters, R 769
 - for character tables, R 731
- ClassPositionsOfDerivedSubgroup, R 731
- ClassPositionsOfDirectProduct-
Decompositions, R 731
- ClassPositionsOfElementaryAbelianSeries,
R 731
- ClassPositionsOfFittingSubgroup, R 731
- ClassPositionsOfKernel, R 769
- ClassPositionsOfLowerCentralSeries, R 731
- ClassPositionsOfMaximalNormalSubgroups,
R 731
- ClassPositionsOfMinimalNormalSubgroups,
R 731
- ClassPositionsOfNormalClosure, R 732
- ClassPositionsOfNormalSubgroup, R 756
- ClassPositionsOfNormalSubgroups, R 731
- ClassPositionsOfSupersolvableResiduum, R 732
- ClassPositionsOfUpperCentralSeries, R 731
- ClassRoots, R 730
- ClassStructureCharTable, R 738
- ClassTypesTom, R 700
- CleanedTailPcElement, R 435
- ClearCacheStats, R 83
- ClearProfile, R 82
- clone, an object, R 114
- CloseMutableBasis, R 598
- CloseStream, R 98
- ClosureGroup, R 349
- ClosureGroupAddElm, R 349
- ClosureGroupCompare, R 349
- ClosureGroupDefault, R 349
- ClosureGroupIntest, R 349
- ClosureLeftModule, R 568
- ClosureNearAdditiveGroup, R 554
- Closure Operations and Other Constructors, *R 313*

- ClosureRing, R 556
- Closures of (Sub)groups, *R 349*
- ClosureSomething, T 70
- ClosureStruct, R 285
- ClosureSubgroup, R 349
- ClosureSubgroupNC, R 349
- Coboundaries, R 648
- Cochain, R 647
- CochainSpace, R 647
- Cocycles, R 648
- cocycles, R 375
- CodePcGroup, R 457
- CodePcgs, R 457
- Coding a Pc Presentation, *R 457*
- coefficient, binomial, R 145
- Coefficient List Arithmetic, *R 214*
- Coefficients, R 594
- coefficients, for cyclotomics, R 157
- CoefficientsAndMagmaElements, R 656
- CoefficientsFamily, R 678
- CoefficientsMultiadic, R 130
- CoefficientsOfLaurentPolynomial, R 670
- CoefficientsOfUnivariatePolynomial, R 664
- CoefficientsOfUnivariateRationalFunction, R 664
- CoefficientsQadic, R 130
- CoefficientsRing, R 672
- CoeffsCyc, R 157
- CoeffsMod, R 215
- cohomology, R 375
- COHORTS_PRIMITIVE_GROUPS, R 521
- cokernel, T 55
- CoKernelOfAdditiveGeneralMapping, R 308
- CoKernelOfMultiplicativeGeneralMapping, R 307
- CollapsedMat, R 807
- Collected, R 196
- Collection Families, *R 264*
- CollectionsFamily, P 20, R 264
- Coloring the Prompt and Input, *R 38*
- ColorPrompt, R 38
- ColumnIndexOfReesMatrixSemigroupElement, R 538
- ColumnIndexOfReesZeroMatrixSemigroupElement, R 538
- Combinations, R 147
- Combinations, Arrangements and Tuples, *R 147*
- CombinatorialCollector, R 451
- Combinatorial Numbers, *R 145*
- Comm, R 293
 - for words, R 331
- Command Line Options, *R 27*
- command mark-up, E 16
- comments, R 41, T 19
- CommutativeDiagram, R 804
- CommutatorFactorGroup, R 368
- CommutatorLength, R 359
 - for character tables, R 727
- CommutatorSubgroup, R 358
- Compacted, R 195
- CompanionMat, R 232
- CompareVersionNumbers, R 839
- comparison, fp semigroup elements, R 544
 - operation, R 292
 - rational functions, R 662
- Comparison of Associative Words, *R 330*
- Comparison of Class Functions, *R 761*
- Comparison of Elements of Finitely Presented Groups, *R 460*
- Comparison of Elements of Finitely Presented Semigroups, *R 544*
- Comparison of Permutations, *R 408*
- Comparison of Rational Functions, *R 662*
- Comparison of Words, *R 324*
- Comparison Operations for Elements, *R 292*
- Comparisons, *R 47*
- comparisons, of booleans, R 167
 - of lists, R 180
- Comparisons of Booleans, *R 167*
- Comparisons of Cyclotomics, *R 159*
- Comparisons of Lists, *R 180*
- Comparisons of Records, *R 261*
- Comparisons of Strings, *R 250*
- Compatibility Mode, *T 87*
- Compatibility of Residue Class Rings with Prime Fields, *P 56*
- CompatibleConjugacyClasses, R 723
- CompatiblePairs, R 455
- Compilation, *R 823*
- Compiling Library Code, *R 36*
- Complementclasses, R 358
- ComplementclassesEA, R 377
- ComplementIntMat, R 238
- ComplementSystem, R 361
- CompleteSchreierTransversal, N 17
- Completion Files, *R 34*

- ComplexConjugate, R 162
 - for class functions, R 764
- ComplexificationQuat, R 610
- Component Objects, *P 21*
- Components of a Dixon Record, *R 746*
- Components versus Attributes, *P 39*
- CompositionMapping, R 301
 - for Frobenius automorphisms, R 581
- CompositionMapping2, R 301
- CompositionMaps, R 801
- CompositionOfStraightLinePrograms, R 338
- CompositionSeries, R 365
 - for groups with pcgs, R 446
- ComputedBrauerTables, R 719
- ComputedClassFusions, R 797
- ComputedIndicators, R 737
- ComputedIsPSolvableCharacterTables, R 736
- ComputedPowerMaps, R 793
- ComputedPrimeBlockss, R 732
- Computing a Pcgs, *R 432*
- Computing a Permutation Representation, *R 412*
- Computing Pc Groups, *R 452*
- Computing Possible Permutation Characters, *R 786*
- Computing the Irreducible Characters of a Group, *R 741*
- Concatenation, R 195
 - concatenation, of lists, R 195
- Conductor, R 157
- ConfluentRws, R 341
- Congruences, for character tables, R 809
- Congruences for semigroups, *R 535*
- ConjugacyClass, R 355
- Conjugacy Classes, *R 355*
- ConjugacyClasses, attribute, R 355
 - for character tables, R 722
 - for groups with pcgs, R 446
 - for linear groups, R 510
- ConjugacyClassesByOrbits, R 356
- ConjugacyClassesByRandomSearch, R 356
- Conjugacy Classes in Classical Groups, *R 510*
- Conjugacy Classes in Solvable Groups, *R 446*
- ConjugacyClassesMaximalSubgroups, R 369
- ConjugacyClassesPerfectSubgroups, R 372
- ConjugacyClassesSubgroups, R 369
- ConjugacyClassSubgroups, R 369
- conjugate, matrix, R 221
 - of a word, R 331
- ConjugateDominantWeight, R 640
- ConjugateDominantWeightWithWord, R 640
- ConjugateGroup, R 346
- Conjugates, R 575
- ConjugateSubgroup, R 348
- ConjugateSubgroups, R 348
- conjugation, R 393
- ConjugatorAutomorphism, R 386
- ConjugatorAutomorphismNC, R 386
- ConjugatorIsomorphism, R 385
- ConjugatorOfConjugatorIsomorphism, R 386
- ConnectGroupAndCharacterTable, R 723
- ConsiderKernels, R 809
- ConsiderSmallerPowerMaps, R 810
- ConsiderStructureConstants, R 801
- ConsiderTableAutomorphisms, R 812
- constants, T 21
- ConstantTimeAccessList, R 191
- constituent, of a group character, R 768
- ConstituentsCompositionMapping, R 302
- ConstituentsOfCharacter, R 769
- Constructing Algebras as Free Algebras, *R 607*
- Constructing Algebras by Generators, *R 606*
- Constructing Algebras by Structure Constants, *R 608*
- Constructing Character Tables from Others, *R 748*
- Constructing Domains, *R 284*
- Constructing Lie algebras, *R 632*
- Constructing Pc Groups, *R 450*
- Constructing Subdomains, *R 288*
- Constructing Tables of Marks, *R 695*
- Constructing Vector Spaces, *R 590*
- Construction of Abelian Number Fields, *R 583*
- Construction of Stabilizer Chains, *R 417*
- Constructors for Basic Groups, *R 510*
- ContainedCharacters, R 808
- ContainedDecomposables, R 808
- ContainedMaps, R 803
- ContainedPossibleCharacters, R 806
- ContainedPossibleVirtualCharacters, R 807
- ContainedSpecialVectors, R 807
- ContainedTom, R 705
- ContainingTom, R 705
- continuation, E 24
- ContinuedFractionApproximationOfRoot, R 141
- ContinuedFractionExpansionOfRoot, R 141
- Continued Fractions, *R 141*
- continue statement, R 55
- Conventions for Character Tables, *R 722*

- convert, to a string, R 249
 - Converting Groups to Finitely Presented Groups, R 468
 - ConvertToCharacterTable, R 720
 - ConvertToCharacterTableNC, R 720
 - ConvertToMatrixRep, R 233
 - ConvertToMatrixRepNC, R 233
 - ConvertToRangeRep, R 205
 - ConvertToStringRep, R 249
 - ConvertToTableOfMarks, R 699
 - ConvertToVectorRep, R 213
 - ConvertToVectorRepNC, R 213
 - ConwayPolynomial, R 581
 - Conway Polynomials, R 581
 - coprime, R 48
 - Copy, T 80
 - copy, R 114
 - an object, R 114
 - COPY_LIST_ENTRIES, R 176
 - Copying Weak Pointer Objects, E 53
 - CopyOptionsDefaults, R 421
 - Copyrights, R 835
 - CopyStabChain, R 421
 - Core, R 357
 - CorrespondingGeneratorsByModuloPcgs, R 439
 - coset, R 352
 - CosetLeadersMatFFE, R 216
 - Cosets, R 352
 - CosetTable, R 462
 - CosetTableBySubgroup, R 463
 - CosetTableDefaultLimit, R 464
 - CosetTableDefaultMaxLimit, R 464
 - CosetTableFromGensAndRels, R 463
 - CosetTableInWholeGroup, R 466
 - CosetTableOfFpSemigroup, R 547
 - Coset Tables and Coset Enumeration, R 462
 - Coset tables for subgroups in the whole group, R 466
 - CosetTableStandard, R 465
 - CRC, R 36
 - CrcFile, R 95
 - example, R 36
 - CRC Numbers, R 36
 - CreateCompletionFiles, R 34
 - CreateCompletionFilesPackage, E 40
 - CreateCompletionFilesPkg, R 840
 - Creating Attributes and Properties, P 17
 - Creating Categories, P 16
 - Creating Character Tables, R 718
 - Creating Class Functions from Values Lists, R 765
 - Creating Class Functions using Groups, R 766
 - Creating Families, P 18
 - Creating Finite Fields, R 580
 - Creating Finitely Presented Groups, R 459
 - Creating Finitely Presented Semigroups, R 543
 - Creating Group Homomorphisms, R 380
 - Creating Groups, R 345
 - Creating hom cosets and quotient groups, N 14
 - Creating Mappings, R 301
 - Creating Objects, P 20
 - Creating Operations, P 18
 - Creating Other Filters, P 18
 - Creating Own Arithmetic Objects, P 41
 - Creating Permutations, R 410
 - Creating Presentations, R 476
 - Creating Representations, P 17
 - Creating Types, P 20
 - Creation of Algebraic Extensions, R 683
 - Creation of Rational Functions, R 680
 - Credit, R 21
 - CrystGroupDefaultAction, R 430
 - Cycle, R 401
 - CycleLength, R 401
 - CycleLengths, R 401
 - Cycles, R 401
 - CycleStructureClass, R 770
 - CycleStructurePerm, R 409
 - CyclicExtensionsTom, R 705
 - CyclicGroup, R 504
 - CyclotomicField, R 583
 - cyclotomic field elements, R 155
 - cyclotomic fields, canonicalbasis, R 586
 - CyclotomicPolynomial, R 668
 - Cyclotomic Polynomials, R 668
 - Cyclotomics, R 155
 - cyclotomics, defaultfield, R 584
- ## D
- d_N , R 159
 - Darstellungsgruppe, see EpimorphismSchurCover, R 378
 - DataType, R 125
 - data type, unknown, R 165
 - DayDMY, R 256
 - DaysInMonth, R 255
 - DaysInYear, R 255
 - Debugging, T 86

- Debugging Recursion, *R 84*
- DEC, *R 241*
- Declaration and Implementation Part, *E 38, P 33*
- DeclareAttribute, *P 31*
 - example, *P 41*
- DeclareAutoPackage, *R 840*
- DeclareAutoreadableVariables, *E 40*
- DeclareAutoreadableVariables, *E 40*
- DeclareCategory, *P 31*
- DeclareFilter, *P 31*
- DeclareGlobalFunction, *P 31*
- DeclareGlobalVariable, *P 32*
- DeclareHandlingByNiceBasis, *R 604*
- DeclareInfoClass, *R 79*
- DeclareOperation, *P 31*
- DeclarePackage, *R 840*
- DeclarePackageAutoDocumentation, *R 840*
- DeclarePackageDocumentation, *R 840*
- DeclareProperty, *P 31*
- DeclareRepresentation, *P 31*
 - belongs to implementation part, *P 33*
 - example, *P 38*
- DeclareSynonym, *P 32*
- DeclareSynonymAttr, *P 32*
- DecodeTree, *R 494*
- DecodeTree, *R 494*
- decompose, a group character, *R 768*
- DecomposedFixedPointVector, *R 705*
- DecomposeTensorProduct, *R 649*
- Decomposition, *R 241*
- DecompositionInt, *R 242*
- DecompositionMatrix, *R 734*
- decomposition matrix, *R 241*
- Decompositions, *R 241*
- Decreased, *R 777*
- DefaultField, *R 572*
 - for cyclotomics, *R 158*
 - for finite field elements, *R 580*
- DefaultFieldByGenerators, *R 572*
- DefaultFieldOfMatrix, *R 222*
- DefaultFieldOfMatrixGroup, *R 425*
- DefaultRing, *R 555*
 - for finite field elements, *R 580*
- DefaultRingByGenerators, *R 556*
- DefaultStabChainOptions, *R 418*
- Defining a Pcgs Yourself, *R 432*
- DefiningPolynomial, *R 573*
- DefiningQuotientHomomorphism, *R 471*
- DegreeFFE, *R 578*
- DegreeIndeterminate, *R 666*
- DegreeOfBinaryRelation, *R 312*
- DegreeOfCharacter, *R 768*
- DegreeOfLaurentPolynomial, *R 665*
- DegreeOfTransformation, *R 548*
- DegreeOfTransformationSemigroup, *R 534*
- DegreeOverPrimeField, *R 573*
- Delta, *R 815*
- Denominator, *T 79*
- denominator, of a rational, *R 144*
- DenominatorCyc, *R 158*
- DenominatorOfModuloPcgs, *R 438*
- DenominatorOfRationalFunction, *R 664*
- DenominatorRat, *R 144*
- DenseHashTable, *N 11*
- Dense hash tables, *N 11*
- DenseIntKey, *N 11*
- deprecated, *R 840*
- DepthOfPcElement, *R 434*
- DepthOfUpperTriangularMatrix, *R 231*
- DepthVector, *T 79*
- Derangements, *R 149*
- Derivations, *R 633*
- Derivative, *R 667*
- DerivedLength, *R 366*
- DerivedSeriesOfGroup, *R 366*
- DerivedSubgroup, *R 358*
- DerivedSubgroupsTom, *R 704*
- DerivedSubgroupsTomPossible, *R 704*
- DerivedSubgroupsTomUnique, *R 704*
- DerivedSubgroupTom, *R 704*
- DescriptionOfRootOfUnity, *R 158*
- Designing new Multiplicative Objects, *P 64*
- Determinant, *R 223*
 - determinant character, *R 770*
- DeterminantIntMat, *R 241*
- DeterminantMat, *R 223*
- DeterminantMatDestructive, *R 223*
- DeterminantMatDivFree, *R 223*
- Determinant of an integer matrix, *R 241*
- DeterminantOfCharacter, *R 770*
- Developing rewriting systems, *R 343*
- DiagonalizeIntMat, *R 239*
- DiagonalizeMat, *R 228*
- DiagonalMat, *R 224*
- DiagonalOfMat, *R 231*
- Dictionaries, *N 9*

- DictionaryByPosition, N 10
 - Difference, R 272
 - DifferenceBlist, R 208
 - Different Notions of Generation, *T* 81
 - DihedralGroup, R 505
 - Dimension, R 569
 - DimensionOfHighestWeightModule, R 649
 - DimensionOfMatrixGroup, R 425
 - DimensionOfVectors, R 599
 - DimensionsLoewyFactors, R 367
 - DimensionsMat, R 222
 - Directories, *R* 91
 - DirectoriesLibrary, R 91
 - DirectoriesPackageLibrary, R 838
 - DirectoriesPackagePrograms, R 839
 - DirectoriesSystemPrograms, R 92
 - Directory, R 91
 - DirectoryContents, R 92
 - DirectoryCurrent, R 91
 - DirectoryTemporary, R 91
 - DirectProduct, R 499
 - Direct product chain subgroups, *N* 21
 - DirectProductOp, R 499
 - Direct Products, *R* 499
 - DirectSumDecomposition, R 618
 - for Lie algebras, R 637
 - Direct Sum Decompositions, *R* 637
 - DirectSumOfAlgebraModules, R 629
 - for Lie algebras, R 652
 - DirectSumOfAlgebras, R 617
 - DisableAttributeValueStoring, R 123
 - disable automatic loading, R 836
 - Discriminant, R 667
 - Display, R 66
 - for character tables, R 765
 - for tables of marks, R 697
 - DisplayCacheStats, R 83
 - DisplayCompositionSeries, R 365
 - DisplayEggBoxOfDCClass, R 536
 - DisplayImfInvariants, R 525
 - DisplayInformationPerfectGroups, R 518
 - DisplayOptions, R 740
 - DisplayOptionsStack, R 89
 - DisplayProfile, R 82
 - DisplayRevision, R 84
 - DistancesDistributionMatFFEVecFFE, R 216
 - DistancesDistributionVecFFESVecFFE, R 216
 - DistanceVecFFE, R 216
 - Distinguished Subalgebras, *R* 634
 - division, R 48
 - operation, R 293
 - DivisionRingByGenerators, R 572
 - division rings, R 571
 - divisors, of an integer, R 134
 - DivisorsInt, R 134
 - Dixon-Schneider algorithm, R 744
 - DixonInit, R 745
 - DixonRecord, R 745
 - DixonSplit, R 745
 - DixontinI, R 745
 - DMYDay, R 256
 - DMYhmsSeconds, R 257
 - DnLattice, R 778
 - DnLatticeIterative, R 779
 - do, R 53
 - document formats, for help books, E 43
 - document formats (text, dvi, ps, pdf, html), R 23
 - Domain, R 289
 - DomainByGenerators, R 289
 - Domain Categories, *R* 286
 - Domain Constructors, *T* 70
 - Domains, *R* 111
 - Domains as Sets, *T* 68
 - Domains Generated by Class Functions, *R* 791
 - Domains of Subspaces of Vector Spaces, *R* 592
 - DominantCharacter, R 648
 - DominantWeights, R 648
 - DoubleCoset, R 354
 - DoubleCosetRepsAndSizes, R 355
 - Double Cosets, *R* 354
 - DoubleCosets, operation, R 354
 - DoubleCosetsNC, operation, R 354
 - DoubleHashArraySize, N 11
 - doublequote character, R 248
 - doublequotes, R 246
 - DownEnv, R 71, *T* 86
 - Dummy Streams, *R* 106
 - duplicate free, R 191
 - DuplicateFreeList, R 196
 - Duplication of Lists, *R* 178
 - Duplication of Objects, *R* 114
 - DxIncludeIrreducibles, R 745
- E**
- E, R 155
 - e_N , R 159

- EANormalSeriesByPcgs, R 440
- Earns, R 402
- EB, R 159
- EC, R 159
- Echelonized Matrices, *R 228*
- ED, R 159
- Edit, R 74
- Editing Files, *R 74*
- Editor Support, *R 75*
- EE, R 159
- EF, R 159
- Efficiency of Homomorphisms, *R 383*
- EG, R 159
- EggBoxOfDClass, R 536
- EH, R 159
- EI, R 160
- Eigenspaces, R 227
- Eigenvalues, R 227
- EigenvaluesChar, R 771
- Eigenvectors, R 227
- Eigenvectors and eigenvalues, *R 227*
- EJ, R 160
- EK, R 160
- EL, R 160
- ElementaryAbelianGroup, R 505
- ElementaryAbelianSeries, R 366
- ElementaryAbelianSeriesLargeSteps, R 366
- Elementary Divisors, *R 228*
- ElementaryDivisorsMat, R 228
- ElementaryDivisorsMatDestructive, R 228
- Elementary Operations for a Pcgs, *R 433*
- Elementary Operations for a Pcgs and an Element, *R 434*
- Elementary Operations for Integers, *R 127*
- Elementary Operations for Rationals, *R 143*
- Elementary Tietze Transformations, *R 487*
- ElementOffFpGroup, R 461
- ElementOffFpSemigroup, R 545
- ElementOfMagmaRing, R 656
- ElementOrdersPowerMap, R 794
- ElementProperty, R 422
- Elements, R 269, T 79
 - definition, R 110
 - of a list or collection, R 269
- Elements as equivalence classes, *R 110*
- ElementsFamily, P 20, R 264
- Elements in Algebraic Extensions, *R 683*
- Elements of Finitely Presented Groups, *T 84*
- Elements of Free Magma Rings, *R 656*
- Elements of pc groups, *R 449*
- ElementsStabChain, R 420
- Elements with Prescribed Images, *R 398*
- element test, for lists, R 180
- elif, R 51
- EliminatedWord, R 332
- EliminationOrdering, R 676
- ElmWPObj, E 52
- else, R 51
- EM, R 160
- emacs, R 75
- email addresses, T 16
- Embedding, R 302
 - example for direct products, R 499
 - example for semidirect products, R 501
 - example for wreath products, R 502
 - for group products, R 503
 - for Lie algebras, R 632
 - for magma rings, R 656
- embeddings, find all, R 389
- Embeddings and Projections for Group Products, *R 503*
- EmptyBinaryRelation, R 311
- EmptyMatrix, R 224
- EmptySCTable, R 608
- EmptyStabChain, R 421
- EnableAttributeValueStoring, R 123
- End, R 602
- end, R 55
- Enforcing Property Tests, *P 36*
- Enlarging Internally Represented Lists, *R 180*
- Enumerator, R 265
- enumerator, T 49
- EnumeratorByBasis, R 595
- EnumeratorByFunctions, R 266
- Enumerators, *R 205*
- EnumeratorSorted, R 265
- environment, R 55
- EpimorphismFromFreeGroup, R 349
- EpimorphismNilpotentQuotient, R 473
- EpimorphismPGroup, R 472
- EpimorphismQuotientSystem, R 472
- epimorphisms, find all, R 389
- EpimorphismSchurCover, R 378
- equality, associative words, R 330
 - elements of finitely presented groups, R 460

- nonassociative words, R 324
- of records, R 261
- operation, R 292
- pcwords, R 449
- Equality and Comparison of Domains, *R 284*
- equality test, R 47
 - for permutations, R 408
- equivalence class, R 315
- Equivalence Classes, *R 315*
- EquivalenceClasses, attribute, R 315
- EquivalenceClassOfElement, R 315
- EquivalenceClassOfElementNC, R 315
- EquivalenceClassRelation, R 315
- equivalence relation, R 312
- EquivalenceRelationByPairs, R 314
- EquivalenceRelationByPairsNC, R 314
- EquivalenceRelationByPartition, R 314
- EquivalenceRelationByPartitionNC, R 314
- EquivalenceRelationByProperty, R 314
- EquivalenceRelationByRelation, R 314
- EquivalenceRelationPartition, R 314
- Equivalence Relations, *R 314*
- ER, R 160
- Error, R 72
- Error, *R 72*
- ErrorCount, R 72
- ErrorCount, *R 72*
- ErrorNoTraceBack, R 68
- errors, syntax, R 64
- ES, R 160
- escaped characters, R 248
- escaping non-special characters, R 248
- ET, R 160
- EU, R 160
- EuclideanDegree, R 563
- EuclideanQuotient, R 563
- EuclideanRemainder, R 564
- Euclidean Rings, *R 563*
- Euler's totient function, R 136
- EulerianFunction, R 364
- EulerianFunctionByTom, R 706
- EV, R 160
- EvalStraightLineProgElm, R 339
- EvalString, R 255
- evaluation, R 42
 - strings, R 254
- EW, R 160
- EX, R 160
- ExactSizeConsiderFunction, R 374
- Example – Constructing Enumerators, *P 24*
- Example – Constructing Iterators, *P 26*
- Example: Groups with a decomposition as semidirect product, *P 41*
- Example: Groups with a word length, *P 41*
- Example: M-groups, *P 40*
- Examples, Lists, and Verbatim, *E 20*
- Exec, R 109
- Exec, *R 109*
- execution, R 49
- exit, R 73
- expanded form of monomials, R 679
- Expert Windows installation, *R 834*
- Exponent, R 364
 - for character tables, R 727
- exponent, of the prime residue group, R 137
- exponentiation, operation, R 293
- ExponentOfPcElement, R 434
- ExponentsConjugateLayer, R 435
- ExponentsOfCommutator, R 435
- ExponentsOfConjugate, R 435
- ExponentsOfPcElement, R 434
- ExponentsOfRelativePower, R 435
- Exponents of Special Products, *R 435*
- ExponentSumWord, R 331
- ExponentSyllable, R 333
- Expressing Group Elements as Words in Generators, *R 349*
- Expressions, *R 42*
- ExtendedGroup, N 20
- ExtendedPcgs, R 437
- Extending the Range of Definition of an Existing Operation, *P 35*
- ExtendSchreierTransversal, N 17
- ExtendSchreierTransversalShortCube, N 17
- ExtendSchreierTransversalShortTree, N 17
- ExtendStabChain, R 421
- Extension, R 454
- ExtensionNC, R 454
- ExtensionRepresentatives, R 455
- Extensions, R 454
- Extensions of the p-adic Numbers, *R 686*
- ExteriorPowerOfAlgebraModule, R 652
- ExternalOrbit, R 405
- ExternalOrbits, R 405
- ExternalOrbitsStabilizers, R 405
- External Representation, *P 28*

- External Representation for Nonassociative Words, *R 326*
- external representation of polynomials, *R 679*
- ExternalSet**, *E 48, R 404*
- external set, *T 48*
- External Sets, *R 404*
- ExternalSubset**, *R 405*
- Extract**, *R 775*
- ExtraspecialGroup**, *R 505*
- ExtRepDenominatorRatFun**, *R 680*
- ExtRepNumeratorRatFun**, *R 680*
- ExtRepOfObj**, *P 29*
 - external representation, for cyclotomics, *R 158*
- ExtRepPolynomialRatFun**, *R 680*
- EY**, *R 160*
- F**
- F**, Function mark-up, *E 16*
- f_N , *R 159*
- FactorCosetAction**, *R 400*
 - for fp groups, *R 463*
- FactorCosetOperation**, *R 463*
- FactorFreeSemigroupByRelations**, *R 543*
- FactorGroup**, *R 368*
- FactorGroupFpGroupByRels**, *R 459*
- FactorGroupNC**, *R 368*
- FactorGroupNormalSubgroupClasses**, *R 756*
- Factor Groups**, *R 368*
- Factor Groups of Polycyclic Groups - Modulo PcgS**, *R 438*
- Factor Groups of Polycyclic Groups in their Own Representation**, *R 439*
- FactorGroupTom**, *R 706*
- Factorial**, *R 145*
- Factorization**, *R 350*
- factorization, *R 349*
- Factors**, *R 563*
 - of univariate polynomial, *R 668*
- FactorsInt**, *R 132*
- FactorsOfDirectProduct**, *R 749*
- FactorsSquarefree**, *R 669*
- Fail**, *R 167, T 77*
- fail**, *R 167*
- fail instead of false, *T 77*
- FaithfulModule**, *R 628*
 - for Lie algebras, *R 646*
- Families**, *R 116*
- FamiliesOfGeneralMappingsAndRanges**, *R 310*
- FamiliesOfRows**, *R 755*
- family, *T 31*
- FamilyForOrdering**, *R 278*
- FamilyObj**, *R 116*
- FamilyPcgs**, *R 449*
- FamilyRange**, *R 310*
- FamilySource**, *R 310*
- FAQ**, *R 827*
- Fast access to last hash index, *N 12*
- features, under UNIX, *R 27*
- fi**, *R 51*
- Fibonacci**, *R 153*
- Fibonacci and Lucas Sequences**, *R 153*
- Field**, *R 571*
- FieldExtension**, *R 573*
- field homomorphisms, Frobenius, *R 581*
- FieldOfMatrixGroup**, *R 425*
- FieldOverItselfByGenerators**, *R 573*
- fields, *R 571*
- File Access**, *R 93*
- FileDescriptorOfStream**, *R 98*
- Filename**, *R 92*
- Filename**, *R 92*
- File Operations**, *R 94*
- File Streams**, *R 103*
- File Structure**, *E 32*
- File Types**, *E 32*
- Filtered**, *R 199*
- Filters**, *R 117*
- filters, *T 73*
- Filters Controlling the Arithmetic Behaviour of Lists**, *R 182*
- Finding Implementations in the Library**, *E 33*
- Finding Positions in Lists**, *R 188*
- Finding Submodules**, *R 689*
- FindS12**, *R 644*
- Finish Installation and Cleanup**, *R 825*
- Finite Field Elements**, *R 577*
- Finitely Presented Lie Algebras**, *R 644*
- Finitely presented monoids**, *R 545*
- finiteness test, for a list or collection, *R 269*
- Finite Perfect Groups**, *R 516*
- First**, *R 200*
- FittingSubgroup**, *R 359*
- Flat**, *R 196*
- FlushCaches**, *P 33*
- flush character, *R 248*
- foa triples, *E 46*

- For, *R 53*
- ForAll, *R 200*
- For and While Loops, *T 33*
- ForAny, *R 200*
- for loop, *R 53*
- Forming Closures of Domains, *T 70*
- FpElmComparisonMethod, *R 460*
- FpGroupPresentation, *R 477*
- FpGrpMonSmgOfFpGrpMonSmgElement, *R 543*
- FpLieAlgebraByCartanMatrix, *R 645*
- frame, *R 780*
- FrattiniSubgroup, *R 359*
 - for groups with pcgs, *R 446*
- FreeAlgebra, *R 607*
- FreeAlgebraWithOne, *R 607*
- FreeAssociativeAlgebra, *R 607*
- FreeAssociativeAlgebraWithOne, *R 607*
- FreeGeneratorsOfFpGroup, *R 460*
- FreeGeneratorsOfFpSemigroup, *R 544*
- FreeGeneratorsOfWholeGroup, *R 460*
- FreeGroup, *R 328*
- FreeGroupOfFpGroup, *R 460*
- Free Groups, Monoids and Semigroups, *R 328*
- FreeLeftModule, *R 569*
- FreeLieAlgebra, *R 633*
- FreeMagma, *R 325*
- FreeMagmaRing, *R 655*
- Free Magma Rings, *R 655*
- Free Magmas, *R 325*
- FreeMagmaWithOne, *R 325*
- Free Modules, *R 569*
- FreeMonoid, *R 540*
 - with example, *R 328*
- FreeMonoidOfRewritingSystem, *R 547*
- FreeSemigroup, *R 328*
 - with examples, *R 533*
- FreeSemigroupOfFpSemigroup, *R 544*
- FreeSemigroupOfRewritingSystem, *R 547*
- Frobenius automorphism, *R 581*
- FrobeniusAutomorphism, *R 581*
- FrobeniusAutomorphism, *R 581*
- FrobeniusCharacterValue, *R 790*
- FullMatrixAlgebra, *R 610*
- FullMatrixAlgebraCentralizer, *R 618*
- FullMatrixLieAlgebra, *R 633*
- FullMatrixModule, *R 570*
- FullMatrixSpace, *R 599*
- FullRowModule, *R 570*
- FullRowSpace, *R 599*
- FullTransformationSemigroup, *R 534*
- Function, *R 55*
- function, *R 55*
- FunctionAction, *R 404*
- function call, *R 46*
 - with arguments, *R 46*
 - with options, *R 47*
- Function Calls, *R 46*
- FunctionOperation, *R 840*
- functions, *R 300*
 - definition by arrow notation, *R 57*
 - definition of, *R 55*
 - recursive, *R 55*
 - with a variable number of arguments, *R 56*
- FunctionsFamily, *R 63*
- Functions for Coding Theory, *R 216*
- Functions for GAP Packages, *R 837*
- Functions that do nothing, *R 63*
- Function that Modify Boolean Lists, *R 209*
- Function Types, *R 63*
- Further Improvements in Implementing Residue Class Rings, *P 61*
- Further Information about Domains, *T 71*
- Further Information about Functions, *T 43*
- Further Information about GAP, *T 16*
- Further Information about Groups and Homomorphisms, *T 58*
- Further Information about Lists, *T 39*
- Further Information about Vector Spaces and Algebras, *T 67*
- Further Information introducing the System, *T 26*
- FusionCharTableTom, *R 712*
- FusionConjugacyClasses, *R 797*
- FusionConjugacyClassesOp, *R 797*
- fusions, *R 796*
- FusionsAllowedByRestrictions, *R 812*
- FusionsTom, *R 701*
- G**
- G*-sets, *E 48*, *R 404*
- g_N , *R 159*
- gac, *R 35*
- Galois Action, *R 573*
- Galois Conjugacy of Cyclotomics, *R 162*
- GaloisCyc, *R 162*
 - for class functions, *R 764*
- GaloisField, *R 580*

- GaloisGroup, of field, R 574
 - of rational class of a group, R 357
- Galois Groups of Abelian Number Fields, *R 588*
- GaloisMat, R 163
- GaloisStabilizer, R 585
- GaloisType, R 669
- gap.rc, R 32
- GAP3, R 33
- Gap3CatalogueIdGroup, R 514
- GAPDocManualLab, E 41
- GAP for Macintosh OS X, *R 831*
- GAP for MacOS, *R 832*
- GAPInfo, R 841
- GAPInfo.RootPaths, R 29
- GAPInfo.Version, E 40
- GapInputPcGroup, R 453
- GapInputSCTable, R 608
- GAPKB_REW, R 546
- gapmacro.tex, E 11
- GAP Root Directory, *R 90*
- GasmanLimits, R 87
- GasmanMessageStatus, R 86
- GasmanStatistics, R 86
- Gaussian algorithm, R 226
- GaussianIntegers, R 589
- GaussianRationals, R 584
- Gaussians, *R 589*
- Gcd, R 564
- Gcd and Lcm, *R 564*
- Gcdex, R 130
- GcdInt, R 129
- GcdOp, R 564
- GcdRepresentation, R 564
- GcdRepresentationOp, R 565
- General Binary Relations, *R 311*
- General hash table definitions and operations, *N 10*
- General Hash Tables, *N 10*
- GeneralisedEigenspaces, R 227
- GeneralisedEigenvalues, R 227
- generalized characters, R 758
- Generalized Conjugation Technique, *E 54*
- generalized conjugation technique, *E 54*
- GeneralizedEigenspaces, R 227
- GeneralizedEigenvalues, R 227
- GeneralLinearGroup, R 507
- GeneralMappingByElements, R 301
- General Mappings, *R 309*
- GeneralMappingsFamily, R 310
- General operations on transversals, *N 16*
- GeneralOrthogonalGroup, R 508
- GeneralUnitaryGroup, R 507
- Generating Fields, *R 571*
- Generating modules, *R 567*
- Generating Rings, *R 555*
- GeneratingSetIsComplete, N 19
- generator, of the prime residue group, R 138
- GeneratorsOfAdditiveGroup, R 553
- GeneratorsOfAdditiveMagma, R 553
- GeneratorsOfAdditiveMagmaWithZero, R 553
- GeneratorsOfAlgebra, R 614
- GeneratorsOfAlgebraModule, R 625
- GeneratorsOfAlgebraWithOne, R 614
- GeneratorsOfDivisionRing, R 572
- GeneratorsOfDomain, R 289
- GeneratorsOfEquivalenceRelationPartition, R 314
- GeneratorsOfField, R 572
- GeneratorsOfGroup, R 346
- GeneratorsOfIdeal, R 558
- GeneratorsOfLeftIdeal, R 559
- GeneratorsOfLeftModule, R 567
- GeneratorsOfLeftOperatorAdditiveGroup, R 567
- GeneratorsOfLeftVectorSpace, R 591
- GeneratorsOfMagma, R 319
- GeneratorsOfMagmaWithInverses, R 319
- GeneratorsOfMagmaWithOne, R 319
- GeneratorsOfMonoid, R 539
- GeneratorsOfNearAdditiveGroup, R 553
- GeneratorsOfNearAdditiveMagma, R 553
- GeneratorsOfNearAdditiveMagmaWithZero, R 553
- GeneratorsOfPresentation, R 476
- GeneratorsOfRightIdeal, R 559
- GeneratorsOfRightModule, R 568
- GeneratorsOfRightOperatorAdditiveGroup, R 568
- GeneratorsOfRing, R 556
- GeneratorsOfRingWithOne, R 560
- GeneratorsOfRws, R 341
- GeneratorsOfSemigroup, R 533
- GeneratorsOfSomething, T 69
- GeneratorsOfStruct, R 285
- GeneratorsOfTwoSidedIdeal, R 558
- GeneratorsOfVectorSpace, R 591
- GeneratorsPrimeResidues, R 137
- GeneratorsSmallest, R 375
- GeneratorsSubgroupsTom, R 710

GeneratorSyllable, R 333
 Generic Construction of Tables of Marks, *R 714*
 GetFusionMap, R 798
 GetHashEntry, N 10
 GetHashEntryAtLastIndex, N 12
 GetHashEntryIndex, N 11
 getter, of an attribute, T 72
 Get the Archives, *R 822*
 getting help, R 22
 GF, R 580
 GL, R 507
 GL and SL, *R 426*
 Global Memory Information, *R 86*
 Global Variables in the Library, *P 31*
 GModuleByMats, R 688
 GO, R 508
 GQuotients, R 389
 Grading, R 619
 Green's Relations, *R 535*
 GreensDClasses, R 537
 GreensDClassOfElement, R 536
 GreensDRelation, R 536
 GreensHClasses, R 537
 GreensHClassOfElement, R 536
 GreensHRelation, R 536
 GreensJClasses, R 537
 GreensJClassOfElement, R 536
 GreensJRelation, R 536
 GreensLClasses, R 537
 GreensLClassOfElement, R 536
 GreensLRelation, R 536
 GreensRClasses, R 537
 GreensRClassOfElement, R 536
 GreensRRelation, R 536
 Groebner Bases, *R 677*
 GroebnerBasis, R 677
 GroebnerBasisNC, R 677
 Group, R 345
 group actions, R 392
 operations syntax, R 392
 Group Actions - Name Changes, *R 840*
 group algebra, R 654
 Group Automorphisms, *R 385*
 GroupByRws, R 451
 GroupByRwsNC, R 451
 group characters, R 758
 Group Elements, *R 345*
 group general mapping, T 55

single-valued, T 55
 total, T 55
 GroupGeneralMappingByImages, R 381
 GroupHClassOfGreensDClass, R 537
 GroupHomomorphismByFunction, R 381
 GroupHomomorphismByImages, R 380
 GroupHomomorphismByImagesNC, R 380
 GroupHomomorphismByImages vs. GroupGeneralMappingByImages, T 55
 Group Homomorphisms, Group Homomorphisms, by Images, *T 54*
 GroupOfPcgs, R 433
 group operations, R 393
 Group Properties, *R 362*
 GroupRing, R 655
 group ring, R 654
 Groups of Automorphisms, *R 387*
 GroupStabChain, R 420
 GroupWithGenerators, R 346
 GU, R 507

H

h_N , R 159
 HallSubgroup, R 360
 HallSystem, R 361
 for groups with pcgs, R 446
 Handling of Streams in the Background, *R 106*
 HasAbelianFactorGroup, R 368
 HasChainHomomorphicImage, N 20
 HasElementaryAbelianFactorGroup, R 368
 HashFunct, N 11
 HashKeyEnumerator, N 10
 Hash keys, *N 11*
 HasIndeterminateName, R 661
 HasParent, R 287
 HasseDiagramBinaryRelation, R 313
 HeadPcElementByNumber, R 435
 Help, *T 25*
 HELP_ADD_BOOK, E 42
 HenselBound, R 670
 hermite normal form, R 841
 HermiteNormalFormIntegerMat, R 239
 HermiteNormalFormIntegerMatTransform, R 239
 HeuristicCancelPolynomials, R 682
 HexStringInt, R 251
 HighestWeightModule, R 651
 History of Character Theory Stuff in GAP, *R 717*
 HMSMSec, R 256

- Hom, R 602
- HomCoset, N 14
- Hom coset chain subgroups, *N 21*
- HomCosetWithImage, N 14
- HomeEnumerator, R 404
- Homomorphism, for quotient groups by
 - homomorphisms, N 14
 - for subgroup transversals, N 17
- homomorphism, action, T 48
 - natural, T 45
 - operation, T 48
- Homomorphism for very large groups, *R 384*
- HomomorphismQuotientSemigroup, R 535
- homomorphisms, find all, R 389
- homomorphisms, Frobenius, field, R 581
- Homomorphisms of Algebras, *R 620*
- Homomorphisms vs. Factor Structures, *T 83*
- Homomorphisms vs. General Mappings, *T 83*
- HomomorphismTransformationSemigroup, R 534
- HomTransversal, N 17
- How to Implement New Kinds of Vector Spaces, *R 604*
- HumanReadableDefinition, R 708
- I**
- i_N , R 160
- Ideal, R 557
- IdealByGenerators, R 558
- IdealNC, R 558
- Ideals, *R 612*
- Ideals in Rings, *R 557*
- Ideals of semigroups, *R 534*
- Idempotents, R 320
- IdempotentsTom, R 701
- IdempotentsTomInfo, R 701
- Identical Lists, *R 177, T 29*
- Identical Objects, *R 111*
- Identical Records, *R 260*
- IdentificationOfConjugacyClasses, R 723
- Identifier, for character tables, R 729
 - for tables of marks, R 702
- identifier, T 22
- Identifiers, *R 42*
- Identity, R 289
- IdentityBinaryRelation, R 311
- IdentityFromSCTable, R 609
- IdentityMapping, R 302
- IdentityMat, R 224
- IdentityTransformation, R 548
- IdFunc, R 63
- IdGap3SolvableGroup, R 514
- IdGroup, R 514
- IdSmallGroup, R 514
- IdsOfAllSmallGroups, R 514
- If, *R 51*
- if statement, R 51
- If Statements, *T 41*
- If Things Go Wrong, *R 827*
- Image, R 304
 - for Frobenius automorphisms, R 581
- image, vector under matrix, R 221
- ImageElm, R 304
- ImageElt, N 14
- ImageGroup, N 18
- ImageListOfTransformation, R 549
- Images, R 304
- ImagesElm, R 303
- ImageSetOfTransformation, R 549
- ImagesRepresentative, R 303
- ImagesSet, R 303
- ImagesSmallestGenerators, R 384
- ImagesSource, N 15, R 303
- Images under Mappings, *R 303*
- ImfInvariants, R 527
- ImfMatrixGroup, R 528
- ImfNumberQClasses, R 525
- ImfNumberQQClasses, R 525
- ImfNumberZClasses, R 525
- Immediate Methods, *P 13*
- Immutability, *T 30*
- Immutable, R 113
- ImmutableBasis, R 598
- ImmutableMatrix, R 233
- Immutable Objects, *T 80*
- Implementing New List Objects, *P 23*
- in, for collections, R 273
 - for lists, R 180
 - for strictly sorted lists, R 193
 - operation for, R 273
- IndependentGeneratorsOfAbelianGroup, R 375
- Indeterminate, R 660
- IndeterminateName, R 661
- Indeterminateness, R 806
- IndeterminateNumberOfLaurentPolynomial, R 671

- IndeterminateNumberOfUnivariateRational-Function, R 661
- IndeterminateOfUnivariateRationalFunction, R 661
- Indeterminates, *R 660*
- IndeterminatesOfPolynomialRing, R 672
- Index, R 347
- indexing commands, E 16
- IndexInWholeGroup, R 347
- IndexNC, R 347
- Index numbers of primitive groups, *R 522*
- Indicator, R 737
- IndicatorOp, R 737
- IndicesCentralNormalSteps, R 440
- IndicesChiefNormalSteps, R 441
- IndicesEANormalSteps, R 440
- IndicesInvoluntaryGenerators, R 465
- IndicesNormalSteps, R 442
- IndicesOfAdjointBasis, R 615
- IndicesPCentralNormalStepsPGroup, R 441
- IndicesStabChain, R 420
- Indirected, R 802
- Induced Actions, *R 690*
- InducedAutomorphism, R 388
- InducedClassFunction, R 772
- InducedClassFunctions, R 772
- InducedCyclic, R 773
- InducedPcgs, R 436
- InducedPcgsByGenerators, R 436
- InducedPcgsByGeneratorsNC, R 436
- InducedPcgsByPcSequence, R 436
- InducedPcgsByPcSequenceAndGenerators, R 437
- InducedPcgsByPcSequenceNC, R 436
- InducedPcgsWrtFamilyPcgs, R 449
- InducedPcgsWrtSpecialPcgs, R 444
- Inequalities, R 789
- inequality, of records, R 261
- inequality test, R 47
- InertiaSubgroup, R 770
- Infinity, *R 158*
- infinity, R 158
- inflated class functions, R 771
- Info, R 79
- InfoAlgebra, R 606
- InfoAttributes, R 123
- InfoBckt, R 422
- InfoCharacterTable, R 722
- InfoCoh, R 377
- InfoComplement, R 358
- InfoCoset, R 355
- InfoFpGroup, R 459
- Info Functions, *R 79*
- InfoGroebner, R 678
- InfoGroup, R 346
- InfoLattice, R 372
- InfoLevel, R 79
- InfoMatrix, R 219
- InfoMonomial, R 814
- InfoNumtheor, R 136
- InfoOptions, R 89
- InfoPcSubgroup, R 375
- Information about a function, *R 61*
- Information about the version used, *R 84*
- InfoText, R 730
- InfoTom, R 699
- InfoWarning, R 80
- init.g, for a GAP package, E 38
- InitFusion, R 811
- InitPowerMap, R 809
- Injection, N 18
- InjectionZeroMagma, R 318
- InnerAutomorphism, R 386
- InnerAutomorphismNC, R 386
- InnerAutomorphismsAutomorphismGroup, R 387
- inner product, of group characters, R 768
- In Parent Attributes, *E 47*
- InParentFOA, E 48
- Input-Output Streams, *R 105*
- InputLogTo, R 95
 - for streams, R 102
 - stop logging input, R 95
- InputOutputLocalProcess, R 105
- InputTextFile, R 103
- InputTextNone, R 106
- InputTextString, R 104
- InputTextUser, R 104
- InsertTrivialStabilizer, R 421
- InstallAtExit, R 73
- installation, R 821
- Installation of GAP for MacOS, *R 832*
- Installation of GAP Package Binaries, *E 38*
- Installation Overview, *R 821*
- InstallCharReadHookFunc, R 106
- InstalledPackageVersion, R 838
- InstallFactorMaintenance, R 295
- InstallFlushableValue, P 32

- InstallGlobalFunction, P 32
- InstallHandlingByNiceBasis, R 604
- InstallImmediateMethod, P 14
- Installing a GAP Package, *R 836*
- Installing a Help Book, *E 42*
- InstallIsomorphismMaintenance, R 295
- InstallMethod, P 11
- InstallOtherMethod, P 12
- InstallSubsetMaintenance, R 295
- InstallTrueMethod, P 14
- InstallValue, P 32
- Int, R 127
 - for cyclotomics, R 156
 - for strings, R 254
- INT_CHAR, R 254
- integer part of a quotient, R 129
- Integers, R 126
- Integral Bases of Abelian Number Fields, *R 586*
- IntegralizedMat, R 242
- IntegratedStraightLineProgram, R 338
- IntermediateGroup, R 367
- IntermediateSubgroups, R 367
- Internally Represented Cyclotomics, *R 164*
- Internally Represented Strings, *R 249*
- InterpolatedPolynomial, R 566
- IntersectBlist, R 209
- Intersection, R 271
 - for groups with pcgs, R 446
- intersection, of collections, R 271
 - of sets, R 194
- Intersection2, R 271
- IntersectionBlist, R 208
- IntersectionsTom, R 706
- IntersectSet, R 194
- IntFFE, R 579
- IntFFESymm, R 579
- IntHexString, R 254
- Introducing new Viewer for the Online Help, *E 45*
- IntScalarProducts, R 806
- IntVecFFE, R 579
- InvariantBilinearForm, R 427
- InvariantElementaryAbelianSeries, R 366
- Invariant Forms, *R 691*
- InvariantLattice, R 429
- InvariantQuadraticForm, R 427
- InvariantSesquilinearForm, R 427
- InvariantSubgroupsElementaryAbelianGroup, R 373
- Inverse, R 291
- inverse, group homomorphism, R 382
 - matrix, R 221
 - of class function, R 763
- InverseAttr, R 291
- InverseClasses, R 730
- InverseGeneralMapping, R 301
- InverseImmutable, R 291
- InverseMap, R 802
- InverseMatMod, R 235
- InverseMutable, R 291
- InverseOp, R 291
- InverseRepresentative, R 420
- InverseSameMutability, R 291
- InverseSM, R 291
- Invoking the Help, *R 22*
- Irr, R 725
- irrationalities, R 155
- IrrBaumClausen, R 742
- IrrConlon, R 742
- IrrDixonSchneider, R 742
- Irreducibility Tests, *R 689*
- irreducible character, R 767
- irreducible characters, computation, R 745
- IrreducibleDifferences, R 774
- Irreducible Maximal Finite Integral Matrix Groups, *R 524*
- IrreducibleModules, R 744
 - for groups with pcgs, R 446
- IrreducibleRepresentations, R 742
- IrreducibleRepresentationsDixon, R 743
- IrreducibleSolvableGroup, R 523
- IrreducibleSolvableGroupMS, R 523
- Irreducible Solvable Matrix Groups, *R 523*
- Is16BitsFamily, R 334
- Is32BitsFamily, R 334
- Is8BitsFamily, R 334
- IsAbelian, R 320
 - for character tables, R 727
- IsAbelianNumberField, R 585
- IsAbelianNumberFieldPolynomialRing, R 673
- IsAbelianTom, R 703
- IsAdditiveElement, R 296
- IsAdditiveElementWithInverse, R 296
- IsAdditiveElementWithZero, R 296
- IsAdditiveGroup, R 552
- IsAdditiveGroupGeneralMapping, R 308
- IsAdditiveGroupHomomorphism, R 308

- IsAdditivelyCommutative, R 553
- IsAdditivelyCommutativeElement, R 298
- IsAdditivelyCommutativeElementCollColl, R 298
- IsAdditivelyCommutativeElementCollection, R 298
- IsAdditivelyCommutativeElementFamily, R 298
- IsAdditiveMagma, R 551
- IsAdditiveMagmaWithInverses, R 552
- IsAdditiveMagmaWithZero, R 551
- IsAlgebra, R 613
- IsAlgebraGeneralMapping, R 309
- IsAlgebraHomomorphism, R 309
- IsAlgebraicElement, R 684
- IsAlgebraicExtension, R 683
- IsAlgebraModuleElement, R 625
- IsAlgebraModuleElementCollection, R 625
- IsAlgebraModuleElementFamily, R 625
- IsAlgebraWithOne, R 613
- IsAlgebraWithOneGeneralMapping, R 309
- IsAlgebraWithOneHomomorphism, R 309
- IsAlphaChar, R 250
- IsAlternatingGroup, R 413
- IsAnticommutative, R 561
- IsAntisymmetricBinaryRelation, R 312
- IsAssociated, R 562
- IsAssociative, R 320
- IsAssociativeElement, R 298
- IsAssociativeElementCollColl, R 298
- IsAssociativeElementCollection, R 298
- IsAssocWord, R 327
- IsAssocWordWithInverse, R 327
- IsAssocWordWithOne, R 327
- IsAttributeStoringRep, P 38
- IsAutomorphismGroup, R 387
- IsBasicWreathLessThanOrEqual, R 330
- IsBasicWreathProductOrdering, R 282
- IsBasis, R 593
- IsBasisByNiceBasis, R 604
- IsBasisOfAlgebraModuleElementSpace, R 626
- IsBergerCondition, R 815
- IsBijection, T 79
- IsBijective, R 303
- IsBinaryRelation, R 311
 - same as IsEndoGeneralMapping, R 311
- IsBLetterAssocWordRep, R 334
- IsBLetterWordsFamily, R 334
- IsBlist, R 207
- IsBlockMatrixRep, R 236
- IsBool, R 167
- IsBound, for lists, R 176
- IsBound and Unbind for Lists, R 176
- IsBound and Unbind for Records, R 262
- IsBoundElmWPObj, E 52
- IsBoundGlobal, R 45
- IsBrauerTable, R 721
- IsBravaisGroup, R 429
- IsBuiltFromAdditiveMagmaWithInverses, R 342
- IsBuiltFromGroup, R 342
- IsBuiltFromMagma, R 342
- IsBuiltFromMagmaWithInverses, R 342
- IsBuiltFromMagmaWithOne, R 342
- IsBuiltFromSemigroup, R 342
- IsCanonicalBasis, R 596
- IsCanonicalBasisFullMatrixModule, R 600
- IsCanonicalBasisFullRowModule, R 600
- IsCanonicalNiceMonomorphism, R 385
- IsCanonicalPcgs, R 437
- IsCentral, R 320
- IsChainTypeGroup, N 19
- IsChar, R 246
- IsCharacter, R 767
- IsCharacteristicSubgroup, R 348
- IsCharacterTable, R 721
- IsCharacterTableInProgress, R 721
- IsCharCollection, R 246
- IsCheapConwayPolynomial, R 582
- IsClassFunction, R 758
- IsClassFusionOfNormalSubgroup, R 736
- IsClosedStream, R 97
- IsCochain, R 647
- IsCochainCollection, R 647
- IsCollection, R 264
- IsCollectionFamily, R 264
- IsCommutative, R 320
- IsCommutativeElement, R 298
- IsCommutativeElementCollColl, R 298
- IsCommutativeElementCollection, R 298
- IsComponentObjectRep, P 38
- IsCompositionMappingRep, R 301
- IsConfluent, R 340
 - for pc groups, R 451
- IsConjugacyClassSubgroupsByStabilizerRep, R 369
- IsConjugacyClassSubgroupsRep, R 369
- IsConjugate, R 357

- IsConjugatorAutomorphism, R 386
- IsConjugatorIsomorphism, R 386
- IsConstantRationalFunction, R 665
- IsConstantTimeAccessGeneralMapping, R 309
- IsConstantTimeAccessList, R 171
- IsContainedInSpan, R 598
- IsCopyable, R 113
- IsCyc, R 156
- IsCyclic, R 362
 - for character tables, R 727
- IsCyclicTom, R 703
- IsCyclotomic, R 156
- IsCyclotomicField, R 585
- IsCyclotomicMatrixGroup, R 428
- IsDenseList, R 170
- IsDiagonalMat, R 223
- IsDictionary, N 9
- IsDigitChar, R 250
- IsDirectoryPath, R 93
- IsDistributive, R 561
- IsDivisionRing, R 571
- IsDomain, R 288
- IsDoneIterator, R 275
- IsDoubleCoset, R 355
- IsDuplicateFree, R 191
- IsDuplicateFreeList, R 191
- IsDxLargeGroup, R 746
- IsElementaryAbelian, R 362
 - for character tables, R 727
- IsElementOfFpMonoid, R 543
- IsElementOfFpSemigroup, R 543
- IsElementOfFreeMagmaRing, R 656
- IsElementOfFreeMagmaRingCollection, R 656
- IsElementOfFreeMagmaRingFamily, R 656
- IsElementOfMagmaRingModuloRelations, R 657
- IsElementOfMagmaRingModuloRelations-
Collection, R 657
- IsElementOfMagmaRingModuloRelationsFamily,
R 657
- IsElementOfMagmaRingModuloSpanOfZeroFamily,
R 658
- IsEmpty, R 269
- IsEmptyString, R 249
- IsEndOfStream, R 100
- IsEndoGeneralMapping, R 309
 - same as IsBinaryRelation, R 311
- IsEqualSet, R 193
- IsEquivalenceClass, R 315
- IsEquivalenceRelation, R 312
- IsEuclideanRing, R 563
- IsEvenInt, R 127
- IsExecutableFile, R 93
- IsExistingFile, R 93
- IsExtAEElement, R 296
- IsExternalOrbit, R 405
- IsExternalSet, R 404
- IsExternalSubset, R 405
- IsExtLElement, R 296
- IsExtRElement, R 296
- IsFamilyPcgs, R 449
- IsFFE, R 577
- IsFFECollColl, R 577
- IsFFECollection, R 577
- IsField, R 571
- IsFieldControlledByGaloisGroup, R 574
- IsFieldHomomorphism, R 309
- IsFinite, R 269
 - for character tables, R 727
- IsFiniteDimensional, R 569
 - for matrix algebras, R 614
- IsFiniteFieldPolynomialRing, R 673
- IsFinitelyGeneratedGroup, R 363
- IsFiniteOrderElement, R 298
- IsFiniteOrderElementCollColl, R 298
- IsFiniteOrderElementCollection, R 298
- IsFiniteOrdersPcgs, R 433
- IsFixedStabilizer, R 422
- IsFLMLOR, R 613
- IsFLMLORWithOne, R 613
- IsFpGroup, R 459
- IsFpMonoid, R 543
- IsFpSemigroup, R 543
- IsFreeGroup, R 328
- IsFreeLeftModule, R 569
- IsFreeMagmaRing, R 655
- IsFreeMagmaRingWithOne, R 655
- IsFromFpGroupGeneralMappingByImages, R 391
- IsFromFpGroupHomomorphismByImages, R 391
- IsFromFpGroupStdGensGeneralMappingByImages,
R 391
- IsFromFpGroupStdGensHomomorphismByImages,
R 391
- IsFullHomModule, R 603
- IsFullMatrixModule, R 570
- IsFullRowModule, R 570

- IsFullSubgroupGLorSLRespectingBilinearForm, R 427
- IsFullSubgroupGLorSLRespectingQuadratic-Form, R 428
- IsFullSubgroupGLorSLRespectingSesquilinear-Form, R 427
- IsFullTransformationSemigroup, R 534
- IsFunc, T 79
- IsFunction, R 63
- IsGaussianIntegers, R 589
- IsGaussianRationals, R 584
- IsGaussianSpace, R 598
- IsGaussInt, R 158
- IsGaussRat, R 158
- IsGeneralizedDomain, R 288
- IsGeneralizedRowVector, R 182
- IsGeneralLinearGroup, R 426
- IsGeneralMapping, R 309
- IsGeneralMappingFamily, R 310
- IsGeneratorsOfStruct, R 285
- IsGL, R 426
- IsGreensClass, R 536
- IsGreensDClass, R 536
- IsGreensDRelation, R 536
- IsGreensHClass, R 536
- IsGreensHRelation, R 536
- IsGreensJClass, R 536
- IsGreensJRelation, R 536
- IsGreensLClass, R 536
- IsGreensLessThanOrEqual, R 536
- IsGreensLRelation, R 536
- IsGreensRClass, R 536
- IsGreensRelation, R 536
- IsGreensRRelation, R 536
- IsGroup, R 346
- IsGroupGeneralMapping, R 307
- IsGroupGeneralMappingByAsGroupGeneral-MappingByImages, R 391
- IsGroupGeneralMappingByImages, R 391
- IsGroupGeneralMappingByPcgs, R 391
- IsGroupHClass, R 537
- IsGroupHomomorphism, R 307
- IsGroupOfAutomorphisms, R 387
- IsGroupRing, R 655
- IsHandledByNiceBasis, R 570
 - for vector spaces, R 604
- IsHandledByNiceMonomorphism, R 385
- IsHash, N 10
- IsHasseDiagram, R 312
- IsHomCoset, N 13
- IsHomCosetOfAdditiveElt, N 14
- IsHomCosetOfFp, N 14
- IsHomCosetOfMatrix, N 14
- IsHomCosetOfPerm, N 14
- IsHomCosetOfTuple, N 14
- IsHomCosetToAdditiveElt, N 13
- IsHomCosetToAdditiveEltRep, N 13
- IsHomCosetToFp, N 13
- IsHomCosetToFpRep, N 13
- IsHomCosetToMatrix, N 13
- IsHomCosetToMatrixRep, N 13
- IsHomCosetToObjectRep, N 13
- IsHomCosetToPerm, N 13
- IsHomCosetToPermRep, N 13
- IsHomCosetToTuple, N 13
- IsHomCosetToTupleRep, N 13
- IsHomogeneousList, R 171
- IsIdempotent, R 291
- IsIdenticalObj, R 111, T 24
- IsInChain, N 19
- IsIncomparableUnder, R 278
- IsInducedFromNormalSubgroup, R 817
- IsInducedPcgs, R 436
- IsInducedPcgsWrtSpecialPcgs, R 444
- IsInfBitsFamily, R 334
- IsInfinity, R 158
- IsInjective, R 303
- IsInnerAutomorphism, R 386
- IsInputOutputStream, R 105
- IsInputStream, R 97
- IsInputTextNone, R 97
- IsInputTextStream, R 97
- IsInt, R 127
- IsIntegerMatrixGroup, R 429
- IsIntegers, R 126
- IsIntegralBasis, R 596
- IsIntegralCyclotomic, R 156
- IsIntegralRing, R 560
- IsInternallyConsistent, R 115
 - for character tables, R 736
 - for tables of marks, R 704
- IsIrreducibleCharacter, R 767
- IsIrreducibleRingElement, R 562
- IsIterator, R 275
- IsJacobianElement, R 298
- IsJacobianElementCollColl, R 298

- IsJacobianElementCollection, R 298
- IsJacobianRing, R 561
- IsLaurentPolynomial, R 664
- IsLaurentPolynomialDefaultRep, R 680
- IsLDistributive, R 561
- IsLeftAlgebraModuleElement, R 625
- IsLeftAlgebraModuleElementCollection, R 625
- IsLeftIdeal, R 558
- IsLeftIdealInParent, R 558
- IsLeftModule, R 567
- IsLeftModuleGeneralMapping, R 308
- IsLeftModuleHomomorphism, R 308
- IsLeftOperatorAdditiveGroup, R 567
- IsLeftSemigroupIdeal, R 534
- IsLeftVectorSpace, R 590
- IsLessThanOrEqualUnder, R 278
- IsLessThanUnder, R 278
- IsLetterAssocWordRep, R 333
- IsLetterWordsFamily, R 333
- IsLexicographicallyLess, R 197
- IsLieAbelian, R 636
- IsLieAlgebra, R 613
- IsLieMatrix, R 220
- IsLieNilpotent, R 636
- IsLieObject, R 631
- IsLieObjectCollection, R 631
- IsLieSolvable, R 636
- IsLinearMapping, R 308
- IsLinearMappingsModule, R 603
- IsList, R 170
- IsListDefault, R 182
- IsListOrCollection, R 265
- IsLookupDictionary, N 9
- IsLowerAlphaChar, R 250
- IsLowerTriangularMat, R 223
- IsMagma, R 316
- IsMagmaHomomorphism, R 306
- IsMagmaRingModuloRelations, R 657
- IsMagmaRingModuloSpanOfZero, R 658
- IsMagmaWithInverses, R 316
- IsMagmaWithInversesIfNonzero, R 316
- IsMagmaWithOne, R 316
- IsMapping, R 302
- IsMat, T 79
- IsMatchingSublist, R 190
- IsMatrix, R 219
- IsMatrixGroup, R 425
- IsMatrixModule, R 570
- IsMatrixSpace, R 598
- IsMinimalNonmonomial, R 820
- IsModuloPcgs, R 438
- IsMonoid, R 539
- IsMonomial, for characters, R 817
 - for character tables, R 727
 - for groups, R 817
 - for positive integers, R 818
- IsMonomialGroup, R 362
- IsMonomialMatrix, R 223
- IsMonomialNumber, R 818
- IsMonomialOrdering, R 674
- IsMultiplicativeElement, R 296
- IsMultiplicativeElementWithInverse, R 297
- IsMultiplicativeElementWithOne, R 297
- IsMultiplicativeElementWithZero, R 297
- IsMultiplicativeGeneralizedRowVector, R 182
- IsMultiplicativeZero, R 320
- IsMutable, R 113
- IsMutableBasis, R 597
- IsNaturalAlternatingGroup, R 412
- IsNaturalGL, R 427
- IsNaturalGLnZ, R 429
- IsNaturalSL, R 427
- IsNaturalSLnZ, R 429
- IsNaturalSymmetricGroup, R 412
- IsNearAdditiveElement, R 296
- IsNearAdditiveElementWithInverse, R 296
- IsNearAdditiveElementWithZero, R 296
- IsNearAdditiveGroup, R 551
- IsNearAdditiveMagma, R 551
- IsNearAdditiveMagmaWithInverses, R 551
- IsNearAdditiveMagmaWithZero, R 551
- IsNearlyCharacterTable, R 721
- IsNearRingElement, R 297
- IsNearRingElementWithInverse, R 297
- IsNearRingElementWithOne, R 297
- IsNegRat, R 144
- IsNilpotent, for character tables, R 727
 - for groups with pcgs, R 446
- IsNilpotentElement, R 643
- IsNilpotentGroup, R 362
- IsNilpotentTom, R 703
- IsNonassocWord, R 323
- IsNonassocWordCollection, R 323
- IsNonassocWordWithOne, R 323
- IsNonassocWordWithOneCollection, R 323
- IsNonnegativeIntegers, R 126

- IsNonSPGeneralMapping, R 310
- IsNonTrivial, R 269
- IsNormal, R 347
- IsNormalBasis, R 596
- IsNotIdenticalObj, R 112
- IsNumberField, R 585
- IsObject, R 110
- IsOddInt, R 127
- isomorphic, pc group, R 453
- IsomorphicSubgroups, R 389
- IsomorphismFpAlgebra, R 622
- IsomorphismFpGroup, R 468
 - for subgroups of fp groups, R 470
- IsomorphismFpGroupByGenerators, R 468
- IsomorphismFpGroupByGeneratorsNC, R 468
- IsomorphismFpGroupByPcgs, R 450
- IsomorphismFpSemigroup, R 544
- IsomorphismGroups, R 389
- IsomorphismMatrixAlgebra, R 622
- IsomorphismPcGroup, R 453
- IsomorphismPermGroup, R 412
 - for Imf matrix groups, R 530
- IsomorphismPermGroupImfGroup, R 531
- IsomorphismReesMatrixSemigroup, R 538
- IsomorphismRefinedPcGroup, R 452
- IsomorphismRepStruct, R 286
- isomorphisms, find all, R 389
- IsomorphismSCAlgebra, R 623
- IsomorphismSimplifiedFpGroup, R 471
- IsomorphismSpecialPcGroup, R 453
- Isomorphisms vs. Isomorphic Structures, *T* 84
- IsomorphismTransformationSemigroup, R 534
- IsomorphismTypeInfoFiniteSimpleGroup, R 363
- IsOne, R 291
- IsOperation, R 63
- IsOrdering, R 277
- IsOrderingOnFamilyOfAssocWords, R 279
- IsOrdinaryMatrix, R 219
- IsOrdinaryTable, R 721
- IsOutputStream, R 98
- IsOutputTextNone, R 98
- IsOutputTextStream, R 98
- IsPadicExtensionNumber, R 687
- IsPadicExtensionNumberFamily, R 687
- IsParentPcgsFamilyPcgs, R 449
- IsPartialOrderBinaryRelation, R 312
- IsPcGroup, R 450
- IsPcGroupGeneralMappingByImages, R 391
- IsPcGroupHomomorphismByImages, R 391
- IsPcgs, R 432
- IsPcgsCentralSeries, R 440
- IsPcgsChiefSeries, R 441
- IsPcgsElementaryAbelianSeries, R 440
- IsPcgsPCentralSeriesPGroup, R 441
- IsPerfect, for character tables, R 727
- IsPerfectGroup, R 362
- IsPerfectTom, R 703
- IsPerm, R 407
- IsPermCollColl, R 407
- IsPermCollection, R 407
- IsPermGroup, R 411
- IsPermGroupGeneralMappingByImages, R 391
- IsPermGroupHomomorphismByImages, R 391
- IsPGroup, R 363
- IsPNilpotent, R 364
- IsPolycyclicGroup, R 362
- IsPolynomial, R 664
- IsPolynomialDefaultRep, R 680
- IsPolynomialFunction, R 663
- IsPolynomialFunctionsFamily, R 678
- IsPolynomialRing, R 673
- IsPosInt, R 127
- IsPositiveIntegers, R 126
- IsPosRat, R 144
- IsPreimagesByAsGroupGeneralMappingByImages, R 391
- IsPreOrderBinaryRelation, R 312
- IsPrime, R 562
- IsPrimeField, R 573
- IsPrimeInt, R 131
- IsPrimeOrdersPcgs, R 433
- IsPrimePowerInt, R 132
- IsPrimitive, R 403
- IsPrimitiveCharacter, R 816
- IsPrimitivePolynomial, R 665
- IsPrimitiveRootMod, R 138
- IsProbablyPrimeInt, R 131
- IsPseudoCanonicalBasisFullHomModule, R 603
- IsPSolvable, R 364
- IsPSolvableCharacterTable, R 736
- IsPSolvableCharacterTableOp, R 736
- IsPurePadicNumber, R 686
- IsPurePadicNumberFamily, R 686
- IsQuasiPrimitive, R 816
- IsQuaternion, R 614
- IsQuaternionCollColl, R 614

- IsQuaternionCollection, R 614
- IsQuickPositionList, R 205
- IsQuotientSemigroup, R 535
- IsRange, R 204
- IsRat, R 143
- IsRationalFunction, R 663
- IsRationalFunctionDefaultRep, R 680
- IsRationalFunctionsFamily, R 678
- IsRationalMatrixGroup, R 428
- IsRationals, R 143
- IsRationalsPolynomialRing, R 673
- IsR Distributive, R 561
- IsReadableFile, R 93
- IsReadOnlyGlobal, R 44
- IsRec, T 79
- IsRecord, R 258
- IsRecordCollColl, R 258
- IsRecordCollection, R 258
- IsReduced, R 341
- IsReductionOrdering, R 279
- IsReesCongruence, R 535
- IsReesCongruenceSemigroup, R 534
- IsReesMatrixSemigroup, R 537
- IsReesMatrixSemigroupElement, R 538
- IsReesZeroMatrixSemigroup, R 537
- IsReesZeroMatrixSemigroupElement, R 538
- IsReflexiveBinaryRelation, R 311
- IsRegular, R 402
- IsRegularDClass, R 537
- IsRegularSemigroup, R 533
- IsRegularSemigroupElement, R 533
- IsRelativelySM, R 819
- IsRestrictedLieAlgebra, R 641
- IsRewritingSystem, R 340
- IsRightAlgebraModuleElement, R 625
- IsRightAlgebraModuleElementCollection, R 625
- IsRightCoset, R 353
- IsRightIdeal, R 558
- IsRightIdealInParent, R 558
- IsRightModule, R 568
- IsRightOperatorAdditiveGroup, R 567
- IsRightSemigroupIdeal, R 534
- IsRing, R 555
- IsRingElement, R 297
- IsRingElementWithInverse, R 297
- IsRingElementWithOne, R 297
- IsRingGeneralMapping, R 309
- IsRingHomomorphism, R 309
- IsRingWithOne, R 559
- IsRingWithOneGeneralMapping, R 309
- IsRingWithOneHomomorphism, R 309
- IsRootSystem, R 638
- IsRootSystemFromLieAlgebra, R 638
- IsRowModule, R 570
- IsRowSpace, R 598
- IsRowVector, R 211
- IsScalar, R 297
- IsSemiEchelonized, R 599
- IsSemigroup, R 532
- IsSemigroupCongruence, R 535
- IsSemigroupIdeal, R 534
- IsSemiRegular, R 402
- IsSet, R 191, T 79
- IsShortLexLessThanOrEqual, R 330
- IsShortLexOrdering, R 280
- IsSimple, for character tables, R 727
- IsSimpleAlgebra, R 614
- IsSimpleGroup, R 362
- IsSimpleSemigroup, R 533
- IsSingleValued, R 302
- IsSL, R 427
- IsSolvable, for character tables, R 727
- IsSolvableGroup, R 362
- IsSolvableTom, R 703
- IsSortedList, R 191
- IsSpecialLinearGroup, R 427
- IsSpecialPcgs, R 443
- IsSPGeneralMapping, R 310
- IsSporadicSimple, for character tables, R 727
- IsSSortedList, R 191
- IsStandardGeneratorsOfGroup, R 709
- IsStraightLineProgElm, R 339
- IsStraightLineProgram, R 335
- IsStream, R 97
- IsString, R 246
- IsStringRep, R 249
- IsStruct, R 286
- IsSubgroup, R 347
- IsSubgroupFpGroup, R 459
- IsSubgroupOfWholeGroupByQuotientRep, R 471
- IsSubgroupSL, R 427
- IsSubmonoidFpMonoid, R 542
- IsSubnormal, R 348
- IsSubnormallyMonomial, R 819
- IsSubsemigroupFpSemigroup, R 542
- IsSubset, R 271

IsSubsetBlist, R 208
 IsSubsetLocallyFiniteGroup, R 363
 IsSubsetSet, R 194
 IsSubspacesVectorSpace, R 592
 IsSubstruct, R 288
 IsSupersolvable, for character tables, R 727
 for groups with pcgs, R 446
 IsSupersolvableGroup, R 362
 IsSurjective, R 303
 IsSyllableAssocWordRep, R 334
 IsSyllableWordsFamily, R 334
 IsSymmetricBinaryRelation, R 312
 IsSymmetricGroup, R 413
 IsTable, R 171
 IsTableOfMarks, R 699
 IsTableOfMarksWithGens, R 710
 IsToPcGroupGeneralMappingByImages, R 391
 IsToPcGroupHomomorphismByImages, R 391
 IsToPermGroupGeneralMappingByImages, R 391
 IsToPermGroupHomomorphismByImages, R 391
 IsTotal, R 302
 IsTotalOrdering, R 278
 IsTransformation, R 548
 IsTransformationCollection, R 548
 IsTransformationMonoid, R 534
 IsTransformationSemigroup, R 534
 IsTransitive, for characters, R 770
 for class functions, R 770
 for group actions, R 402
 IsTransitiveBinaryRelation, R 312
 IsTranslationInvariantOrdering, R 279
 IsTrivial, R 269
 IsTuple, R 300
 IsTwoSidedIdeal, R 558
 IsTwoSidedIdealInParent, R 558
 IsUEALatticeElement, R 650
 IsUEALatticeElementCollection, R 650
 IsUEALatticeElementFamily, R 650
 IsUniqueFactorizationRing, R 560
 IsUnit, R 561
 IsUnivariatePolynomial, R 664
 IsUnivariatePolynomialRing, R 673
 IsUnivariateRationalFunction, R 664
 IsUnknown, R 165
 IsUpperAlphaChar, R 250
 IsUpperTriangularMat, R 223
 IsValidIdentifier, R 42
 IsVector, R 297

IsVectorSpace, R 590
 IsVirtualCharacter, R 767
 IsWeightLexOrdering, R 281
 IsWeightRepElement, R 651
 IsWeightRepElementCollection, R 651
 IsWeightRepElementFamily, R 651
 IsWellFoundedOrdering, R 278
 IsWeylGroup, R 639
 IsWholeFamily, R 270
 IsWLetterAssocWordRep, R 334
 IsWLetterWordsFamily, R 334
 IsWord, R 322
 IsWordCollection, R 323
 IsWordWithInverse, R 322
 IsWordWithOne, R 322
 IsWreathProductOrdering, R 282
 IsWritableFile, R 93
 IsZero, R 291
 IsZeroGroup, R 534
 IsZeroSimpleSemigroup, R 533
 IsZeroSquaredElement, R 299
 IsZeroSquaredElementCollColl, R 299
 IsZeroSquaredElementCollection, R 299
 IsZeroSquaredRing, R 561
 IsZmodnZObj, R 135
 IsZmodnZObjNonprime, R 135
 IsZmodpZObj, R 135
 IsZmodpZObjLarge, R 135
 IsZmodpZObjSmall, R 135
 Iterated, R 202
 Iterator, R 274
 IteratorByBasis, R 595
 IteratorByFunctions, R 276
 IteratorList, R 276
 Iterators, R 274
 IteratorSorted, R 275

J

j_N , R 160
 Jacobi, R 138
 JenningsLieAlgebra, R 642
 JenningsSeries, R 367
 JoinEquivalenceRelations, R 314
 JoinStringsWithSeparator, R 252
 JordanDecomposition, R 231

K

k_N , R 160
 KappaPerp, R 643

- KB_REW, R 546
- kernel, T 55
- KernelOfAdditiveGeneralMapping, R 308
- KernelOfCharacter, R 769
- KernelOfMultiplicativeGeneralMapping, R 307
- KernelOfTransformation, R 549
- KeyDependentOperation, E 46
- Key Dependent Operations, *E 46*
- Keywords, *R 41*
- KillingMatrix, R 643
- KnownAttributesOfObject, R 121, T 75
- Known Problems of the Configure Process, *R 828*
- KnownPropertiesOfObject, R 124, T 75
- KnownTruePropertiesOfObject, R 124, T 75
- KnowsDictionary, N 9
- KnowsHowToDecompose, R 379
- KnuthBendixRewritingSystem, R 547
- Krasner-Kaloujnine theorem, R 503
- KroneckerProduct, R 225
- KuKGenerators, R 503
- L**
- l_N , R 160
- Labels and References, *E 15*
- Lambda, R 136
- Language Overview, *R 39*
- larger or equal, R 47
- larger test, R 47
- LargestElementGroup, R 375
- LargestElementStabChain, R 420
- LargestMovedPoint, R 408
- LargestUnknown, R 165
- last, R 64, T 24
- last2, T 24
- last3, T 24
- LastSystemError, R 90
- LaTeXStringDecompositionMatrix, R 734
- lattice base reduction, R 242
- lattice basis reduction, for virtual characters, R 774
- LatticeByCyclicExtension, R 372
- LatticeGeneratorsInUEA, R 650
- Lattice Reduction, *R 242*
- LatticeSubgroups, R 370
- LatticeSubgroupsByTom, R 697
- LaurentPolynomialByCoefficients, R 670
- LaurentPolynomialByExtRep, R 681
- Laurent Polynomials, *R 670*
- LClassOfHClass, R 536
- Lcm, R 565
- LcmInt, R 130
- LcmOp, R 565
- LeadCoeffsIGS, R 437
- LeadingCoefficient, R 666
- LeadingCoefficientOfPolynomial, R 674
- LeadingExponentOfPcElement, R 434
- LeadingMonomial, R 667
- LeadingMonomialOfPolynomial, R 674
- LeadingTermOfPolynomial, R 674
- Leaving GAP, *R 73*
- leaving GAP, T 18
- LeftActingAlgebra, R 626
- LeftActingDomain, R 568
- LeftActingRingOfIdeal, R 559
- LeftAlgebraModule, R 624
- LeftAlgebraModuleByGenerators, R 624
- left cosets, R 353
- LeftDerivations, R 633
- LeftIdeal, R 557
- LeftIdealByGenerators, R 558
- LeftIdealNC, R 558
- LeftModuleByGenerators, R 568
- LeftModuleByHomomorphismToMatAlg, R 627
- LeftModuleGeneralMappingByImages, R 601
- LeftModuleHomomorphismByImages, R 601
- LeftModuleHomomorphismByImagesNC, R 601
- LeftModuleHomomorphismByMatrix, R 602
- LeftQuotient, R 293
 - for words, R 331
- LeftShiftRowVector, R 215
- legacy, R 840
- Legendre, R 139
- Length, R 191
 - of an associative word, R 331
- length, of a word, R 331
- LengthsTom, R 700
- LengthWord, T 79
- LengthWPObj, E 52
- LenstraBase, R 587
- LessThanFunction, R 278
- LessThanOrEqualFunction, R 278
- LetterRepAssocWord, R 334
- LevelsOfGenerators, R 282
- LeviMalcevDecomposition, R 619
 - for Lie algebras, R 637
- Lexical Structure, *R 40*
- LexicographicOrdering, R 279

- LGFirst, R 444
- LGLayers, R 444
- LGLength, R 444
- LGWeights, R 443
- library tables, R 718
- LieAlgebra, R 632
- LieAlgebraByStructureConstants, R 632
- LieBracket, R 293
- LieCenter, R 634
- LieCentralizer, R 634
- LieCentre, R 634
- LieCoboundaryOperator, R 647
- LieDerivedSeries, R 635
- LieDerivedSubalgebra, R 635
- LieFamily, R 632
- LieLowerCentralSeries, R 636
- LieNilRadical, R 635
- LieNormalizer, R 634
- LieObject, R 631
- Lie objects, *R 631*
- LieSolvableRadical, R 635
- LieUpperCentralSeries, R 636
- LiftedInducedPcgs, R 439
- LiftedPcElement, R 439
- LinearAction, R 445
- LinearActionLayer, R 445
- LinearCharacters, R 726
- LinearCombination, R 595
- LinearCombinationPcgs, R 434
- Linear equations over the integers and Integral Matrices, *R 237*
- LinearIndependentColumns, R 242
- Linear Mappings, *R 308*
- LinearOperation, R 445
- LinearOperationLayer, R 445
- Line Editing, *R 73*
- line editing, T 20
- LinesOfStraightLineProgram, R 336
- List, R 199
- list and non-list, difference, R 184
 - left quotient, R 186
 - mod, R 186
 - product, R 185
 - quotient, R 186
- List Assignment, *R 174*
- list assignment, operation, R 172
- ListBlist, R 208
- list boundedness test, operation, R 172
- List Categories, *R 170*
- list element, access, R 172
 - assignment, R 174
 - operation, R 172
- List Elements, *R 172*
- list environment, compact description, E 21
 - description, E 20
 - ordered, E 21
 - unordered, E 21
- list equal, comparison, R 180
- ListN, R 202
- list of available books, R 23
- List Operations, *T 35*
- ListPerm, R 410
- lists, dense, T 29
 - strictly sorted, T 31
- lists, identical, *T 29*
 - plain, *T 27*
- Lists and Collections, *R 265*
- list smaller, comparison, R 181
- ListStabChain, R 420
- list unbind, operation, R 172
- ListWithIdenticalEntries, R 187
- ListX, R 202
- LLL, R 774
- LLL algorithm, for Gram matrices, R 243
 - for vectors, R 242
 - for virtual characters, R 774
- LLLReducedBasis, R 242
- LLLReducedGramMat, R 243
- LoadDynamicModule, R 35
- Loading a GAP Package, *R 836*
- loading a saved workspace, R 37
- loading source code from a file, T 19
- LoadPackage, R 836
- local, R 55
- Local Variables, *T 41*
- logarithm, discrete, R 138
 - of a root of unity, R 158
- LogFFE, R 579
- logical, R 167
- Logical Implications, *P 14*
- logical operations, R 168
- LogInt, R 128
- LogMod, R 137
- LogModShanks, R 137
- LogTo, R 95
 - for streams, R 102

stop logging, R 95
 LongestWeylWordPerm, R 640
 LookupDictionary, N 9
 loop, read eval print, R 64
 loop, for, R 53
 repeat, R 52
 while, R 52
 loop over iterator, R 54
 loop over object, R 54
 loop over range, R 53
 loops, leaving, R 55
 restarting, R 55
 loops, for, *T 33*
 while, *T 33*
 LowercaseString, R 251
 LowerCentralSeriesOfGroup, R 366
 Low Index Subgroups, *R 467*
 LowIndexSubgroupsFpGroup, R 467
 Low Level Access Functions for Weak Pointer
 Objects, *E 52*
 Low Level Routines to Modify and Create Stabilizer
 Chains, *R 421*
 Lucas, R 153

M

m_N , R 160
 Macintosh, R 831
 MacOS, R 832
 Magma, R 317
 MagmaByGenerators, R 317
 MagmaByMultiplicationTable, R 318
 Magma Categories, *R 316*
 MagmaElement, R 318
 Magma Generation, *R 317*
 MagmaHomomorphismByFunctionNC, R 306
 Magma Homomorphisms, *R 306*
 MagmaRingModuloSpanOfZero, R 658
 Magma Rings modulo Relations, *R 657*
 Magma Rings modulo the Span of a Zero Element,
 R 658
 Magmas Defined by Multiplication Tables, *R 318*
 MagmaWithInverses, R 317
 MagmaWithInversesByGenerators, R 317
 MagmaWithInversesByMultiplicationTable,
 R 318
 MagmaWithOne, R 317
 MagmaWithOneByGenerators, R 317
 MagmaWithOneByMultiplicationTable, R 318
 Main Loop, *R 64*
 MakeConfluent, R 341
 MakeHomChain, N 21
 MakeImmutable, R 113
 makeindex, E 26
 MakeReadOnlyGlobal, R 44
 MakeReadWriteGlobal, R 44
 Making transformation semigroups, *R 534*
 manual.bbl, E 26
 manual.bib, E 26
 manual.dvi, E 26
 manual.lab, E 26
 manual.mst, E 26
 manual.six, E 26
 manual.tex, E 26
 Manual Conventions, *R 20*
 manualindex, E 26
 map, parametrized, R 801
 MappedWord, R 324
 MappingByFunction, R 301
 MappingPermListList, R 410
 Mappings that Respect Addition, *R 308*
 Mappings that Respect Multiplication, *R 307*
 Mappings which are Compatible with Algebraic
 Structures, *R 306*
 maps, R 792
 maps-to operator, T 25
 MarksTom, R 700
 MatAlgebra, R 610
 MatClassMultCoeffsCharTable, R 738
 mathematics alignments, E 23
 mathematics displays, E 23
 MathieuGroup, R 506
 MatLieAlgebra, R 633
 matrices, T 36
 commutator, R 222
 Matrices as Basis of a Row Space, *R 230*
 Matrices as Linear Mappings, *R 231*
 Matrices over Finite Fields, *R 232*
 Matrices Representing Linear Equations and the
 Gaussian Algorithm, *R 226*
 MatrixAlgebra, R 610
 MatrixAutomorphisms, R 754
 matrix automorphisms, R 795
 MatrixByBlockMatrix, R 236
 Matrix Constructions, *R 224*
 Matrix Groups in Characteristic 0, *R 428*
 MatrixLieAlgebra, R 633

- MatrixOfAction, R 626
- matrix spaces, R 598
- MatScalarProducts, R 768
- MatTom, R 702
- MaximalAbelianQuotient, R 368
- MaximalBlocks, R 403
- MaximalNormalSubgroups, R 370
- MaximalSubgroupClassReps, R 369
- MaximalSubgroups, R 369
 - for groups with pcgs, R 446
- MaximalSubgroupsLattice, R 371
- MaximalSubgroupsTom, R 706
- Maximum, R 197
- MaximumList, R 198
- MeatAxe Modules, *R 688*
- MeetEquivalenceRelations, R 314
- MeetMaps, R 804
- MeetPartitionStrat, E 59
- meet strategy, E 59
- Membership Test for Collections, *R 273*
- Membership Test for Lists, *R 180*
- method, P 11
- Method Installation, *P 11*
- methods, T 72
 - immediate, T 74
 - selection, T 73
 - true, T 74
- MinimalElementCosetStabChain, R 420
- MinimalGeneratingSet, R 375
 - for groups with pcgs, R 446
- MinimalNonmonomialGroup, R 820
- Minimal Nonmonomial Groups, *R 820*
- MinimalNormalSubgroups, R 370
- MinimalPolynomial, R 668
 - over a field, R 574
 - over a ring, R 668
- Minimal Polynomials, *R 668*
- MinimalStabChain, R 418
- MinimalSupergroupsLattice, R 371
- MinimalSupergroupsTom, R 707
- MinimizedBombieriNorm, R 670
- Minimum, R 197
- MinimumList, R 198
- MinusCharacter, R 810
- Miscellaneous, *R 142*
- Miscellaneous Name Changes or Removed Names, *R 841*
- mod, integers, R 135
 - laurent polynomials, R 662
 - lists, R 186
 - rationals, R 48
- mod, R 48
 - arithmetic operators, R 48
 - for character tables, R 725
 - residue class rings, R 134
- modular inverse, R 48
- modular remainder, R 48
- modular roots, R 140
- ModuleByRestriction, R 628
- Module Constructions, *R 688*
- Module Homomorphisms, *R 691*
- ModuleOfExtension, R 455
- Modules over Lie Algebras and Their Cohomology, *R 646*
- Modules over Semisimple Lie Algebras, *R 648*
- modulo, R 48
 - arithmetic operators, R 48
 - for pcgs, R 438
 - residue class rings, R 134
- ModuloPcgs, R 438
- MoebiusMu, R 141
- MoebiusTom, R 702
- Molien Series, *R 781*
- MolienSeries, R 781
- MolienSeriesInfo, R 782
- MolienSeriesWithGivenDenominator, R 783
- Monoid, R 539
- MonoidByGenerators, R 539
- MonoidByMultiplicationTable, R 540
- MonoidOfRewritingSystem, R 547
- MonomialComparisonFunction, R 674
- MonomialExtGrlexLess, R 677
- MonomialExtrepComparisonFun, R 675
- MonomialGrevlexOrdering, R 675
- MonomialGrlexOrdering, R 675
- MonomialLexOrdering, R 675
- Monomial Orderings, *R 674*
- MonomialTotalDegreeLess, R 841
- monomorphisms, find all, R 389
- MorClassLoop, R 389
- More about Boolean Lists, *R 210*
- More About Global Variables, *R 44*
- More about Tables of Marks, *R 694*
- MostFrequentGeneratorFpGroup, R 465
- MovedPoints, R 409
- Moved Points of Permutations, *R 408*

MTX.BasesCompositionSeries, R 690
 MTX.BasesMaximalSubmodules, R 690
 MTX.BasesMinimalSubmodules, R 689
 MTX.BasesMinimalSupermodules, R 690
 MTX.BasesSubmodules, R 689
 MTX.BasisInOrbit, R 691
 MTX.BasisRadical, R 690
 MTX.BasisSocle, R 690
 MTX.CollectedFactors, R 690
 MTX.CompositionFactors, R 690
 MTX.DegreeSplittingField, R 689
 MTX.Dimension, R 689
 MTX.Distinguish, R 691
 MTX.Field, R 689
 MTX.Generators, R 689
 MTX.Homomorphism, R 691
 MTX.Homomorphisms, R 691
 MTX.InducedAction, R 690
 MTX.InducedActionFactorMatrix, R 690
 MTX.InducedActionFactorModule, R 690
 MTX.InducedActionMatrix, R 690
 MTX.InducedActionMatrixNB, R 690
 MTX.InducedActionSubmodule, R 690
 MTX.InducedActionSubmoduleNB, R 690
 MTX.InvariantBilinearForm, R 691
 MTX.InvariantQuadraticForm, R 691
 MTX.InvariantSesquilinearForm, R 691
 MTX.IsAbsolutelyIrreducible, R 689
 MTX.IsEquivalent, R 691
 MTX.IsIrreducible, R 689
 MTX.Isomorphism, R 691
 MTX.NormedBasisAndBaseChange, R 690
 MTX.OrthogonalSign, R 691
 MTX.ProperSubmoduleBasis, R 689
 MTX.SubGModule, R 689
 MTX.SubmoduleGModule, R 689
 multiplication, R 48
 matrices, R 221
 matrix and matrix list, R 222
 matrix and scalar, R 220
 matrix and vector, R 221
 operation, R 293
 scalar and matrix, R 220
 scalar and matrix list, R 222
 scalar and vector, R 212
 vector and matrix, R 221
 vector and matrix list, R 222
 vector and scalar, R 212

 vectors, R 212
 MultiplicationTable, R 318
 Multiplicative Arithmetic for Lists, *R 184*
 Multiplicative Arithmetic Functions, *R 140*
 MultiplicativeNeutralElement, R 320
 multiplicative order of an integer, R 137
 MultiplicativeZero, R 320
 MultiplicativeZeroOp, R 290
 multiplicity, of constituents of a group character,
 R 768
 multiplier, R 378
 multisets, R 193
 Multivariate Polynomials, *R 667*
 MultRowVector, R 215
 Murnaghan components, R 781
 Mutability and Copyability, *R 112*
 Mutability and Copying, *P 29*
 Mutability Status and List Arithmetic, *R 187*
 Mutable Bases, *R 597*
 MutableBasis, R 597
 MutableBasisOfClosureUnderAction, R 616
 MutableBasisOfIdealInNonassociativeAlgebra,
 R 617
 MutableBasisOfNonassociativeAlgebra, R 617
 MutableCopyMat, R 225
 MutableIdentityMat, R 225
 MutableNullMat, R 225

N

n_k , R 161
 Name, R 115
 NameFunction, R 61
 NameRNam, R 263
 NamesFilter, R 118
 NamesGVars, R 45
 NamesLocalVariablesFunction, R 61
 NamesOfComponents, *P 21*
 NamesOfFusionSources, R 799
 NamesSystemGVars, R 45
 NamesUserGVars, R 45
 Naming Conventions, *T 79*
 NaturalCharacter, R 766
 Natural Embeddings related to Magma Rings, *R 656*
 NaturalHomomorphismByGenerators, R 306
 NaturalHomomorphismByIdeal, R 622
 NaturalHomomorphismByNormalSubgroup, R 368
 NaturalHomomorphismByNormalSubgroupNC, R 368
 NaturalHomomorphismBySubAlgebraModule, R 629

- NaturalHomomorphismBySubspace, R 602
- NearAdditiveGroup, R 552
- NearAdditiveGroupByGenerators, R 552
- NearAdditiveMagma, R 552
- NearAdditiveMagmaByGenerators, R 552
- NearAdditiveMagmaWithZero, R 552
- NearAdditiveMagmaWithZeroByGenerators, R 552
- NearlyCharacterTablesFamily, R 722
- negative number, R 48
- NegativeRoots, R 638
- NegativeRootVectors, R 638
- NestingDepthA, R 182
- NestingDepthM, R 183
- New Arithmetic Operations vs. New Objects, *P 63*
- NewAttribute, P 17
 - example, P 37
 - mutable, P 17
- NewCategory, P 16
- NewDictionary, N 9
- NewFamily, P 19
- NewFilter, P 18
- NewInfoClass, R 79
- newline, R 41
- newline character, R 248
- NewmanInfinityCriterion, R 475
- NewOperation, P 18
- New Presentations and Presentations for Subgroups, *R 470*
- NewProperty, P 17
- NewRepresentation, P 17
 - example, P 38
- NewType, P 20
- NextIterator, R 275
- NextPrimeInt, R 132
- NF, R 584
- NiceBasis, R 604
- NiceBasisFiltersInfo, R 605
- NiceFreeLeftModule, R 604
- NiceFreeLeftModuleInfo, R 604
- NiceMonomorphism, R 385
- NiceMonomorphismAutomGroup, R 388
- Nice Monomorphisms, *R 385, T 56*
- NiceObject, R 385
- NiceVector, R 604
- NilpotencyClassOfGroup, R 362
- NilpotentQuotientOfFpLieAlgebra, R 645
- NK, R 161
- NOAUTO, R 837
- NOfCyc, T 79
- NonnegativeIntegers, R 126
- NonnegIntScalarProducts, R 806
- NonNilpotentElement, R 643
- Norm, R 574
 - of character, R 768
- NormalBase, R 576
- NormalClosure, R 358
- NormalFormIntMat, R 240
- Normal Forms of Integer Matrices - Name Changes, *R 841*
- Normal Forms over the Integers, *R 238*
- NormalIntersection, R 358
- NormalizedElementOfMagmaRingModuloRelations, R 657
- NormalizedWhitespace, R 252
- Normalizer, R 357
- normalizer, R 357
- NormalizerInGLnZ, R 429
- NormalizerInGLnZBravaisGroup, R 429
- NormalizersTom, R 704
- NormalizerTom, R 704
- NormalizeWhitespace, R 252
- NormalSeriesByPcgs, R 442
- Normal Structure, *R 357*
- NormalSubgroupClasses, R 756
- NormalSubgroupClassesInfo, R 756
- NormalSubgroups, R 370
- NormedRowVector, R 213
- NormedRowVectors, R 601
- NormedVectors, R 841
- not, R 169
- Notions of Generation, *T 69*
- NrArrangements, R 148
- NrBasisVectors, R 597
- NrCombinations, R 147
- NrConjugacyClasses, R 356
 - for character tables, R 727
- NrConjugacyClassesGL, R 510
- NrConjugacyClassesGU, R 510
- NrConjugacyClassesPGL, R 510
- NrConjugacyClassesPGU, R 510
- NrConjugacyClassesPSL, R 510
- NrConjugacyClassesPSU, R 510
- NrConjugacyClassesSL, R 510
- NrConjugacyClassesSLIsogeneous, R 510
- NrConjugacyClassesSU, R 510
- NrConjugacyClassesSUIsogeneous, R 510

- NrDerangements, R 150
- NrInputsOfStraightLineProgram, R 336
- NrMovedPoints, R 409
- NrOrderedPartitions, R 152
- NrPartitions, R 151
- NrPartitionsSet, R 150
- NrPartitionTuples, R 153
- NrPermutationsList, R 149
- NrPolyhedralSubgroups, R 737
- NrPrimitiveGroups, R 521
- NrRestrictedPartitions, R 152
- NrSubsTom, R 700
- NrTransitiveGroups, R 512
- NrTuples, R 149
- NrUnorderedTuples, R 148
- NullAlgebra, R 611
- NullMat, R 224
- NullspaceIntMat, R 237
- NullspaceMat, R 226
- NullspaceMatDestructive, R 226
- NullspaceModQ, R 235
- Number, R 199
- number, Bell, R 146
 - binomial, R 145
 - Stirling, of the first kind, R 146
 - Stirling, of the second kind, R 147
- NumberArgumentsFunction, R 61
- NumberFFVector, R 214
- number field, R 585
- number fields, Galois group, R 588
- NumberIrreducibleSolvableGroups, R 523
- NumberPerfectGroups, R 517
- NumberPerfectLibraryGroups, R 517
- NumberSmallGroups, R 514
- NumberSyllables, R 332
- Numerator, T 79
- numerator, of a rational, R 144
- NumeratorOfModuloPcgs, R 438
- NumeratorOfRationalFunction, R 663
- NumeratorRat, R 144
- Numerical Group Attributes, *R 364*
- O**
- O, Operation mark-up, E 16
- $O_p(G)$, see PCore, R 357
- ObjByExtRep, P 29, R 650
- Objectify, P 20
- ObjectifyWithAttributes, P 20
- Objects, *R 110*
- objects, T 22
- objects, vs. elements, *T 24*
 - vs. variables, *T 22*
- obsolete, R 840
- OCOneCocycles, R 377
- octal character codes, R 248
- OctaveAlgebra, R 610
- od, R 53
- OldGeneratorsOfPresentation, R 492
- Omega, R 361
- ONanScottType, R 413
- OnBreak, R 68
- OnBreakMessage, R 69
- One, N 17, R 289
- OneAttr, R 289
- OneCoboundaries, R 376
- OneCocycles, R 376
- one cohomology, R 375
- OneFactorBound, R 670
- OneImmutable, R 289
- OneIrreducibleSolvableGroup, R 523
- OneLibraryGroup, R 512
- OneMutable, R 289
- OneOfPcgs, R 433
- OneOp, R 289
- OnePrimitiveGroup, R 512
- OneSameMutability, R 289
- OneSM, R 289
- OneSmallGroup, R 514
- OneTransitiveGroup, R 512
- OnIndeterminates, R 668
 - as a permutation action, R 394
- OnLeftInverse, R 393
- OnLines, R 394
 - example, R 507
- OnPairs, R 393
- OnPoints, R 393
- OnRight, R 393
- OnSets, R 393
- OnSetsDisjointSets, R 394
- OnSetsSets, R 393
- OnSetsTuples, R 394
- OnSubspacesByCanonicalBasis, R 395
- OnTuples, R 393
- OnTuplesSets, R 394
- OnTuplesTuples, R 394
- Operation, R 840

- operation, P 11
- OperationAlgebraHomomorphism**, R 622
- Operational Structure of Domains, R 283
- Operation Functions, E 48
- OperationHomomorphism**, R 840
- operations, T 75
 - for booleans, R 168
- Operations and Attributes for Vector Spaces, R 591
- Operations and Mathematical Terms, P 14
- Operations and Methods, P 11
- Operations applicable to All Streams, R 98
- Operations Concerning Blocks, R 732
- Operations for (Near-)Additive Magmas, R 554
- Operations for Abelian Number Fields, R 584
- operations for algebraic elements, R 683
- Operations for Associative Words, R 331
- Operations for Associative Words by their Syllables, R 332
- Operations for Booleans, R 168
- Operations for Brauer Characters, R 790
- Operations for Class Functions, R 767
- Operations for Collections, R 271
- Operations for Cyclotomics, R 155
- Operations for Domains, R 288
- Operations for Finite Field Elements, R 578
- Operations for Finitely Presented Groups, R 461
- Operations for Group Homomorphisms, R 382
- Operations for Input Streams, R 99
- Operations for Lists, R 195
- Operations for Output Streams, R 101
- Operations for Pc Groups, R 453
- Operations for Rational Functions, R 662
- Operations for Special Kinds of Bases, R 596
- Operations for Stabilizer Chains, R 419
- Operations for Vector Space Bases, R 594
- Operations for Words, R 324
- Operations on elements of the algebra, R 341
- Operations on hom cosets, N 14
- Operations on rewriting systems, R 340
- Operations Records, T 82
- Operations to Evaluate Strings, R 254
- Operations to Produce or Manipulate Strings, R 251
- Operations vs. Dispatcher Functions, T 82
- Operations which have Special Methods for Groups with Pcgs, R 446
- operators, R 42, T 21
 - arithmetic, R 48
 - associativity, R 49
 - for cyclotomics, R 159
 - for lists, R 181
 - precedence, R 49
- Operators for Character Tables, R 725
- Operators for Matrices, R 220
- Operators for Row Vectors, R 211
- Optimization and Compiler Options, R 829
- options, R 821
 - command line, filenames, R 29
 - command line, internal, R 30
- options, under UNIX, R 27
- or, R 168
- Orbit**, R 395, T 78
- OrbitFusions**, R 800
- OrbitGenerators**, N 16
- OrbitGeneratorsInv**, N 17
- OrbitGeneratorsOfGroup**, N 20
- OrbitishF0**, E 49
- OrbitLength**, R 396
- OrbitLengths**, R 396
- OrbitLengthsDomain**, R 396
- OrbitPerms**, R 411
- OrbitPowerMaps**, R 795
- Orbits**, E 48
 - operation/attribute, R 396
- Orbits**, R 395
- OrbitsDomain**, R 396
- OrbitsishOperation**, E 48
- OrbitsPerms**, R 411
- OrbitStabChain**, R 420
- OrbitStabilizer**, R 397
- OrbitStabilizerAlgorithm**, R 397
- Orbit Stabilizer Methods for Polycyclic Groups**, R 446
- Order**, R 292, T 78
 - of a class function, R 764
- order, of a group, R 345
 - of a list, collection or domain, R 270
 - of the prime residue group, R 136
- OrderedPartitions**, R 151
- ordered partitions, E 55
- ordering, booleans, R 168
 - of records, R 262
- OrderingByLessThanFunctionNC**, R 277
- OrderingByLessThanOrEqualFunctionNC**, R 277
- OrderingOfRewritingSystem**, R 340
- OrderingOnGenerators**, R 279
- OrderingsFamily**, R 277

Orderings on families of associative words, *R* 279
 OrderMod, *R* 137
 OrderOfRewritingSystem, *R* 340
 OrdersClassRepresentatives, *R* 728
 OrdersTom, *R* 700
 Ordinal, *R* 255
 ordinary character, *R* 767
 OrdinaryCharacterTable, *R* 727
 OrthogonalComponents, *R* 780
 Orthogonal Embeddings, *R* 244
 OrthogonalEmbeddings, *R* 244
 OrthogonalEmbeddingsSpecialDimension, *R* 776
 OSX, *R* 831
 Other Filters, *R* 125
 Other Operations Applicable to any Object, *R* 115
 Other Operations for Character Tables, *R* 736
 Other Operations for Tables of Marks, *R* 704
 output, suppressing, *R* 64
 OutputLogTo, *R* 95
 for streams, *R* 102
 stop logging output, *R* 95
 OutputTextFile, *R* 103
 OutputTextNone, *R* 106
 OutputTextString, *R* 104
 OutputTextUser, *R* 104
 overload, *P* 14

P

P, Property mark-up, *E* 16
 p -group, *R* 363
 package, *R* 836
 Package Completion, *E* 40
 Package Interface - Obsolete Functions and Name
 Changes, *R* 840
 Packages, *R* 825
 PadicCoefficients, *R* 242
 PadicExtensionNumberFamily, *R* 686
 PadicNumber, *R* 686
 for pure padics, *R* 685
 PadicValuation, *R* 563
 Pager, *R* 25
 Parametrized, *R* 803
 Parametrized Maps, *R* 801
 parametrized maps, *R* 792
 Parent, *R* 287
 ParentPcgs, *R* 436
 Parents, *R* 287
 Parents and Subgroups, *T* 83

PartialFactorization, *R* 133
 Partial Methods, *P* 13
 partial order, *R* 312
 PartialOrderByOrderingFunction, *R* 313
 PartialOrderOfHasseDiagram, *R* 312
 Partitions, *R* 151
 partitions, improper, of an integer, *R* 152
 ordered, of an integer, *R* 152
 restricted, of an integer, *R* 152
 PartitionsGreatestEQ, *R* 152
 PartitionsGreatestLE, *R* 152
 PartitionsSet, *R* 150
 PartitionTuples, *R* 153
 PcElementByExponents, *R* 434
 PcElementByExponentsNC, *R* 434
 PCentralLieAlgebra, *R* 642
 PCentralNormalSeriesByPcgsPGroup, *R* 441
 PCentralSeries, *R* 367
 PcGroupCode, *R* 457
 PcGroupCodeRec, *R* 457
 PcGroupFpGroup, *R* 450
 Pc groups versus fp groups, *R* 450
 PcGroupWithPcgs, *R* 452
 Pcgs, *R* 432
 Pcgs_OrbitStabilizer, *R* 446
 Pcgs and Normal Series, *R* 440
 PcgsByPcSequence, *R* 432
 PcgsByPcSequenceNC, *R* 432
 PcgsCentralSeries, *R* 440
 PcgsChiefSeries, *R* 441
 PcgsElementaryAbelianSeries, *R* 440
 PcgsPCentralSeriesPGroup, *R* 441
 PClassPGroup, *R* 364
 PCore, *R* 357
 PcSeries, *R* 433
 PerfectGroup, *R* 516
 perfect groups, *R* 516
 PerfectIdentification, *R* 517
 PerfectResiduum, *R* 359
 Perform, *R* 197
 Permanent, *R* 154
 Permanent of a Matrix, *R* 154
 PermBounds, *R* 789
 PermCharInfo, *R* 784
 PermCharInfoRelative, *R* 785
 PermChars, *R* 786
 PermCharsTom, *R* 713
 PermComb, *R* 789

- PermGroupOps.ElementProperty, T 78
- PermLeftQuoTransformation, R 550
- PermList, R 410
- PermListList, R 197
- Permutation, R 401
- PermutationCharacter, R 767
- permutation character, R 812
- permutation characters, possible, R 783
- PermutationCycle, R 401
- PermutationCycleOp, R 401
- Permutation groups, T 44
- PermutationMat, R 224
- PermutationsFamily, R 407
- Permutations Induced by Elements and Cycles,
R 401
- PermutationsList, R 149
- PermutationTom, R 699
- Permuted, R 198
 - as a permutation action, R 395
 - for class functions, R 764
- PGL, R 509
- PGU, R 509
- Phi, R 136
- Plain Lists, T 27
- Plain Records, T 38
- point stabilizer, R 397
- Polycyclic Generating Systems, R 431
- PolynomialByExtRep, R 681
- PolynomialCoefficientsOfPolynomial, R 666
- PolynomialDivisionAlgorithm, R 676
- Polynomial Factorization, R 668
- PolynomialModP, R 669
- PolynomialReducedRemainder, R 676
- PolynomialReduction, R 676
- PolynomialRing, R 671
- Polynomial Rings, R 671
- Polynomials, T 85
- Polynomials as Univariate Polynomials in one
Indeterminate, R 666
- polynomials over abelian number fields, factors,
R 584
- Polynomials over the Rationals, R 669
- PopOptions, R 88
- Portability, R 90
- Porting GAP, R 830
- Position, R 188, T 78
- Positional Objects, P 22
- PositionBound, R 189
- PositionCanonical, R 188
- PositionFirstComponent, R 190
- PositionNonZero, R 190
- PositionNot, R 190
- PositionNthOccurrence, R 188
- PositionProperty, R 189
- PositionSet, R 189
- PositionSorted, R 188
- PositionStream, R 100
- PositionSublist, R 190
- Position vs. PositionCanonical, T 49
- PositionWord, R 331
- PositiveIntegers, R 126
- positive number, R 48
- PositiveRoots, R 638
- PositiveRootVectors, R 638
- PossibleClassFusions, R 799
- PossibleFusionsCharTableTom, R 712
- Possible Permutation Characters, R 783
- possible permutation characters, R 783
- PossiblePowerMaps, R 793
- power, R 48
 - matrix, R 221
 - meaning for class functions, R 763
 - of words, R 331
- PowerMap, R 793
- PowerMapByComposition, R 795
- PowerMapOp, R 793
- Power Maps, R 792
- PowerMapsAllowedBySymmetrizations, R 810
- PowerMod, R 565
- PowerModCoeffs, R 217
- PowerModInt, R 131
- PowerPartition, R 153
- powerset, R 147
- PowerSubalgebraSeries, R 615
- PQuotient, R 472
- precedence, R 48
- precedence test, for permutations, R 408
- PreferredGenerators, N 17
- PrefrattiniSubgroup, R 359
 - for groups with pcgs, R 446
- PreImage, R 305
- PreImageElm, R 305
- PreImages, R 305
- PreImagesElm, R 304
- Preimages in the Free Group, R 460
- Preimages in the Free Semigroup, R 544

- PreimagesOfTransformation, R 549
- PreImagesRange, R 304
- PreImagesRepresentative, R 305
- PreImagesSet, R 305
- Preimages under Homomorphisms from an FpGroup, *R 471*
- Preimages under Mappings, *R 304*
- preorder, R 312
- PresentationFpGroup, R 476
- PresentationNormalClosure, R 481
- PresentationNormalClosureRrs, R 481
- PresentationSubgroup, R 479
- PresentationSubgroupMtc, R 480
- PresentationSubgroupRrs, R 479
- PresentationViaCosetTable, R 477
- previous result, R 64
- PrevPrimeInt, R 132
- PrimaryGeneratorWords, R 480
- primary subgroup generators, R 494
- PrimeBlocks, R 732
- PrimeBlocksOp, R 732
- PrimeField, R 573
- Prime Integers and Factorization, *R 131*
- PrimePGroup, R 364
- PrimePowersInt, R 134
- prime residue group, R 136
 - exponent, R 137
 - generator, R 138
 - order, R 136
- Prime Residues, *R 136*
- PrimeResidues, function, R 136
- Primes, R 131
- primitive, R 403
- PRIMITIVE_INDICES_MAGMA, R 522
- PrimitiveElement, R 573
- PrimitiveGroup, R 521
- Primitive Groups, *R 413*
- PrimitiveGroupsIterator, R 521
- PrimitiveIdentification, R 522
- PrimitiveIndexIrreducibleSolvableGroup, R 523
- Primitive Permutation Groups, *R 520*
- PrimitivePolynomial, R 669
- PrimitiveRoot, R 580
- PrimitiveRootMod, R 138
- primitive root modulo an integer, R 138
- Primitive Roots and Discrete Logarithms, *R 137*
- Primitivity of Characters, *R 815*
- Print, R 65, T 78
- PrintAmbiguity, R 806
- PrintArray, R 225
- PrintCharacterTable, R 741
- PrintFactorsInt, R 134
- PrintFormattingStatus, R 102
- PrintHashWithNames, N 10
- Printing Character Tables, *R 738*
- Printing Class Functions, *R 764*
- Printing Presentations, *R 482*
- Printing Tables of Marks, *R 697*
- PrintObj, R 66
 - for character tables, R 738
 - for tables of marks, R 697
- PrintTo, R 95, T 78
 - for streams, R 101
- ProbabilityShapes, R 670
- problems, R 827
- Problems on Particular Systems, *R 829*
- procedure call, R 50
- Procedure Calls, *R 50*
- procedure call with arguments, R 50
- Process, R 108
- Process, *R 108*
- PROD_GF2MAT_GF2MAT_ADVANCED, R 235
- PROD_GF2MAT_GF2MAT_SIMPLE, R 235
- Producing a Manual, *E 26*
- Product, R 201
- product, of words, R 331
 - rational functions, R 662
- ProductCoeffs, R 217
- ProductSpace, R 615
- ProductX, R 203
- ProfileFunctions, R 82
- ProfileGlobalFunctions, R 82
- ProfileMethods, R 82
- ProfileOperations, R 81
- ProfileOperationsAndMethods, R 82
- PROFILETHRESHOLD, R 82
- Profiling, *R 81*
- ProjectedInducedPcgs, R 439
- ProjectedPcElement, R 439
- Projection, N 18, R 302
 - example for direct products, R 499
 - example for semidirect products, R 501
 - example for subdirect products, R 501
 - example for wreath products, R 502
 - for group products, R 503

- ProjectionMap, R 802
- projections, find all, R 389
- ProjectiveActionHomomorphismMatrixGroup, R 426
- ProjectiveActionOnFullSpace, R 426
- ProjectiveGeneralLinearGroup, R 509
- ProjectiveGeneralUnitaryGroup, R 509
- ProjectiveOrder, R 234
- ProjectiveSpecialLinearGroup, R 509
- ProjectiveSpecialUnitaryGroup, R 509
- ProjectiveSymplecticGroup, R 509
- prompt, R 64
 - partial, R 64
- Properties, *R 124*
- Properties and Attributes for Lists, *R 190*
- Properties and Attributes of (General) Mappings, *R 302*
- Properties and Attributes of Binary Relations, *R 311*
- Properties and Attributes of Matrices, *R 222*
- Properties and Attributes of Rational Functions, *R 663*
- Properties and basic functionality, *R 278*
- Properties and Filters, *T 73*
- Properties of a Lie Algebra, *R 636*
- Properties of rewriting systems, *R 342*
- Properties of Rings, *R 560*
- Properties of Tables of Marks, *R 703*
- PRump, R 360
- PseudoRandom, R 274
- PSL, R 509
- PSP, R 509
- PSp, R 509
- PSU, R 509
- PthPowerImage, R 642
- PthPowerImages, R 642
- Pure p-adic Numbers, *R 685*
- PurePadicNumberFamily, R 685
- PushOptions, R 88
- Q**
- Quadratic, R 162
- quadratic residue, R 139
- QuaternionAlgebra, R 610
- QUIET, R 841
- QUIT, emergency quit, R 73
- quit, in emergency, R 73
- quit, R 67, T 18
- QUITTING, R 73
- QuoInt, R 129
- Quotient, R 556
- quotient, for finitely presented groups, R 459
 - matrices, R 221
 - matrix and matrix list, R 222
 - matrix and scalar, R 221
 - of free monoid, R 545
 - of free semigroup, R 543
 - of words, R 331
 - rational functions, R 662
 - scalar and matrix, R 221
 - scalar and matrix list, R 222
 - vector and matrix, R 221
- QuotientFromSCTable, R 609
- QuotientGroup, N 18
- QuotientGroupByChainHomomorphicImage, N 21
- QuotientGroupByHomomorphism, N 14
- QuotientGroupByImages, N 14
- QuotientGroupByImagesNC, N 14
- QuotientGroupHom, N 14
- Quotient Methods, *R 472*
- QuotientMod, R 565
- QuotientPolynomialsExtRep, R 681
- QuotientRemainder, R 564
- Quotients, *R 535*
- Quotients and Remainders, *R 129*
- QuotientSemigroupCongruence, R 535
- QuotientSemigroupHomomorphism, R 535
- QuotientSemigroupPreimage, R 535
- QuotRemLaurpols, R 671
- R**
- R, Representation mark-up, E 16
- r_N , R 160
- RadicalGroup, R 359
- RadicalOfAlgebra, R 618
- Random, R 273
 - for integers, R 129
 - for rationals, R 144
- RandomBinaryRelationOnPoints, R 313
- random element, of a list or collection, R 273
- Random Elements, *R 273*
- RandomHashKey, N 10
- RandomInvertableMat, T 79
- RandomInvertibleMat, R 226
- RandomIsomorphismTest, R 457
- Random Isomorphism Testing, *R 457*

- Randomized Methods for Permutation Groups,
 R 415
- RandomList, *R 274*
- RandomMat, *R 226*
- Random Matrices, *R 226*
- RandomPrimitivePolynomial, *R 582*
- RandomSchreierSims, *N 20*
- random seed, *R 274*
- RandomTransformation, *R 548*
- RandomUnimodularMat, *R 226*
- Range, *N 15, R 303*
- range, *R 203*
- Ranges, *R 203, T 32*
- RankAction, *R 402*
- RankFilter, *R 117*
- RankMat, *R 226*
- RankOfTransformation, *R 549*
- RankPGroup, *R 364*
- Rat, *R 144*
 - for strings, *R 254*
- RationalClass, *R 356*
- RationalClasses, *R 357*
- RationalFunctionByExtRep, *R 680*
- RationalFunctionByExtRepWithCancellation,
 R 682
- Rational Function Families, *R 678*
- RationalFunctionsFamily, *R 678*
- RationalizedMat, *R 163*
- Rationals, *R 143*
- RClassOfHClass, *R 536*
- Read, *R 94, T 19*
 - for streams, *R 99*
- read.g, for a GAP package, *E 38*
- ReadAll, *R 100*
- ReadAllLine, *R 106*
- ReadAsFunction, *R 94*
 - for streams, *R 99*
- ReadByte, *R 99*
- read eval print loop, *R 64*
- read evaluate print loop, *T 19*
- reading source code from a file, *T 19*
- ReadLine, *R 99*
- README, for a GAP package, *E 36*
- ReadPackage, *R 837*
- ReadPkg, *R 840*
- ReadTest, *R 84*
 - for streams, *R 99*
- RealClasses, *R 730*
- RealizableBrauerCharacters, *R 790*
- RecFields, *T 79*
- RecNames, *R 258*
- Recognizing Characters, *R 250*
- record, component access, *R 259*
 - component assignment, *R 259*
 - component variable, *R 259*
 - component variable assignment, *R 260*
- Record Access Operations, *R 263*
- Record Assignment, *R 259*
- record assignment, operation, *R 263*
- record boundness test, operation, *R 263*
- record component, operation, *R 263*
- record unbind, operation, *R 263*
- Recovery from NoMethodFound-Errors, *R 76*
- Recursion, *T 42*
- recursion, *R 55*
- Redispatching, *P 13*
- RedispatchOnCondition, *P 13*
- redisplay a help section, *R 23*
- redisplay with next help viewer, *R 23*
- ReduceCoeffs, *R 217*
- ReduceCoeffsMod, *R 217*
- ReducedAdditiveInverse, *R 341*
- ReducedCharacters, *R 774*
- ReducedClassFunctions, *R 773*
- ReducedComm, *R 341*
- ReducedConfluentRewritingSystem, *R 546*
- ReducedConjugate, *R 341*
- ReducedDifference, *R 341*
- ReducedForm, *R 340*
- ReducedGroebnerBasis, *R 677*
- ReducedInverse, *R 341*
- ReducedLeftQuotient, *R 341*
- ReducedOne, *R 341*
- ReducedPcElement, *R 434*
- ReducedPower, *R 341*
- ReducedProduct, *R 341*
- ReducedQuotient, *R 341*
- ReducedScalarProduct, *R 341*
- ReducedSum, *R 341*
- ReducedZero, *R 341*
- ReduceRules, *R 341*
- ReduceStabChain, *R 421*
- Reducing Virtual Characters, *R 773*
- Ree, *R 506*
- ReeGroup, *R 506*
- ReesCongruenceOfSemigroupIdeal, *R 534*

- ReesMatrixSemigroup, R 537
- ReesMatrixSemigroupElement, R 538
- Rees Matrix Semigroups, *R 537*
- ReesZeroMatrixSemigroup, R 537
- ReesZeroMatrixSemigroupElement, R 538
- ReesZeroMatrixSemigroupElementIsZero, R 538
- reference to a label, E 15
- RefinedPcGroup, R 452
- ReflectionMat, R 225
- ReflexiveClosureBinaryRelation, R 313
- reflexive relation, R 311
- regular, R 402
- regular action, R 399
- RegularActionHomomorphism, R 400
- RegularModule, R 744
- relations, R 300
- Relations Between Domains, *R 294*
- RelationsOfFpSemigroup, R 544
- RelativeBasis, R 594
- RelativeBasisNC, R 594
- relatively prime, R 48
- RelativeOrderOfPcElement, R 434
- RelativeOrders, of a pcgs, R 433
- Relators in a Presentation, *R 482*
- RelatorsOfFpGroup, R 460
- remainder, operation, R 293
- remainder of a quotient, R 129
- RemInt, R 129
- Remove, R 175
- remove, an element from a set, R 194
- RemoveFile, R 96
- RemoveOuterCoeffs, R 215
- RemoveRelator, R 484
- RemoveSet, R 194
- RemoveStabChain, R 421
- Repeat, *R 52*
- repeat loop, R 52
- ReplacedString, R 252
- Representation, *R 120*
- representation, as a sum of two squares, R 142
- Representations for Associative Words, *R 333*
- Representations for Group Homomorphisms, *R 391*
- Representations given by modules, *R 744*
- Representations of Algebras, *R 623*
- RepresentationsOfObject, R 121
- Representative, R 270
- representative, of a list or collection, R 271
- RepresentativeAction, R 398
- RepresentativeLinearOperation, R 623
- RepresentativeOperation, R 840
- RepresentativesContainedRightCosets, R 354
- RepresentativesFusions, R 800
- RepresentativeSmallest, R 271
- RepresentativesMinimalBlocks, R 403
- RepresentativesPerfectSubgroups, R 372
- RepresentativesPowerMaps, R 795
- RepresentativesSimpleSubgroups, R 372
- RepresentativeTom, R 711
- RepresentativeTomByGenerators, R 711
- RepresentativeTomByGeneratorsNC, R 711
- Requesting one GAP Package from within Another, *E 37*
- RequirePackage, R 840
- Reread, R 96
- REREADING, R 96
- RereadPackage, R 837
- RereadPkg, R 840
- ResetFilterObj, P 18
- ResetOptionsStack, R 88
- residue, quadratic, R 139
- Residue Class Rings, *R 134*
- RespectsAddition, R 308
- RespectsAdditiveInverses, R 308
- RespectsInverses, R 307
- RespectsMultiplication, R 307
- RespectsOne, R 307
- RespectsScalarMultiplication, R 308
- RespectsZero, R 308
- RestoreStateRandom, R 273
- Restricted and Induced Class Functions, *R 771*
- RestrictedClassFunction, R 772
- RestrictedClassFunctions, R 772
- Restricted Lie algebras, *R 641*
- RestrictedMapping, R 302
- RestrictedPartitions, R 152
- RestrictedPerm, R 410
- RestrictedTransformation, R 549
- Resultant, R 667
- ResultOfStraightLineProgram, R 336
- Return, *R 58*
- return, R 68
 - no value, R 58
 - with value, R 58
- ReturnFail, R 63
- ReturnFalse, R 63
- return from break loop, R 68

- ReturnTrue, R 63
- Reversed, R 196
- RewindStream, R 101
- RewriteWord, R 466
- Rewriting in Groups and Monoids, *R 342*
- Rewriting Systems and the Knuth-Bendix Procedure, *R 546*
- RightActingAlgebra, R 626
- RightActingRingOfIdeal, R 559
- RightAlgebraModule, R 624
- RightAlgebraModuleByGenerators, R 624
- RightCoset, R 352
- RightCosets, R 353
- right cosets, R 352
- RightCosetsNC, R 353
- RightDerivations, R 633
- RightIdeal, R 557
- RightIdealByGenerators, R 558
- RightIdealNC, R 558
- RightModuleByHomomorphismToMatAlg, R 627
- RightShiftRowVector, R 215
- RightTransversal, R 353
- right transversal, T 48
- Ring, R 555
- RingByGenerators, R 556
- Ring Homomorphisms, *R 309*
- Rings With One, *R 559*
- RingWithOne, R 559
- RingWithOneByGenerators, R 560
- RNameObj, R 263
- root, of 1 modulo an integer, R 140
 - of an integer, R 128
 - of an integer, smallest, R 128
 - of an integer modulo another, R 139
- RootInt, R 128
- RootMod, R 139
- RootOfDefiningPolynomial, R 573
- RootsMod, R 139
- Roots Modulo Integers, *R 138*
- roots of unity, R 155
- RootsOfUPol, R 666
- RootsUnityMod, R 140
- RootSystem, R 638
- RoundCyc, R 157
- Row and Matrix Spaces, *R 598*
- RowIndexOfReesMatrixSemigroupElement, R 538
- RowIndexOfReesZeroMatrixSemigroupElement, R 538
- row spaces, R 598
- Row Vectors over Finite Fields, *R 213*
- Rules, R 340
- Running GAP under MacOS, *R 31*
- Runtime, R 81
- Runtimes, R 81
- S**
 - s_N , R 160
 - SameBlock, R 733
 - SandwichMatrixOfReesMatrixSemigroup, R 538
 - SandwichMatrixOfReesZeroMatrixSemigroup, R 538
 - save, R 37
 - SaveOnExitFile, R 73
 - SaveWorkspace, R 37
 - Saving and Loading a Workspace, *R 37*
 - Saving a Pc Group, *R 453*
 - saving on exit, R 73
 - ScalarProduct, for characters, R 768
 - Schreier, R 479
 - Schreier-Sims, random, R 415
 - SchreierTransversal, N 16
 - SchreierTreeDepth, N 17
 - SchurCover, R 378
 - Schur Covers and Multipliers, *R 378*
 - Schur multiplier, R 378
 - scope, R 43
 - ScriptFromString, R 708
 - Searching for Homomorphisms, *R 389*
 - SechMSM, R 256
 - secondary subgroup generators, R 494
 - SecondsDMYhms, R 256
 - SeekPositionStream, R 101
 - Selecting a Different MeatAxe, *R 689*
 - Selection Functions, *R 511*
 - SemidirectProduct, R 500
 - Semidirect Products, *R 500*
 - SemiEchelonBasis, R 600
 - SemiEchelonBasisNC, R 600
 - SemiEchelonMat, R 228
 - SemiEchelonMatDestructive, R 229
 - SemiEchelonMats, R 229
 - SemiEchelonMatsDestructive, R 229
 - SemiEchelonMatTransformation, R 229
 - Semigroup, R 532
 - semigroup, R 532
 - SemigroupByGenerators, R 532

- SemigroupByMultiplicationTable, R 533
- SemigroupIdealByGenerators, R 534
- SemigroupOfRewritingSystem, R 547
- semiregular, R 402
- Semisimple Lie Algebras and Root Systems, *R 637*
- SemiSimpleType, R 637
- sequence, Bernoulli, R 146
 - Fibonacci, R 153
 - Lucas, R 154
- Series of Ideals, *R 635*
- Set, R 267
- SetAssertionLevel, R 80
- SetCommutator, R 451
- SetConjugate, R 451
- SetCrystGroupDefaultAction, R 430
- set difference, of collections, R 272
- SetElmWPObj, E 52
- SetEntrySCTable, R 608
- SetFilterObj, P 18
- SetGasmanMessageStatus, R 86
- SetHashEntry, N 12
- SetHashEntryAtLastIndex, N 12
- SetHelpViewer, R 24
- SetIndeterminateName, R 661
- SetInfoLevel, R 79
- SetName, R 115
- Set Operations via Boolean Lists, *R 208*
- SetParent, R 287
- SetPower, R 451
- SetPrintFormattingStatus, R 102
- SetRecursionTrapInterval, R 85
- SetReducedMultiplication, R 460
- Sets, *R 111, T 31*
- sets, R 170
- Sets of Subgroups, *R 369*
- set stabilizer, R 397
- Setter, R 122
- setter, R 122
 - of an attribute, T 72
- Setter and Tester for Attributes, *R 122*
- SetX, R 203
- ShallowCopy, R 114, T 80
 - for lists, R 178
- ShiftedCoeffs, R 217
- ShiftedPadicNumber, R 685
- Shifting and Trimming Coefficient Lists, *R 215*
- ShortestVectors, R 244
- ShortLexOrdering, R 280
- short vectors spanning a lattice, R 242
- ShowArgument, R 76
- ShowArguments, R 76
- ShowDetails, R 76
- ShowImpliedFilters, R 118
- ShowMethods, R 77
- ShowOtherMethods, R 77
- ShrinkCoeffs, R 218
- ShrinkRowVector, R 215
- Sift, for chains of subgroups, N 19
- SiftedPcElement, R 434
- SiftedPermutation, R 420
- SiftedVector, R 601
- SiftOneLevel, for chains of subgroups, N 19
 - for subgroup transversals, N 16
- Sigma, R 140
- sign, of an integer, R 127
- Sign and Cycle Structure, *R 409*
- SignInt, R 127
- SignPartition, R 152
- SignPerm, R 409
- SimpleLieAlgebra, R 633
- SimpleSystem, R 638
- SimplifiedFpGroup, R 478
- SimplifiedFpGroup, *R 478*
- SimplifyPresentation, R 485
- SimsNo, R 522
- SimultaneousEigenvalues, R 234
- SingleCollector, R 451
- singlequote character, R 248
- singlequotes, R 246
- SINT.CHAR, R 254
- Size, R 270
 - for character tables, R 727
 - for groups with pcgs, R 446
- size, of a list or collection, R 270
- SizeBlist, R 208
- SizeConsiderFunction, R 374
- SizeNumbersPerfectGroups, R 517
- SizeOfChainOfGroup, N 20
- SizeOfFieldOfDefinition, R 790
- SizesCentralizers, R 728
- SizesConjugacyClasses, R 728
- SizeScreen, R 75
- SizeScreen, *R 75*
- SizesPerfectGroups, R 516
- SizeStabChain, R 419
- SL, R 507

- smaller, associative words, R 330
 - elements of finitely presented groups, R 460
 - nonassociative words, R 324
 - pcwords, R 449
 - rational functions, R 663
- SmallerDegreePermutationRepresentation, R 412
- smaller or equal, R 47
- smaller test, R 47
- SmallestGeneratorPerm, R 408
- SmallestMovedPoint, R 408
- SmallestRootInt, R 128
- SmallGeneratingSet, R 375
- SmallGroup, R 514
- Small Groups, *R 513*
- SmallGroupsInformation, R 514
- Smash MeatAxe Flags, *R 693*
- smith normal form, R 841
- SmithNormalFormIntegerMat, R 239
- SmithNormalFormIntegerMatTransforms, R 239
- SMTX.AbsoluteIrreducibilityTest, R 692
- SMTX.AlgEl, R 693
- SMTX.AlgElCharPol, R 693
- SMTX.AlgElCharPolFac, R 693
- SMTX.AlgElMat, R 693
- SMTX.AlgElNullspaceDimension, R 693
- SMTX.AlgElNullspaceVec, R 693
- SMTX.CentMat, R 693
- SMTX.CentMatMinPoly, R 693
- SMTX.CompleteBasis, R 692
- SMTX.Getter, R 692
- SMTX.GoodElementGModule, R 692
- SMTX.IrreducibilityTest, R 692
- SMTX.MatrixSum, R 692
- SMTX.MinimalSubGModule, R 692
- SMTX.MinimalSubGModules, R 692
- SMTX.RandomIrreducibleSubGModule, R 692
- SMTX.Setter, R 692
- SMTX.SortHomGModule, R 692
- SMTX.Subbasis, R 693
- SO, R 508
- Socle, R 360
- SocleTypePrimitiveGroup, R 413
- SolutionIntMat, R 237
- SolutionMat, R 227
- SolutionMatDestructive, R 227
- SolutionNullspaceIntMat, R 237
- Some Remarks about Character Theory in GAP, *R 716*
- Some Special Algebras, *R 610*
- Something, T 70
- Sort, R 192
- SortedCharacters, R 751
- SortedCharacterTable, R 752
- Sorted Character Tables, *R 751*
- SortedList, R 267
- sorted list, R 191
- Sorted Lists and Sets, *R 193*
- sorted lists as collections, R 265
- SortedSparseActionHomomorphism, R 399
- SortedTom, R 698
- Sortex, R 192
- Sorting Lists, *R 192*
- SortingPerm, R 193
- Sorting Tables of Marks, *R 698*
- SortParallel, R 192
- Source, N 15, R 303
- SourceElt, N 14
- SourceOfIsoclinicTable, R 750
- SP, R 508
- Sp, R 508
- space, R 41
- SparseActionHomomorphism, R 399
- SparseCartanMatrix, R 639
- SparseHashTable, N 11
- Sparse hash tables, *N 11*
- SparseIntKey, N 11
- Special Characters, *R 248*
- special character sequences, R 248
- Special Filenames, *R 93*
- Special Generating Sets, *R 375*
- SpecialLinearGroup, R 507
- Special Multiplication Algorithms for Matrices over $GF(2)$, *R 235*
- SpecialOrthogonalGroup, R 508
- Special Pcgs, *R 443*
- SpecialPcgs, attribute, R 443
- SpecialUnitaryGroup, R 508
- Specific and Parametrized Subgroups, *R 358*
- Specific Methods for Subgroup Lattice Computations, *R 372*
- SplitCharacters, R 746
- SplitExtension, R 455
- SplitExtensions, R 456
- SplitString, R 251

- SplittingField, R 665
- Sqrt, R 293
- square root, of an integer, R 128
- SquareRoots, R 321
- SSortedList, R 267
- StabChain, R 417
- StabChainBaseStrongGenerators, R 418
- StabChainImmutable, R 417
- StabChainMutable, R 417
- StabChainOp, R 417
- StabChainOptions, R 418
- Stabiliser chain subgroups, *N* 20
- Stabilizer, R 397
- Stabilizer Chain Records, *R* 418
- Stabilizer Chains, *R* 414
- Stabilizer Chains for Automorphisms Acting on Enumerators, *E* 61
- StabilizerOfExternalSet, R 405
- StabilizerPcgs, R 446
- Stabilizers, *R* 397
- Standalone Programs in a GAP Package, *E* 38
- StandardAssociate, R 562
- StandardGeneratorsFunctions, R 708
- StandardGeneratorsInfo, for groups, R 707
 - for tables of marks, R 712
- StandardGeneratorsOfGroup, R 709
- Standard Generators of Groups, *R* 707
- Standardization of coset tables, *R* 465
- StandardizeTable, R 465
- StarCyc, R 162
- Starting and Leaving GAP, *T* 18
- starting GAP, *T* 18
- Statements, *R* 49
- StateRandom, R 273
- Stirling1, R 146
- Stirling2, R 147
- Stirling number of the first kind, R 146
- Stirling number of the second kind, R 147
- StoredGroebnerBasis, R 678
- StoreFusion, R 798
- Storing Normal Subgroup Information, *R* 756
- StraightLineProgElm, R 339
- StraightLineProgGens, R 339
- StraightLineProgram, R 335
- Straight Line Program Elements, *R* 339
- StraightLineProgramNC, R 335
- Straight Line Programs, *R* 335
- StraightLineProgramsTom, R 710
- StratMeetPartition, *E* 59
- StreamsFamily, R 98
- StretchImportantSLPElement, R 339
- strictly sorted list, R 191
- String, R 251
 - for cyclotomics, R 157
- StringDate, R 256
- StringOfResultOfStraightLineProgram, R 337
- StringPP, R 251
- strings, *T* 29
 - equality of, R 250
 - inequality of, R 250
 - lexicographic ordering of, R 250
- String Streams, *R* 104
- StringTime, R 256
- StrongGeneratorsStabChain, R 419
- StrongGens, *N* 20
- StronglyConnectedComponents, R 313
- Struct, R 284
- StructByGenerators, R 285
- StructuralCopy, R 114, *T* 80
 - for lists, R 178
- structure constant, R 738
- StructureConstantsTable, R 596
- StructureDescription, R 350
- Structure Descriptions, *R* 350
- StructWithGenerators, R 285
- SU, R 508
- Subalgebra, R 611
- SubAlgebraModule, R 627
- SubalgebraNC, R 611
- Subalgebras, *R* 611
- SubalgebraWithOne, R 611
- SubalgebraWithOneNC, R 612
- SubdirectProduct, R 501
- Subdirect Products, *R* 501
- SubdirectProducts, R 502
- Subdomains, *T* 71
- subdomains, R 288
- Subfield, R 573
- SubfieldNC, R 573
- Subfields, R 573
- Subfields of Fields, *R* 573
- Subgroup, R 347
- SubgroupByPcgs, R 437
- SubgroupByProperty, R 348
- subgroup fusions, R 796
- subgroup generators tree, R 494

- Subgroup Lattice, *R* 370
- SubgroupNC, *R* 347
- SubgroupOfWholeGroupByCosetTable, *R* 466
- SubgroupOfWholeGroupByQuotientSubgroup, *R* 471
- Subgroup Presentations, *R* 479
- SubgroupProperty, *R* 422
- Subgroups, Subgroups, as Stabilizers, *T* 50
- Subgroups, *R* 347
- subgroups, polyhedral, *R* 737
- Subgroups characterized by prime powers, *R* 361
- Subgroup Series, *R* 365
- SubgroupShell, *R* 348
- Subgroups of Polycyclic Groups - Canonical Pcgs, *R* 437
- Subgroups of Polycyclic Groups - Induced Pcgs, *R* 436
- SubgroupsSolvableGroup, *R* 373
- sublist, *R* 172
 - access, *R* 172
 - assignment, *R* 174
 - operation, *R* 173
- sublist assignment, operation, *R* 175
- Submagma, *R* 317
- SubmagmaNC, *R* 317
- SubmagmaWithInverses, *R* 317
- SubmagmaWithInversesNC, *R* 317
- SubmagmaWithOne, *R* 317
- SubmagmaWithOneNC, *R* 317
- Submodule, *R* 568
- SubmoduleNC, *R* 568
- Submodules, *R* 568
- Submonoid, *R* 539
- SubmonoidNC, *R* 539
- SubnearAdditiveGroup, *R* 553
- SubnearAdditiveGroupNC, *R* 553
- SubnearAdditiveMagma, *R* 553
- SubnearAdditiveMagmaNC, *R* 553
- SubnearAdditiveMagmaWithZero, *R* 553
- SubnearAdditiveMagmaWithZeroNC, *R* 553
- SubnormalSeries, *R* 365
- Subring, *R* 556
- SubringNC, *R* 556
- SubringWithOne, *R* 560
- SubringWithOneNC, *R* 560
- Subroutines for the Construction of Class Fusions, *R* 811
- Subroutines for the Construction of Power Maps, *R* 809
- subsection mark-up, *E* 16
- Subsemigroup, *R* 532
- SubsemigroupNC, *R* 532
- subsets, *R* 147
- subset test, for collections, *R* 271
- Subsomething, *T* 71
- SubsomethingNC, *T* 71
- Subspace, *R* 590
- SubspaceNC, *R* 590
- Subspaces, *R* 592
- SubstitutedWord, *R* 332
- SubsTom, *R* 700
- Substruct, *R* 288
- SubstructNC, *R* 288
- SubSyllables, *R* 333
- subtract, a set from another, *R* 195
- SubtractBlist, *R* 209
- subtraction, *R* 48
 - matrices, *R* 220
 - matrix and scalar, *R* 220
 - rational functions, *R* 662
 - scalar and matrix, *R* 220
 - scalar and matrix list, *R* 222
 - scalar and vector, *R* 212
 - vector and scalar, *R* 212
 - vectors, *R* 212
- SubtractSet, *R* 195
- Subword, *R* 331
- Successors, *R* 312
- Suitability for Compilation, *R* 35
- Sum, *R* 201
- Sum and Intersection of Pcgs, *R* 442
- SumFactorizationFunctionPcgs, *R* 442
- SumIntersectionMat, *R* 230
- SumX, *R* 203
- SupersolvableResiduum, *R* 360
- support, email address, *R* 828, *T* 16
- SupportedCharacterTableInfo, *R* 720
- Suppressing Indexing and Labelling of a Section and Resolving Label Clashes, *E* 15
- SurjectiveActionHomomorphismAttr, *R* 406
- SuzukiGroup, *R* 506
- SylowComplement, *R* 360
- SylowSubgroup, *R* 360
- Sylow Subgroups and Hall Subgroups, *R* 360
- SylowSystem, *R* 361

Symbols, *R 40*

Symmetric and Alternating Groups, *R 412*

SymmetricClosureBinaryRelation, *R 313*

SymmetricGroup, *R 506*

symmetric group, powermap, *R 153*

SymmetricParentGroup, *R 413*

SymmetricParts, *R 780*

SymmetricPowerOfAlgebraModule, *R 652*

symmetric relation, *R 312*

Symmetrizations, *R 779*

symmetrizations, orthogonal, *R 780*

symplectic, *R 781*

Symmetrizations of Class Functions, *R 779*

SymplecticComponents, *R 781*

SymplecticGroup, *R 508*

syntax errors, *R 64*

system getter, *R 121*

system setter, *R 121*

Sz, *R 506*

T

t_N , *R 160*

TableAutomorphisms, *R 754*

table automorphisms, *R 800*

TableHasIntKeyFun, *N 11*

table of chapters for help books, *R 23*

TableOfMarks, *R 695*

TableOfMarksByLattice, *R 696*

TableOfMarksComponents, *R 699*

TableOfMarksCyclic, *R 714*

TableOfMarksDihedral, *R 714*

TableOfMarksFamily, *R 699*

TableOfMarksFrobenius, *R 714*

Table of Marks Objects in GAP, *R 695*

table of sections for help books, *R 23*

tables, *E 23*, *R 716*

Tables, Displayed Mathematics and Mathematics Alignments, *E 23*

tabulator, *R 41*

Tau, *R 140*

Technical Details about Tables of Marks, *R 699*

Technical Details about the Implementation of Magma Rings, *R 658*

Technical Matters Concerning General Mappings, *R 309*

TemporaryGlobalVarName, *R 46*

Tensored, *R 771*

TensorProductGModule, *R 688*

TensorProductOfAlgebraModules, *R 651*

Tensor Products and Exterior and Symmetric Powers, *R 651*

test, for a primitive root, *R 138*

for a rational, *R 143*

for records, *R 258*

for set equality, *R 194*

TestConsistencyMaps, *R 805*

Tester, *R 122*

tester, *R 122*

of an attribute, *T 72*

Test Files, *R 84*

Test for the Existence of GAP Package Binaries, *E 39*

TestHomogeneous, *R 815*

TestInducedFromNormalSubgroup, *R 817*

Testing Finiteness of Finitely Presented Groups, *R 474*

Testing for the System Architecture, *R 34*

Testing Monomiality, *R 817*

Testing the Examples, *E 24*

TestJacobi, *R 608*

TestMonomial, *R 817*

TestMonomialQuick, *R 818*

TestMonomialUseLattice, *R 818*

Test of the installation, *R 824*

TestPackageAvailability, *R 838*

TestPerm1, *R 787*

TestPerm2, *R 787*

TestPerm3, *R 787*

TestPerm4, *R 787*

TestPerm5, *R 787*

TestQuasiPrimitive, *R 816*

TestRelativelySM, *R 819*

Tests for Actions, *R 402*

Tests for the Availability of Methods, *R 378*

TestSubnormallyMonomial, *R 819*

TeX Macros, *E 16*

TeX Macros for Domains, *E 20*

The .gaprc file, *R 33*

The Adjoint Representation, *R 643*

The Compiler, *R 35*

The Defining Attributes of Rational Functions, *R 679*

The Dixon-Schneider Algorithm, *R 744*

The Documentation, *R 826*

The External Representation for Associative Words, *R 335*

- The family pgs, *R 449*
- The Files of a GAP Package, *E 35*
- The GAP System, *T 10*
- The GASMAN Interface for Weak Pointer Objects, *E 53*
- The General Backtrack Algorithm with Ordered Partitions, *E 55*
- The Help Book Handler, *E 43*
- The Info Mechanism, *T 85*
- The Interface between Character Tables and Groups, *R 722*
- The Interface between Tables of Marks and Character Tables, *R 712*
- The Library of Tables of Marks, *R 715*
- The Main File, *E 11*
- The manual.six File, *E 43*
- then, *R 51*
- The Natural Action, *R 411*
- The PackageInfo.g File, *E 37*
- The Pager Command, *R 25*
- The Permutation Image of an Action, *R 398*
- The Representations of Rational Functions, *R 679*
- The Smash MeatAxe, *R 692*
- The Syntax in BNF, *R 59*
- The WWW Homepage of a Package, *E 37*
- ThreeGroup library, *R 514*
- Tietze Options, *R 497*
- Tietze Transformations, *R 484*
- Tietze Transformations that introduce new Generators, *R 489*
- TietzeWordAbstractWord, *R 482*
- time, *R 81*
- Timing, *R 81*
- Todd-Coxeter Procedure, *R 547*
- Trace, *R 223*
 - for field elements, *R 575*
 - of a matrix, *R 223*
- TracedCosetFpGroup, *R 463*
- TraceImmediateMethods, *R 78*
- TraceMat, *R 223*
- TraceMethods, *R 78, T 75*
- TracePolynomial, *R 574*
- Tracing generator images through Tietze transformations, *R 492*
- Tracing Methods, *R 78*
- TransferDiagram, *R 805*
- Transformation, *R 548*
- TransformationData, *R 548*
- TransformationFamily, *R 548*
- TransformationNC, *R 548*
- TransformationRelation, *R 550*
- TransformationType, *R 548*
- TransformingPermutations, *R 754*
- TransformingPermutationsCharacterTables, *R 755*
- transitive, *R 402*
- TransitiveClosureBinaryRelation, *R 313*
- TransitiveGroup, *R 512*
- TransitiveIdentification, *R 512*
- Transitive Permutation Groups, *R 512*
- transitive relation, *R 312*
- Transitivity, for characters, *R 770*
 - for class functions, *R 770*
 - for group actions, *R 402*
- TranslatorSubalgebra, *R 630*
- transporter, *R 398*
- TransposedMat, *R 224*
- TransposedMatAttr, *R 224*
- TransposedMatDestructive, *R 225*
- TransposedMatImmutable, *R 224*
- TransposedMatMutable, *R 224*
- TransposedMatOp, *R 224*
- TransposedMatrixGroup, *R 425*
- Transversal, *N 19*
- TransversalBySiftFunction, *N 18*
- TransversalByTrivial, *N 18*
- TransversalElt, *N 16*
- TransversalOfChainSubgroup, *N 20*
- Transversals, *R 353*
- Transversals by direct products, *N 18*
- Transversals by homomorphic images, *N 17*
- Transversals by Schreier tree, *N 16*
- Transversals by sift functions, *N 18*
- Transversals by Trivial subgroups, *N 18*
- Triangular Matrices, *R 231*
- TriangulizedIntegerMat, *R 238*
- TriangulizedIntegerMatTransform, *R 238*
- TriangulizedNullspaceMat, *R 226*
- TriangulizedNullspaceMatDestructive, *R 226*
- TriangulizeIntegerMat, *R 238*
- TriangulizeMat, *R 226*
- Trivial chain subgroups and sift function chain subgroups, *N 21*
- TrivialCharacter, *R 766*
- TrivialGroup, *R 504*
- TrivialIterator, *R 276*

TrivialSubalgebra, R 612
 TrivialSubgroup, R 358
 TrivialSubmagmaWithOne, R 321
 TrivialSubmodule, R 568
 TrivialSubmonoid, R 539
 TrivialSubnearAdditiveMagmaWithZero, R 553
 TrivialSubspace, R 591
 TryCosetTableInWholeGroup, R 466
 TryGcdCancelExtRepPolynomials, R 682
 TryNextMethod, P 13, T 74
 Tuples, R 149
 tuple stabilizer, R 397
 TwoClosure, R 422
 TwoCoboundaries, R 454
 TwoCocycles, R 454
 TwoCohomology, R 454
 TwoGroup library, R 514
 TwoSidedIdeal, R 557
 TwoSidedIdealByGenerators, R 558
 TwoSidedIdealNC, R 558
 TwoSquares, R 142
 type, boolean, R 167
 cyclotomic, R 155
 records, R 258
 strings, R 246
 TypeObj, R 125
 TypeOfDefaultGeneralMapping, R 310
 Types, *R 125*
 TzEliminate, R 487
 TzFindCyclicJoins, R 488
 TzGo, R 485
 TzGoGo, R 486
 TzImagesOldGens, R 493
 TzInitGeneratorImages, R 492
 TzNewGenerator, R 484
 TzOptions, R 497
 TzPreImagesNewGens, R 493
 TzPrint, R 483
 TzPrintGeneratorImages, R 493
 TzPrintGenerators, R 482
 TzPrintLengths, R 483
 TzPrintOptions, R 498
 TzPrintPairs, R 483
 TzPrintPresentation, R 483
 TzPrintRelators, R 482
 TzPrintStatus, R 483
 TzSearch, R 487
 TzSearchEqual, R 488

TzSort, R 476
 TzSubstitute, R 489
 TzSubstituteCyclicJoins, R 492

U

u_N , R 160
 UglyVector, R 604
 Umlauts, *E 26*
 Unbind, R 44
 for lists, R 176
 UnbindElmWPObj, E 52
 UnbindGlobal, R 45
 UnderlyingCharacteristic, R 729
 UnderlyingCharacterTable, R 760
 UnderlyingElement, fp group elements, R 461
 fp semigroup elements, R 545
 UnderlyingElementOfReesMatrixSemigroup-
 Element, R 538
 UnderlyingElementOfReesZeroMatrixSemigroup-
 Element, R 538
 UnderlyingExternalSet, R 406
 UnderlyingFamily, R 632
 UnderlyingGeneralMapping, R 303
 UnderlyingGroup, for character tables, R 722
 for tables of marks, R 701
 UnderlyingLeftModule, R 594
 UnderlyingLieAlgebra, R 638
 UnderlyingMagma, R 655
 UnderlyingRelation, R 303
 Undocumented Variables, *E 33*
 UnInstallCharReadHookFunc, R 107
 Union, R 272
 union, of collections, R 272
 of sets, R 194
 Union2, R 272
 UnionBlist, R 208
 Unique, R 196
 UniteBlist, R 209
 UniteBlistList, R 209
 UniteSet, R 194
 Units, R 561
 Units and Factorizations, *R 561*
 UnivariatenessTestRationalFunction, R 666
 UnivariatePolynomial, R 665
 UnivariatePolynomialByCoefficients, R 665
 UnivariatePolynomialRing, R 673
 Univariate Polynomial Rings, *R 673*
 Univariate Polynomials, *R 665*

UnivariateRationalFunctionByCoefficients,
R 671

Univariate Rational Functions, *R 671*

UniversalEnvelopingAlgebra, *R 644*

Universal Enveloping Algebras, *R 644*

UNIX, features, *R 27*

options, *R 27*

UNIXSelect, *R 98*

Unknown, *R 165*

UnloadSmallGroupsData, *R 515*

UnorderedTuples, *R 148*

Unpacking, *R 822*

UnprofileFunctions, *R 82*

UnprofileMethods, *R 82*

until, *R 52*

UntraceMethods, *R 78*

UpdateMap, *R 803*

UpEnv, *R 71*

UpperCentralSeriesOfGroup, *R 367*

UpperSubdiagonal, *R 231*

Usage of the Percent Symbol, *E 24*

UseBasis, *R 570*

UseFactorRelation, *R 294*

Useful Categories for all Elements of a Family, *R 298*

Useful Categories of Elements, *R 296*

UseIsomorphismRelation, *R 294*

User Streams, *R 104*

UseSubsetRelation, *R 294*

Using buildman.pe, *E 27*

utilities for editing GAP files, *R 75*

V

V, (global) Variable mark-up, *E 16*

v_N , *R 160*

Valuation, *R 685*

Value, *R 667*

ValueCochain, *R 647*

ValueGlobal, *R 45*

ValueMolienSeries, *R 783*

ValueOption, *R 89*

ValuePol, *R 217*

ValuesOfClassFunction, *R 760*

Variable Access in a Break Loop, *R 71*

Variables, *R 43*

variables, *T 22*

vectors, row, *T 36*

Vectors and Matrices, *T 36*

Vectors as coefficients of polynomials, *R 216*

VectorSpace, *R 590*

VectorSpaceByPcgsOfElementaryAbelianGroup,
R 445

Vector Space Homomorphisms, *R 601*

Vector Spaces, *T 59*

Vector Spaces Handled By Nice Bases, *R 603*

verbatim environments, *E 22*

Version Numbers, *E 40*

vi, *R 75*

View, *R 65*

View and Print, *R 65*

ViewObj, *R 66*

for character tables, *R 738*

for class functions, *R 764*

for tables of marks, *R 697*

vim, *R 75*

VirtualCharacter, *R 765*

virtual character, *R 767*

virtual characters, *R 758*

W

w_N , *R 160*

WeakPointerObj, *E 51*

WeakPointerObj, *E 51*

Weak Pointer Objects, *E 51*

web sites, for GAP, *T 16*

WedgeGModule, *R 688*

WeekDay, *R 256*

WeightLexOrdering, *R 280*

WeightOfGenerators, *R 281*

WeightsTom, *R 703*

WeightVecFFE, *R 216*

WeylGroup, *R 640*

WeylOrbitIterator, *R 641*

Where, *R 70, T 86*

While, *R 52*

while loop, *R 52*

whitespace, *T 19*

Whitespaces, *R 41*

Why Class Functions?, *R 758*

Why Proceed in a Different Way?, *P 45*

WordAlp, *R 251*

words, in generators, *R 349*

Working with large degree permutation groups,
R 423

Wrapping Up a GAP Package, *E 41*

WreathProduct, *R 502*

wreath product embedding, *R 503*

WreathProductImprimitiveAction, R 503
WreathProductOrdering, R 282
WreathProductProductAction, R 503
Wreath Products, *R* 502
WriteAll, R 101
WriteByte, R 101
WriteLine, R 101
Writing Documentation, *E* 36
Writing Functions, *T* 40

X

x, T 79
 x_N , R 160

Y

y_N , R 160

Z

Z, R 577
ZClassRepsQClass, R 429

Zero, R 290
ZeroAttr, R 290
ZeroCoefficient, R 656
ZeroCoefficientRatFun, R 680
ZeroImmutable, R 290
ZeroMapping, R 302
ZeroMutable, R 290
ZeroOp, R 290
ZeroSameMutability, R 290
ZeroSM, R 290
ZippedProduct, R 681
ZippedSum, R 681
ZmodnZ, R 135
ZmodnZObj, R 135
ZmodpZ, R 135
ZmodpZNC, R 135
zoo, E 41
ZumbroichBase, R 586
Zuppos, R 372