

User Documentation for CVODE v2.3.0

Alan C. Hindmarsh and Radu Serban
Center for Applied Scientific Computing
Lawrence Livermore National Laboratory

April 2005

DISCLAIMER

This document was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor the University of California nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or the University of California, and shall not be used for advertising or product endorsement purposes.

This research was supported under the auspices of the U.S. Department of Energy by the University of California, Lawrence Livermore National Laboratory under contract No. W-7405-Eng-48.

Contents

List of Tables	v
List of Figures	vii
1 Introduction	1
1.1 Historical Background	1
1.2 Changes from previous versions	2
1.3 Reading this User Guide	2
2 CVODE Installation Procedure	5
2.1 Installation steps	5
2.2 Configuration options	6
2.3 Configuration examples	10
3 Mathematical Considerations	11
3.1 IVP solution	11
3.2 BDF stability limit detection	14
3.3 Rootfinding	15
4 Code Organization	17
4.1 SUNDIALS organization	17
4.2 CVODE organization	17
5 Using CVODE	21
5.1 Access to library and header files	21
5.2 Data types	22
5.3 Header files	22
5.4 A skeleton of the user's main program	23
5.5 User-callable functions	25
5.5.1 CVODE initialization and deallocation functions	25
5.5.2 Linear solver specification functions	27
5.5.3 CVODE solver function	29
5.5.4 Optional input functions	30
5.5.5 Interpolated output function	40
5.5.6 Optional output functions	40
5.5.7 CVODE reinitialization function	53
5.6 User-supplied functions	54
5.6.1 ODE right-hand side	54
5.6.2 Error weight function	54
5.6.3 Jacobian information (direct method with dense Jacobian)	55
5.6.4 Jacobian information (direct method with banded Jacobian)	56
5.6.5 Jacobian information (SPGMR matrix-vector product)	57
5.6.6 Preconditioning (SPGMR linear system solution)	57

5.6.7	Preconditioning (SPGMR Jacobian data)	58
5.7	Rootfinding	59
5.7.1	User-callable functions for rootfinding	59
5.7.2	User-supplied function for rootfinding	60
5.8	Preconditioner modules	61
5.8.1	A serial banded preconditioner module	61
5.8.2	A parallel band-block-diagonal preconditioner module	63
5.9	FCVODE, a FORTRAN-C interface module	69
5.9.1	FCVODE routines	69
5.9.2	FCVODE optional input and output	70
5.9.3	Usage of the FCVODE interface module	70
5.9.4	Usage of the FCVROOT interface to rootfinding	77
5.9.5	Usage of the FCVBP interface to CVBANDPRE	78
5.9.6	Usage of the FCVBBD interface to CVBBDPRE	79
6	Description of the NVECTOR module	83
6.1	The NVECTOR_SERIAL implementation	87
6.2	The NVECTOR_PARALLEL implementation	89
6.3	NVECTOR functions used by CVODE	91
7	Providing Alternate Linear Solver Modules	93
8	Generic Linear Solvers in SUNDIALS	97
8.1	The DENSE module	97
8.1.1	Type DenseMat	97
8.1.2	Accessor Macros	98
8.1.3	Functions	98
8.1.4	Small Dense Matrix Functions	98
8.2	The BAND module	100
8.2.1	Type BandMat	100
8.2.2	Accessor Macros	100
8.2.3	Functions	102
8.3	The SPGMR module	102
9	CVODE Constants	105
9.1	CVODE input constants	105
9.2	CVODE output constants	105
	Bibliography	109
	Index	111

List of Tables

2.1	SUNDIALS libraries and header files	7
5.1	Optional inputs for CVODE, CVDENSE, CVBAND, and CVSPGMR	31
5.2	Optional outputs from CVODE, CVDENSE, CVBAND, CVDIAG, and CVSPGMR	41
5.3	Description of the FCVODE optional input-output arrays IOPT and ROPT	71
6.1	Description of the NVECTOR operations	85
6.2	List of vector functions usage by CVODE code modules	92

List of Figures

4.1	Organization of the SUNDIALS suite	18
4.2	Overall structure diagram of the CVODE package	19
5.1	Diagram of the user program and CVODE package for integration of IVP	23
8.1	Diagram of the storage for a matrix of type BandMat	101

Chapter 1

Introduction

CVODE is part of a software family called SUNDIALS: SUite of Nonlinear and Differential/ALgebraic equation Solvers. This suite consists of CVODE, KINSOL, and IDA, and variants of these with sensitivity analysis capabilities.

1.1 Historical Background

FORTRAN solvers for ODE initial value problems are widespread and heavily used. Two solvers that have been written at LLNL in the past are VODE [1] and VODPK [3]. VODE is a general purpose solver that includes methods for stiff and nonstiff systems, and in the stiff case uses direct methods (full or banded) for the solution of the linear systems that arise at each implicit step. Externally, VODE is very similar to the well known solver LSODE [17]. VODPK is a variant of VODE that uses a preconditioned Krylov (iterative) method for the solution of the linear systems. VODPK is a powerful tool for large stiff systems because it combines established methods for stiff integration, nonlinear iteration, and Krylov (linear) iteration with a problem-specific treatment of the dominant source of stiffness, in the form of the user-supplied preconditioner matrix [2]. The capabilities of both VODE and VODPK have been combined in the C-language package CVODE [8].

In the process of translating the VODE and VODPK algorithms into C, the overall CVODE organization has been changed considerably. One key feature of the CVODE organization is that the linear system solvers comprise a layer of code modules that is separated from the integration algorithm, allowing for easy modification and expansion of the linear solver array. A second key feature is a separate module devoted to vector operations; this facilitated the extension to multiprocessor environments with minimal impacts on the rest of the solver, resulting in PODE [6], the parallel variant of CVODE.

Recently, the functionality of CVODE and PODE has been combined into one single code, simply called CVODE. Development of the new version of CVODE was concurrent with a redesign of the vector operations module across the SUNDIALS suite. The key feature of the new NVECTOR module is that it is written in terms of abstract vector operations with the actual vector kernels attached by a particular implementation (such as serial or parallel) of NVECTOR. This allows writing the SUNDIALS solvers in a manner independent of the actual NVECTOR implementation (which can be user-supplied), as well as allowing more than one NVECTOR module linked into an executable file.

There are several motivations for choosing the C language for CVODE. First, a general movement away from FORTRAN and toward C in scientific computing is apparent. Second, the pointer, structure, and dynamic memory allocation features in C are extremely useful in software of this complexity, with the great variety of method options offered. Finally, we prefer C over C++ for CVODE because of the wider availability of C compilers, the potentially greater efficiency of C, and the greater ease of interfacing the solver to applications written in extended FORTRAN.

1.2 Changes from previous versions

Changes in v2.3.0

The user interface has been further refined. Several functions used for setting optional inputs were combined into a single one. Additionally, to resolve potential variable scope issues, all SUNDIALS solvers release user data right after its use. The build systems has been further improved to make it more robust.

Changes in v2.2.0

The major changes from the previous version involve a redesign of the user interface across the entire SUNDIALS suite. We have eliminated the mechanism of providing optional inputs and extracting optional statistics from the solver through the `iopt` and `ropt` arrays. Instead, CVODE now provides a set of routines (with prefix `CVodeSet`) to change the default values for various quantities controlling the solver and a set of extraction routines (with prefix `CVodeGet`) to extract statistics after return from the main solver routine. Similarly, each linear solver module provides its own set of `Set`- and `Get`-type routines. For more details see §5.5.4 and §5.5.6.

Additionally, the interfaces to several user-supplied routines (such as those providing Jacobians and preconditioner information) were simplified by reducing the number of arguments. The same information that was previously accessible through such arguments can now be obtained through `Get`-type functions.

Installation of CVODE (and all of SUNDIALS) has been completely redesigned and is now based on configure scripts.

Changes in v2.2.1

The changes in this minor SUNDIALS release affect only the build system.

1.3 Reading this User Guide

This user guide is a combination of general usage instructions and specific example programs. We expect that some readers will want to concentrate on the general instructions, while others will refer mostly to the examples, and the organization is intended to accommodate both styles.

There are different possible levels of usage of CVODE. The most casual user, with a small IVP problem only, can get by with reading §3.1, then Chapter 5 through §5.5.3 only, and looking at examples in [14]. In a different direction, a more expert user with an IVP problem may want to (a) use a package preconditioner (§5.8), (b) supply his/her own Jacobian or preconditioner routines (§5.6), (c) do multiple runs of problems of the same size (§5.5.7), (d) supply a new NVECTOR module (Chapter 6), or even (e) supply a different linear solver module (§4.2 and Chapter 8).

The structure of this document is as follows:

- In Chapter 2 we begin with instructions for the installation of CVODE, within the structure of SUNDIALS.
- In Chapter 3, we give short descriptions of the numerical methods implemented by CVODE for the solution of initial value problems for systems of ODEs.
- The following chapter describes the structure of the SUNDIALS suite of solvers (§4.1) and the software organization of the CVODE solver (§4.2).
- In Chapter 5, we give an overview of the usage of CVODE, as well as a complete description of the user interface and of the user-defined routines for integration of IVP ODEs.
- Chapter 6 gives a brief overview of the generic NVECTOR module shared among the various components of SUNDIALS, and details on the two NVECTOR implementations provided with SUNDIALS: a serial implementation (§6.1) and a parallel implementation based on MPI (§6.2).

- Chapter 7 describes the interfaces to the linear solver modules, so that a user can provide his/her own such module.
- Chapter 8 describes in detail the generic linear solvers shared by all SUNDIALS solvers.
- Finally, Chapter 9 lists the constants used for input to and output from CVODE.

Finally, the reader should be aware of the following notational conventions in this user guide: program listings and identifiers (such as `CVodeMalloc`) within textual explanations appear in typewriter type style; fields in C structures (such as *content*) appear in italics; and packages or modules, such as CVDENSE, are written in all capitals. In the Index, page numbers that appear in bold indicate the main reference for that entry.

Acknowledgments. We wish to acknowledge the contributions to previous versions of the CVODE and PVODE codes and user guides of Scott D. Cohen [7] and George D. Byrne [5].

Chapter 2

CVODE Installation Procedure

The installation of CVODE is accomplished by installing the SUNDIALS suite as a whole, according to the instructions that follow. The same procedure applies whether or not the downloaded file contains solvers other than CVODE.

Generally speaking, the installation procedure outlined in §2.1 below will work on commodity LINUX/UNIX systems without modification. Users are still encouraged, however, to carefully read the entire chapter before attempting to install the SUNDIALS suite, in case non-default choices are desired for compilers, compilation options, or the like. In lieu of reading the option list below, the user may invoke the configuration script with the help flag to view a complete listing of available options, which may be done by issuing

```
% ./configure --help
```

from within the `sundials` directory.

In the descriptions below, *build_tree* refers to the directory under which the user wants to build and/or install the SUNDIALS package. By default, the SUNDIALS libraries and header files are installed under the subdirectories *build_tree/lib* and *build_tree/include*, respectively. Also, *source_tree* refers to the directory where the SUNDIALS source code is located. The chosen *build_tree* may be different from the *source_tree*, thus allowing for multiple installations of the SUNDIALS suite with different configuration options.

Concerning the installation procedure outlined below, after invoking the `tar` command with the appropriate options, the contents of the SUNDIALS archive (or the *source_tree*) will be extracted to a directory named `sundials`. Since the name of the extracted directory is not version-specific it is recommended that the user refrain from extracting the archive to a directory containing a previous version/release of the SUNDIALS suite. If the user is only upgrading and the previous installation of SUNDIALS is not needed, then the user may remove the previous installation by issuing

```
% rm -rf sundials
```

from a shell command prompt.

Even though the installation procedure given below presupposes that the user will use the default vector modules supplied with the distribution, using the SUNDIALS suite with a user-supplied vector module normally will not require any changes to the build procedure.

2.1 Installation steps

To install the SUNDIALS suite, given a downloaded file named *sundials_file.tar.gz*, issue the following commands from a shell command prompt, while within the directory where *source_tree* is to be located. The names of installed libraries and header files are listed in Table 2.1 for reference. (For brevity, the corresponding `.c` files are not listed.) Regarding the file extension *.lib* appearing in Table 2.1, shared libraries generally have an extension of `.so` and static libraries have an extension of `.a`. (See *Options for library support* for additional details.)

1. `gunzip sundials_file.tar.gz`
2. `tar -xf sundials_file.tar` [creates `sundials` directory]
3. `cd build_tree`
4. `path_to_source_tree/configure options` [options can be absent]
5. `make`
6. `make install`
7. `make examples`
8. If system storage space conservation is a priority, then issue
`% make clean`
and/or
`% make examples_clean`
from a shell command prompt to remove unneeded object files.

2.2 Configuration options

The installation procedure given above will generally work without modification; however, if the system includes multiple MPI implementations, then certain configure script-related options may be used to indicate which MPI implementation should be used. Also, if the user wants to use non-default language compilers, then, again, the necessary shell environment variables must be appropriately redefined. The remainder of this section provides explanations of available configure script options.

General options

`--prefix=PREFIX`

Location for architecture-independent files.

Default: `PREFIX=build_tree`

`--includedir=DIR`

Alternate location for installation of header files.

Default: `DIR=PREFIX/include`

`--libdir=DIR`

Alternate location for installation of libraries.

Default: `DIR=PREFIX/lib`

`--disable-examples`

All available example programs are automatically built unless this option is given. The example executables are stored under the following subdirectories of the associated solver:

`build_tree/solver/examples_ser` : serial C examples

`build_tree/solver/examples_par` : parallel C examples (MPI-enabled)

`build_tree/solver/fcmix/examples_ser` : serial FORTRAN examples

`build_tree/solver/fcmix/examples_par` : parallel FORTRAN examples (MPI-enabled)

Note: Some of these subdirectories may not exist depending upon the solver and/or the configuration options given.

Table 2.1: SUNDIALS libraries and header files

Module	Libraries	Header files
SHARED	<i>libsundials_shared.lib</i>	<i>sundialstypes.h</i> <i>sundialsmath.h</i> <i>sundials_config.h</i> <i>dense.h</i> <i>smalldense.h</i> <i>band.h</i> <i>spgmr.h</i> <i>iterative.h</i> <i>nvector.h</i>
NVECTOR_SERIAL	<i>libsundials_nvecserial.lib</i> <i>libsundials_fvecserial.a</i>	<i>nvector_serial.h</i>
NVECTOR_PARALLEL	<i>libsundials_nvecparallel.lib</i> <i>libsundials_fvecparallel.a</i>	<i>nvector_parallel.h</i>
CVODE	<i>libsundials_cvode.lib</i> <i>libsundials_fcvcde.a</i>	<i>cvode.h</i> <i>cvdense.h</i> <i>cvband.h</i> <i>cvdiag.h</i> <i>cvspgmr.h</i> <i>cvbandpre.h</i> <i>cvbbdpre.h</i>
CVODES	<i>libsundials_cvodes.lib</i>	<i>cvodes.h</i> <i>cvodea.h</i> <i>cvdense.h</i> <i>cvband.h</i> <i>cvdiag.h</i> <i>cvspgmr.h</i> <i>cvbandpre.h</i> <i>cvbbdpre.h</i>
IDA	<i>libsundials_ida.lib</i>	<i>ida.h</i> <i>idadense.h</i> <i>idaband.h</i> <i>idaspgmr.h</i> <i>idabbdpre.h</i>
KINSOL	<i>libsundials_kinsol.lib</i> <i>libsundials_fkingsol.a</i>	<i>kinsol.h</i> <i>kinspgmr.h</i> <i>kinbbdpre.h</i>

--disable-solver

Although each existing solver module is built by default, support for a given solver can be explicitly disabled using this option. The valid values for *solver* are: `cvode`, `cvodes`, `ida`, and `kinsol`.

--with-cppflags=ARG

Specify additional C preprocessor flags (e.g., `ARG=-I<include_dir>` if necessary header files are located in nonstandard locations).

--with-cflags=ARG

Specify additional C compilation flags.

--with-ldflags=ARG

Specify additional linker flags (e.g., `ARG=-L<lib_dir>` if required libraries are located in non-standard locations).

--with-libs=ARG

Specify additional libraries to be used (e.g., `ARG=-l<foo>` to link with the library named `libfoo.a` or `libfoo.so`).

--with-precision=ARG

By default, SUNDIALS will define a real number (internally referred to as `realtype`) to be a double-precision floating-point numeric data type (`double` C-type); however, this option may be used to build SUNDIALS with `realtype` alternatively defined as a single-precision floating-point numeric data type (`float` C-type) if `ARG=single`, or as a long double C-type if `ARG=extended`.

Default: `ARG=double`

Options for Fortran support

--disable-f77

Using this option will disable all FORTRAN support. The FCVODE, FKINSOL and FNVECTOR modules will not be built regardless of availability.

--with-fflags=ARG

Specify additional FORTRAN compilation flags.

The configuration script will attempt to automatically determine the function name mangling scheme required by the specified FORTRAN compiler, but the following two options may be used to override the default behavior.

--with-f77underscore=ARG

This option pertains to the FKINSOL, FCVODE and FNVECTOR FORTRAN-C interface modules and is used to specify the number of underscores to append to function names so FORTRAN routines can properly link with the associated SUNDIALS libraries. Valid values for `ARG` are: `none`, `one` and `two`.

Default: `ARG=one`

--with-f77case=ARG

Use this option to specify whether the external names of the FKINSOL, FCVODE and FNVECTOR FORTRAN-C interface functions should be lowercase or uppercase so FORTRAN routines can properly link with the associated SUNDIALS libraries. Valid values for `ARG` are: `lower` and `upper`.

Default: `ARG=lower`

Options for MPI support

The following configuration options are only applicable to the parallel SUNDIALS packages:

`--disable-mpi`

Using this option will completely disable MPI support.

`--with-mpicc=ARG`

`--with-mpif77=ARG`

By default, the configuration utility script will use the MPI compiler scripts named `mpicc` and `mpif77` to compile the parallelized SUNDIALS subroutines; however, for reasons of compatibility, different executable names may be specified via the above options. Also, `ARG=no` can be used to disable the use of MPI compiler scripts, thus causing the serial C and FORTRAN compilers to be used to compile the parallelized SUNDIALS functions and examples.

`--with-mpi-root=MPIDIR`

This option may be used to specify which MPI implementation should be used. The SUNDIALS configuration script will automatically check under the subdirectories `MPIDIR/include` and `MPIDIR/lib` for the necessary header files and libraries. The subdirectory `MPIDIR/bin` will also be searched for the C and FORTRAN MPI compiler scripts, unless the user uses `--with-mpicc=no` or `--with-mpif77=no`.

`--with-mpi-incdir=INCDIR`

`--with-mpi-libdir=LIBDIR`

`--with-mpi-libs=LIBS`

These options may be used if the user would prefer not to use a preexisting MPI compiler script, but instead would rather use a serial compiler and provide the flags necessary to compile the MPI-aware subroutines in SUNDIALS.

Often an MPI implementation will have unique library names and so it may be necessary to specify the appropriate libraries to use (e.g., `LIBS=-lmpich`).

Default: `INCDIR=MPIDIR/include`, `LIBDIR=MPIDIR/lib` and `LIBS=-lmpi`

`--with-mpi-flags=ARG`

Specify additional MPI-specific flags.

Options for library support

By default, only static libraries are built, but the following option may be used to build shared libraries on supported platforms.

`--enable-shared`

Using this particular option will result in both static and shared versions of the available SUNDIALS libraries being built if the system supports shared libraries. To build only shared libraries also specify `--disable-static`.

Note: The `FCVODE` and `FKINSOL` libraries can only be built as static libraries because they contain references to externally defined symbols, namely user-supplied FORTRAN subroutines. Although the FORTRAN interfaces to the serial and parallel implementations of the supplied `NVECTOR` module do not contain any unresolvable external symbols, the libraries are still built as static libraries for the purpose of consistency.

Options for cross-compilation

If the SUNDIALS suite will be cross-compiled (meaning the build procedure will not be completed on the actual destination system, but rather on an alternate system with a different architecture) then the following two options should be used:

`--build=BUILD`

This particular option is used to specify the canonical system/platform name for the build system.

`--host=HOST`

If cross-compiling, then the user must use this option to specify the canonical system/platform name for the destination system.

Environment variables

The following environment variables can be locally (re)defined for use during the configuration of SUNDIALS. See the next section for illustrations of these.

`CC`

`F77`

Since the configuration script uses the first C and FORTRAN compilers found in the current executable search path, then each relevant shell variable (`CC` and `F77`) must be locally (re)defined in order to use a different compiler. For example, to use `xcc` (executable name of chosen compiler) as the C language compiler, use `CC=xcc` in the configure step.

`CFLAGS`

`FFLAGS`

Use these environment variables to override the default C and FORTRAN compilation flags.

2.3 Configuration examples

The following examples are meant to help demonstrate proper usage of the configure options:

```
% configure CC=gcc F77=g77 --with-cflags=-g3 --with-fflags=-g3 \
--with-mpicc=/usr/apps/mpich/1.2.4/bin/mpicc \
--with-mpif77=/usr/apps/mpich/1.2.4/bin/mpif77
```

The above example builds SUNDIALS using `gcc` as the serial C compiler, `g77` as the serial FORTRAN compiler, `mpicc` as the parallel C compiler, `mpif77` as the parallel FORTRAN compiler, and appends the `-g3` compilation flag to the list of default flags.

```
% configure CC=gcc --disable-examples --with-mpicc=no \
--with-mpi-root=/usr/apps/mpich/1.2.4 \
--with-mpi-libs=-lmpich
```

This example again builds SUNDIALS using `gcc` as the serial C compiler, but the `--with-mpicc=no` option explicitly disables the use of the corresponding MPI compiler script. In addition, since the `--with-mpi-root` option is given, the compilation flags `-I/usr/apps/mpich/1.2.4/include` and `-L/usr/apps/mpich/1.2.4/lib` are passed to `gcc` when compiling the MPI-enabled functions. The `--disable-examples` option disables the examples (which means a FORTRAN compiler is not required). The `--with-mpi-libs` option is still needed so that the configure script can check if `gcc` can link with the appropriate MPI library as `-lmpi` is the internal default.

Chapter 3

Mathematical Considerations

CVODE solves ODE initial value problems (IVPs) in real N -space, which we write in the abstract form

$$\dot{y} = f(t, y), \quad y(t_0) = y_0, \quad (3.1)$$

where $y \in \mathbf{R}^N$. Here we use \dot{y} to denote dy/dt . While we use t to denote the independent variable, and usually this is time, it certainly need not be. CVODE solves both stiff and nonstiff systems. Roughly speaking, stiffness is characterized by the presence of at least one rapidly damped mode, whose time constant is small compared to the time scale of the solution itself.

3.1 IVP solution

The methods used in CVODE are variable-order, variable-step multistep methods, based on formulas of the form

$$\sum_{i=0}^{K_1} \alpha_{n,i} y^{n-i} + h_n \sum_{i=0}^{K_2} \beta_{n,i} \dot{y}^{n-i} = 0. \quad (3.2)$$

Here the y^n are computed approximations to $y(t_n)$, and $h_n = t_n - t_{n-1}$ is the step size. The user of CVODE must choose appropriately one of two multistep methods. For nonstiff problems, CVODE includes the Adams-Moulton formulas, characterized by $K_1 = 1$ and $K_2 = q$ above, where the order q varies between 1 and 12. For stiff problems, CVODE includes the Backward Differentiation Formulas (BDFs) in so-called fixed-leading coefficient form, given by $K_1 = q$ and $K_2 = 0$, with order q varying between 1 and 5. The coefficients are uniquely determined by the method type, its order, the recent history of the step sizes, and the normalization $\alpha_{n,0} = -1$. See [4] and [16].

For either choice of formula, the nonlinear system

$$G(y^n) \equiv y^n - h_n \beta_{n,0} f(t_n, y^n) - a_n = 0, \quad (3.3)$$

where $a_n \equiv \sum_{i>0} (\alpha_{n,i} y^{n-i} + h_n \beta_{n,i} \dot{y}^{n-i})$, must be solved (approximately) at each integration step. For this, CVODE offers the choice of either *functional iteration*, suitable only for nonstiff systems, and various versions of *Newton iteration*. Functional iteration, given by

$$y^{n(m+1)} = h_n \beta_{n,0} f(t_n, y^{n(m)}) + a_n,$$

involves evaluations of f only. In contrast, Newton iteration requires the solution of linear systems

$$M[y^{n(m+1)} - y^{n(m)}] = -G(y^{n(m)}), \quad (3.4)$$

in which

$$M \approx I - \gamma J, \quad J = \partial f / \partial y, \quad \text{and} \quad \gamma = h_n \beta_{n,0}. \quad (3.5)$$

The initial guess for the iteration is a predicted value $y^{n(0)}$ computed explicitly from the available history data. For the Newton corrections, CVODE provides a choice of four methods:

- a dense direct solver (serial version only),
- a band direct solver (serial version only),
- a diagonal approximate Jacobian solver, or
- SPGMR = Scaled Preconditioned GMRES, without restarts.

For large stiff systems, where direct methods are not feasible, the combination of a BDF integrator and a preconditioned GMRES algorithm yields a powerful tool because it combines established methods for stiff integration, nonlinear iteration, and Krylov (linear) iteration with a problem-specific treatment of the dominant source of stiffness, in the form of the user-supplied preconditioner matrix [2].

In the process of controlling errors at various levels, CVODE uses a weighted root-mean-square norm, denoted $\|\cdot\|_{\text{WRMS}}$, for all error-like quantities. The weights used are based on the current solution and on the relative and absolute tolerances input by the user, namely

$$W_i = \text{RTOL} \cdot |y_i| + \text{ATOL}_i. \quad (3.6)$$

Because W_i represents a tolerance in the component y_i , a vector whose norm is 1 is regarded as “small.” For brevity, we will usually drop the subscript WRMS on norms in what follows.

In the cases of a direct solver (dense, band, or diagonal), the iteration is a Modified Newton iteration, in that the iteration matrix M is fixed throughout the nonlinear iterations. However, for SPGMR, it is an Inexact Newton iteration, in which M is applied in a matrix-free manner, with matrix-vector products Jv obtained by either difference quotients or a user-supplied routine. The matrix M (direct cases) or preconditioner matrix P (SPGMR case) is updated as infrequently as possible to balance the high costs of matrix operations against other costs. Specifically, this matrix update occurs when:

- starting the problem,
- more than 20 steps have been taken since the last update,
- the value $\bar{\gamma}$ of γ at the last update satisfies $|\gamma/\bar{\gamma} - 1| > 0.3$,
- a non-fatal convergence failure just occurred, or
- an error test failure just occurred.

When forced by a convergence failure, an update of M or P may or may not involve a reevaluation of J (in M) or of Jacobian data (in P), depending on whether Jacobian error was the likely cause of the failure. More generally, the decision is made to reevaluate J (or instruct the user to re-evaluate Jacobian data in P) when:

- starting the problem,
- more than 50 steps have been taken since the last evaluation,
- a convergence failure occurred with an outdated matrix, and the value $\bar{\gamma}$ of γ at the last update satisfies $|\gamma/\bar{\gamma} - 1| < 0.2$, or
- a convergence failure occurred that forced a step size reduction.

The stopping test for the Newton iteration is related to the subsequent local error test, with the goal of keeping the nonlinear iteration errors from interfering with local error control. As described below, the final computed value $y^{n(m)}$ will have to satisfy a local error test $\|y^{n(m)} - y^{n(0)}\| \leq \epsilon$. Letting y^n denote the exact solution of (3.3), we want to ensure that the iteration error $y^n - y^{n(m)}$ is small relative to ϵ , specifically that it is less than 0.1ϵ . (The safety factor 0.1 can be changed by the user.) For this, we also estimate the linear convergence rate constant R as follows. We initialize R

to 1, and reset $R = 1$ when M or P is updated. After computing a correction $\delta_m = y^{n(m)} - y^{n(m-1)}$, we update R if $m > 1$ as

$$R \leftarrow \max\{0.3R, \|\delta_m\|/\|\delta_{m-1}\|\}.$$

Now we use the estimate

$$\|y^n - y^{n(m)}\| \approx \|y^{n(m+1)} - y^{n(m)}\| \approx R\|y^{n(m)} - y^{n(m-1)}\| = R\|\delta_m\|.$$

Therefore the convergence (stopping) test is

$$R\|\delta_m\| < 0.1\epsilon.$$

We allow at most 3 iterations (but this limit can be changed by the user). We also declare the iteration diverged if any $\|\delta_m\|/\|\delta_{m-1}\| > 2$ with $m > 1$. If convergence fails with J or P current, we are forced to reduce the step size, and we replace h_n by $h_n/4$. The integration is halted after a preset number of convergence failures; the default value of this limit is 10, but this can be changed by the user.

When SPGMR is used to solve the linear system, its errors must also be controlled, and this also involves the local error test constant. The linear iteration error in the solution vector δ_m is approximated by the preconditioned residual vector. Thus to ensure (or attempt to ensure) that the linear iteration errors do not interfere with the nonlinear error and local integration error controls, we require that the norm of the preconditioned residual in SPGMR is less than $0.05 \cdot (0.1\epsilon)$.

With the direct dense and band methods, the Jacobian may be supplied by a user routine, or approximated by difference quotients, at the user's option. In the latter case, we use the usual approximation

$$J_{ij} = [f_i(t, y + \sigma_j e_j) - f_i(t, y)]/\sigma_j.$$

The increments σ_j are given by

$$\sigma_j = \max \left\{ \sqrt{U} |y_j|, \sigma_0 W_j \right\},$$

where U is the unit roundoff, σ_0 is a dimensionless value, and W_j is the error weight defined in (3.6). In the dense case, this scheme requires N evaluations of f , one for each column of J . In the band case, the columns of J are computed in groups, by the Curtis-Powell-Reid algorithm, with the number of f evaluations equal to the bandwidth.

In the case of SPGMR, preconditioning may be used on the left, on the right, or both, with user-supplied routines for the preconditioning setup and solve operations, and optionally also for the required matrix-vector products Jv . If a routine for Jv is not supplied, these products are computed as

$$Jv = [f(t, y + \sigma v) - f(t, y)]/\sigma. \quad (3.7)$$

The increment σ is $1/\|v\|$, so that σv has norm 1.

A critical part of CVODE — making it an ODE “solver” rather than just an ODE method, is its control of local error. At every step, the local error is estimated and required to satisfy tolerance conditions, and the step is redone with reduced step size whenever that error test fails. As with any linear multistep method, the local truncation error LTE, at order q and step size h , satisfies an asymptotic relation

$$\text{LTE} = Ch^{q+1}y^{(q+1)} + O(h^{q+2})$$

for some constant C , under mild assumptions on the step sizes. A similar relation holds for the error in the predictor $y^{n(0)}$. These are combined to get a relation

$$\text{LTE} = C'[y^n - y^{n(0)}] + O(h^{q+2}).$$

The local error test is simply $\|\text{LTE}\| \leq 1$. Using the above, it is performed on the predictor-corrector difference $\Delta_n \equiv y^{n(m)} - y^{n(0)}$ (with $y^{n(m)}$ the final iterate computed), and takes the form

$$\|\Delta_n\| \leq \epsilon \equiv 1/|C'|.$$

If this test passes, the step is considered successful. If it fails, the step is rejected and a new step size h' is computed based on the asymptotic behavior of the local error, namely by the equation

$$(h'/h)^{q+1} \|\Delta_n\| = \epsilon/6.$$

Here $1/6$ is a safety factor. A new attempt at the step is made, and the error test repeated. If it fails three times, the order q is reset to 1 (if $q > 1$), or the step is restarted from scratch (if $q = 1$). The ratio h'/h is limited above to 0.2 after two error test failures, and limited below to 0.1 after three. After seven failures, CVODE returns to the user with a give-up message.

In addition to adjusting the step size to meet the local error test, CVODE periodically adjusts the order, with the goal of maximizing the step size. The integration starts out at order 1 and varies the order dynamically after that. The basic idea is to pick the order q for which a polynomial of order q best fits the discrete data involved in the multistep method. However, if either a convergence failure or an error test failure occurred on the step just completed, no change in step size or order is done. At the current order q , selecting a new step size is done exactly as when the error test fails, giving a tentative step size ratio

$$h'/h = (\epsilon/6 \|\Delta_n\|)^{1/(q+1)} \equiv \eta_q.$$

We consider changing order only after taking $q+1$ steps at order q , and then we consider only orders $q' = q-1$ (if $q > 1$) or $q' = q+1$ (if $q < 5$). The local truncation error at order q' is estimated using the history data. Then a tentative step size ratio is computed on the basis that this error, $\text{LTE}(q')$, behaves asymptotically as $h^{q'+1}$. With safety factors of $1/6$ and $1/10$ respectively, these ratios are:

$$h'/h = [1/6 \|\text{LTE}(q-1)\|]^{1/q} \equiv \eta_{q-1}$$

and

$$h'/h = [1/10 \|\text{LTE}(q+1)\|]^{1/(q+2)} \equiv \eta_{q+1}.$$

The new order and step size are then set according to

$$\eta = \max\{\eta_{q-1}, \eta_q, \eta_{q+1}\}, \quad h' = \eta h,$$

with q' set to the index achieving the above maximum. However, if we find that $\eta < 1.5$, we do not bother with the change. Also, h'/h is always limited to 10, except on the first step, when it is limited to 10^4 .

The various algorithmic features of CVODE described above, as inherited from the solvers VODE and VODPK, are documented in [1, 3, 12]. They are also summarized in [13].

Normally, CVODE takes steps until a user-defined output value $t = t_{\text{out}}$ is overtaken, and then it computes $y(t_{\text{out}})$ by interpolation. However, a ‘‘one step’’ mode option is available, where control returns to the calling program after each step. There are also options to force CVODE not to integrate past a given stopping point $t = t_{\text{stop}}$.

3.2 BDF stability limit detection

CVODE includes an algorithm, STALD (STability Limit Detection), which provides protection against potentially unstable behavior of the BDF multistep integration methods in certain situations, as described below.

When the BDF option is selected, CVODE uses Backward Differentiation Formula methods of orders 1 to 5. At order 1 or 2, the BDF method is A-stable, meaning that for any complex constant λ in the open left half-plane, the method is unconditionally stable (for any step size) for the standard scalar model problem $\dot{y} = \lambda y$. For an ODE system, this means that, roughly speaking, as long as all modes in the system are stable, the method is also stable for any choice of step size, at least in the sense of a local linear stability analysis.

At orders 3 to 5, the BDF methods are not A-stable, although they are *stiffly stable*. In each case, in order for the method to be stable at step size h on the scalar model problem, the product $h\lambda$ must lie in a *region of absolute stability*. That region excludes a portion of the left half-plane that

is concentrated near the imaginary axis. The size of that region of instability grows as the order increases from 3 to 5. What this means is that, when running BDF at any of these orders, if an eigenvalue λ of the system lies close enough to the imaginary axis, the step sizes h for which the method is stable are limited (at least according to the linear stability theory) to a set that prevents $h\lambda$ from leaving the stability region. The meaning of *close enough* depends on the order. At order 3, the unstable region is much narrower than at order 5, so the potential for unstable behavior grows with order.

System eigenvalues that are likely to run into this instability are ones that correspond to weakly damped oscillations. A pure undamped oscillation corresponds to an eigenvalue on the imaginary axis. Problems with modes of that kind call for different considerations, since the oscillation generally must be followed by the solver, and this requires step sizes ($h \sim 1/\nu$, where ν is the frequency) that are stable for BDF anyway. But for a weakly damped oscillatory mode, the oscillation in the solution is eventually damped to the noise level, and at that time it is important that the solver not be restricted to step sizes on the order of $1/\nu$. It is in this situation that the new option may be of great value.

In terms of partial differential equations, the typical problems for which the stability limit detection option is appropriate are ODE systems resulting from semi-discretized PDEs (i.e., PDEs discretized in space) with advection and diffusion, but with advection dominating over diffusion. Diffusion alone produces pure decay modes, while advection tends to produce undamped oscillatory modes. A mix of the two with advection dominant will have weakly damped oscillatory modes.

The STALD algorithm attempts to detect, in a direct manner, the presence of a stability region boundary that is limiting the step sizes in the presence of a weakly damped oscillation [10]. The algorithm supplements (but differs greatly from) the existing algorithms in CVODE for choosing step size and order based on estimated local truncation errors. It works directly with history data that is readily available in CVODE. If it concludes that the step size is in fact stability-limited, it dictates a reduction in the method order, regardless of the outcome of the error-based algorithm. The STALD algorithm has been tested in combination with the VODE solver on linear advection-dominated advection-diffusion problems [11], where it works well. The implementation in CVODE has been successfully tested on linear and nonlinear advection-diffusion problems, among others.

This stability limit detection option adds some overhead computational cost to the CVODE solution. (In timing tests, these overhead costs have ranged from 2% to 7% of the total, depending on the size and complexity of the problem, with lower relative costs for larger problems.) Therefore, it should be activated only when there is reasonable expectation of modes in the user's system for which it is appropriate. In particular, if a CVODE solution with this option turned off appears to take an inordinately large number of steps at orders 3-5 for no apparent reason in terms of the solution time scale, then there is a good chance that step sizes are being limited by stability, and that turning on the option will improve the efficiency of the solution.

3.3 Rootfinding

The CVODE solver has been augmented to include a rootfinding feature. This means that, while integrating the Initial Value Problem (3.1), CVODE can also find the roots of a set of user-defined functions $g_i(t, y)$ that depend on t and the solution vector $y = y(t)$. The number of these root functions is arbitrary, and if more than one g_i is found to have a root in any given interval, the various root locations are found and reported in the order that they occur on the t axis, in the direction of integration.

Generally, this rootfinding feature finds only roots of odd multiplicity, corresponding to changes in sign of $g_i(t, y(t))$, denoted $g_i(t)$ for short. If a user root function has a root of even multiplicity (no sign change), it will probably be missed by CVODE. If such a root is desired, the user should reformulate the root function so that it changes sign at the desired root.

The basic scheme used is to check for sign changes of any $g_i(t)$ over each time step taken, and then (when a sign change is found) to home in on the root (or roots) with a modified secant method [9]. In addition, each time g is computed, CVODE checks to see if $g_i(t) = 0$ exactly, and if so it

reports this as a root. However, if an exact zero of any g_i is found at a point t , CVODE computes g at $t + \tau$ for a small (near roundoff level) increment τ , slightly further in the direction of integration, and if any $g_i(t + \tau) = 0$ also, CVODE stops and reports an error. This way, each time CVODE takes a time step, it is guaranteed that the values of all g_i are nonzero at some past value of t , beyond which a search for roots is to be done.

At any given time in the course of the time-stepping, after suitable checking and adjusting has been done, CVODE has an interval $(t_{lo}, t_{hi}]$ in which roots of the $g_i(t)$ are to be sought, such that t_{hi} is further ahead in the direction of integration, and all $g_i(t_{lo}) \neq 0$. The endpoint t_{hi} is either t_n , the end of the time step last taken, or the next requested output time t_{out} if this comes sooner. The endpoint t_{lo} is either t_{n-1} , or the last output time t_{out} (if this occurred within the last step), or the last root location (if a root was just located within this step), possibly adjusted slightly toward t_n if an exact zero was found. The algorithm checks g at t_{hi} for zeros and for sign changes in (t_{lo}, t_{hi}) . If no sign changes are found, then either a root is reported (if some $g_i(t_{hi}) = 0$) or we proceed to the next time interval (starting at t_{hi}). If one or more sign changes were found, then a loop is entered to locate the root to within a rather tight tolerance, given by

$$\tau = 100 * U * (|t_n| + |h|) \quad (U = \text{unit roundoff}) .$$

Whenever sign changes are seen in two or more root functions, the one deemed most likely to have its root occur first is the one with the largest value of $|g_i(t_{hi})|/|g_i(t_{hi}) - g_i(t_{lo})|$, corresponding to the closest to t_{lo} of the secant method values. At each pass through the loop, a new value t_{mid} is set, strictly within the search interval, and the values of $g_i(t_{mid})$ are checked. Then either t_{lo} or t_{hi} is reset to t_{mid} according to which subinterval is found to have the sign change. If there is none in (t_{lo}, t_{mid}) but some $g_i(t_{mid}) = 0$, then that root is reported. The loop continues until $|t_{hi} - t_{lo}| < \tau$, and then the reported root location is t_{hi} .

In the loop to locate the root of $g_i(t)$, the formula for t_{mid} is

$$t_{mid} = t_{hi} - (t_{hi} - t_{lo})g_i(t_{hi})/[g_i(t_{hi}) - \alpha g_i(t_{lo})] ,$$

where α a weight parameter. On the first two passes through the loop, α is set to 1, making t_{mid} the secant method value. Thereafter, α is reset according to the side of the subinterval (low vs high, i.e. toward t_{lo} vs toward t_{hi}) in which the sign change was found in the previous two passes. If the two sides were opposite, α is set to 1. If the two sides were the same, α is halved (if on the low side) or doubled (if on the high side). The value of t_{mid} is closer to t_{lo} when $\alpha < 1$ and closer to t_{hi} when $\alpha > 1$. If the above value of t_{mid} is within $\tau/2$ of t_{lo} or t_{hi} , it is adjusted inward, such that its fractional distance from the endpoint (relative to the interval size) is between .1 and .5 (.5 being the midpoint), and the actual distance from the endpoint is at least $\tau/2$.

Chapter 4

Code Organization

4.1 SUNDIALS organization

The family of solvers referred to as SUNDIALS consists of the solvers CVODE (for ODE systems), KINSOL (for nonlinear algebraic systems), and IDA (for differential-algebraic systems). In addition, variants of these which also do sensitivity analysis calculations are available or in development. CVODES, an extension of CVODE that provides both forward and adjoint sensitivity capabilities is available, while IDAS is currently in development.

The various solvers of this family share many subordinate modules. For this reason, it is organized as a family, with a directory structure that exploits that sharing (see Fig. 4.1). The following is a list of the solver packages presently available:

- CVODE, a solver for stiff and nonstiff ODEs $dy/dt = f(t, y)$;
- CVODES, a solver for stiff and nonstiff ODEs $dy/dt = f(t, y, p)$ with sensitivity analysis capabilities;
- KINSOL, a solver for nonlinear algebraic systems $F(u) = 0$;
- IDA, a solver for differential-algebraic systems $F(t, y, y') = 0$.


4.2 CVODE organization

The CVODE package is written in the ANSI C language. The following summarizes the basic structure of the package, although knowledge of this structure is not necessary for its use.


The overall organization of the CVODE package is shown in Figure 4.2. The central integration module, implemented in the files `cvode.h` and `cvode.c`, deals with the evaluation of integration coefficients, the functional or Newton iteration process, estimation of local error, selection of stepsize and order, and interpolation to user output points, among other issues. Although this module contains logic for the basic Newton iteration algorithm, it has no knowledge of the method being used to solve the linear systems that arise. For any given user problem, one of the linear system modules is specified, and is then invoked as needed during the integration.

At present, the package includes the following four CVODE linear system modules:

- CVDENSE: LU factorization and backsolving with dense matrices;
- CVBAND: LU factorization and backsolving with banded matrices;
- CVDIAG: an internally generated diagonal approximation to the Jacobian;
- CVSPGMR: scaled preconditioned GMRES method.



(a) High-level diagram



(b) Directory structure

Figure 4.1: Organization of the SUNDIALS suite




Figure 4.2: Overall structure diagram of the CVODE package. Modules specific to CVODE are distinguished by rounded boxes, while generic solver and auxiliary modules are in rectangular boxes.

This set of linear solver modules is intended to be expanded in the future as new algorithms are developed.

In the case of the direct CVDENSE and CVBAND methods, the package includes an algorithm for the approximation of the Jacobian by difference quotients, but the user also has the option of supplying the Jacobian (or an approximation to it) directly. In the case of the iterative CVSPGMR method, the package includes an algorithm for the approximation by difference quotients of the product between the Jacobian matrix and a vector of appropriate length. Again, the user has the option of providing a routine for this operation. In the case of CVSPGMR, the preconditioning must be supplied by the user, in two phases: setup (preprocessing of Jacobian data) and solve. While there is no default choice of preconditioner analogous to the difference quotient approximation in the direct case, the references [2]-[3], together with the example and demonstration programs included with CVODE, offer considerable assistance in building preconditioners.

Each CVODE linear solver module consists of four routines, devoted to (1) memory allocation and initialization, (2) setup of the matrix data involved, (3) solution of the system, and (4) freeing of memory. The setup and solution phases are separate because the evaluation of Jacobians and preconditioners is done only periodically during the integration, as required to achieve convergence. The call list within the central CVODE module to each of the five associated functions is fixed, thus allowing the central module to be completely independent of the linear system method.

These modules are also decomposed in another way. Each of the modules CVDENSE, CVBAND, and CVSPGMR is a set of interface routines built on top of a generic solver module, named DENSE, BAND, and SPGMR, respectively. The interfaces deal with the use of these methods in the CVODE context, whereas the generic solver is independent of the context. While the generic solvers here were generated with SUNDIALS in mind, our intention is that they be usable in other applications as general-purpose solvers. This separation also allows for any generic solver to be replaced by an improved version, with no necessity to revise the CVODE package elsewhere.

CVODE also provides two preconditioner modules. The first one, CVBANDPRE, is intended to be used with NVECTOR_SERIAL and provides a banded difference quotient Jacobian based preconditioner and solver routines for use with CVSPGMR. The second preconditioner module, CVBBDPRE, works in conjunction with NVECTOR_PARALLEL and generates a preconditioner that is a block-diagonal matrix with each block being a band matrix.

All state information used by CVODE to solve a given problem is saved in a structure, and a

pointer to that structure is returned to the user. There is no global data in the CVODE package, and so in this respect it is reentrant. State information specific to the linear solver is saved in separate structure, a pointer to which resides in the CVODE memory structure. The reentrancy of CVODE was motivated by the anticipated multicomputer extension, but is also essential in a uniprocessor setting where two or more problems are solved by intermixed calls to the package from one user program.

Chapter 5

Using CVODE

This chapter is concerned with the use of CVODE for the integration of IVPs. The following sections treat the header files, the layout of the user's main program, description of the CVODE user-callable functions, and user-supplied functions. The final section describes the Fortran/C interface module, which supports users with applications written in Fortran77. The listings of the example programs in the companion document [14] may also be helpful. Those codes may be used as templates (with the removal of some lines involved in testing), and are included in the CVODE package.

The user should be aware that not all linear solver modules are compatible with all NVECTOR implementations. For example, NVECTOR_PARALLEL is not compatible with the direct dense or direct band linear solvers since these linear solver modules need to form the complete system Jacobian. The following CVODE modules can only be used with NVECTOR_SERIAL: CVDENSE, CVBAND, and CVBANDPRE. The preconditioner module CVBBDPRE can only be used with NVECTOR_PARALLEL.

CVODE uses various constants for both input and output. These are defined as needed in this chapter, but for convenience are also listed separately in Chapter 9.

5.1 Access to library and header files

At this point, it is assumed that the installation of CVODE, following the procedure described in Chapter 2, has been completed successfully.

Regardless of where the user's application program resides, its associated compilation and load commands must make reference to the appropriate locations for the library and header files required by CVODE. In terms of the directory *build_tree* defined in Chapter 2, the relevant library files are

- *build_tree/lib/libsundials_cvode.lib*,
- *build_tree/lib/libsundials_fcvcde.a*,
- *build_tree/lib/libsundials_shared.lib*,
- *build_tree/lib/libsundials_nvec*.lib* (up to two files), and
- *build_tree/lib/libsundials_fnvec*.a* (up to two files),

where the file extension *.lib* is typically *.so* for shared libraries and *.a* for static libraries. The relevant header files are all located in the subdirectory

- *build_tree/include*

For an application that contains both a CVODE problem (IVP) and a CVODES problem (IVP with sensitivity analysis), references to the library files must be made carefully, because both of the associated solver library files contain a user-callable function called **CVode**, although the version in CVODES is fully compatible with that in CVODE. In this case, the loader command must reference *build_tree/lib/libsundials_cvodes.lib*, and not *build_tree/lib/libsundials_cvode.lib*.

5.2 Data types

The `sundialstypes.h` file contains the definition of the type `realtype`, which is used by the SUNDIALS solvers for all floating-point data. The type `realtype` can be `float`, `double`, or `long double`, with the default being `double`. The user can change the precision of the SUNDIALS solvers arithmetic at the configuration stage (see §2.2).

Additionally, based on the current precision, `sundialstypes.h` defines `BIG_REAL` to be the largest value representable as a `realtype`, `SMALL_REAL` to be the smallest value representable as a `realtype`, and `UNIT_ROUNDOFF` to be the difference between 1.0 and the minimum `realtype` greater than 1.0.

Within SUNDIALS, real constants are set by way of a macro called `RCONST`. It is this macro that needs the ability to branch on the definition `realtype`. In ANSI C, a floating-point constant with no suffix is stored as a `double`. Placing the suffix “F” at the end of a floating point constant makes it a `float`, whereas using the suffix “L” makes it a `long double`. For example,

```
#define A 1.0
#define B 1.0F
#define C 1.0L
```

defines `A` to be a `double` constant equal to 1.0, `B` to be a `float` constant equal to 1.0, and `C` to be a `long double` constant equal to 1.0. The macro call `RCONST(1.0)` automatically expands to 1.0 if `realtype` is `double`, to 1.0F if `realtype` is `float`, or to 1.0L if `realtype` is `long double`. SUNDIALS uses the `RCONST` macro internally to declare all of its floating-point constants.

A user program which uses the type `realtype` and the `RCONST` macro to handle floating-point constants is precision-independent except for any calls to precision-specific standard math library functions. (Our example programs use both `realtype` and `RCONST`.) Users can, however, use the type `double`, `float`, or `long double` in their code (assuming the typedef for `realtype` matches this choice). Thus, a previously existing piece of ANSI C code can use SUNDIALS without modifying the code to use `realtype`, so long as the SUNDIALS libraries use the correct precision (for details see §2.2).

5.3 Header files

The calling program must include several header files so that various macros and data types can be used. The header file that is always required is:

- `cvode.h`, the header file for CVODE, which defines the several types and various constants, and includes function prototypes.

Note that `cvode.h` includes `sundialstypes.h`, which defines the types `realtype` and `booleantype` and the constants `FALSE` and `TRUE`.

The calling program must also include an `NVECTOR` implementation header file (see Chapter 6 for details). For the two `NVECTOR` implementations that are included in the CVODE package, the corresponding header files are:

- `nvector_serial.h`, which defines the serial implementation `NVECTOR_SERIAL`;
- `nvector_parallel.h`, which defines the parallel MPI implementation, `NVECTOR_PARALLEL`.

Note that both these files include in turn the header file `nvector.h` which defines the abstract `N_Vector` type.

Finally, if the user chooses Newton iteration for the solution of the nonlinear systems, then a linear solver module header file will be required. The header files corresponding to the various linear solver options in CVODE are:

- `cvdense.h`, which is used with the dense direct linear solver in the context of CVODE. This in turn includes a header file (`dense.h`) which defines the `DenseMat` type and corresponding accessor macros;




Figure 5.1: Diagram of the user program and CVODE package for integration of IVP

- `cvband.h`, which is used with the band direct linear solver in the context of CVODE. This in turn includes a header file (`band.h`) which defines the `BandMat` type and corresponding accessor macros;
- `cvdiag.h`, which is used with a diagonal linear solver in the context of CVODE;
- `cvspgmr.h`, which is used with the Krylov solver SPGMR in the context of CVODE. This in turn includes a header file (`iterative.h`) which enumerates the kind of preconditioning and the choices for the Gram-Schmidt process.

Other headers may be needed, according as to the choice of preconditioner, etc. In one of the examples in [14], preconditioning is done with a block-diagonal matrix. For this, the header `smalldense.h` is included.

5.4 A skeleton of the user's main program

A high-level view of the combined user program and CVODE package is shown in Figure 5.1. The following is a skeleton of the user's main program (or calling program) for the integration of an ODE IVP. Some steps are independent of the NVECTOR implementation used; where this is not the case, usage specifications are given for the two implementations provided with CVODE: Steps marked with [P] correspond to NVECTOR_PARALLEL, while steps marked with [S] correspond to NVECTOR_SERIAL.

1. [P] Initialize MPI

Call `MPI_Init(&argc, &argv)`; to initialize MPI if used by the user's program, aside from the internal use in `NVECTOR_PARALLEL`. Here `argc` and `argv` are the command line argument counter and array received by `main`.

2. Set problem dimensions

[S] Set `N`, the problem size N .

[P] Set `Nlocal`, the local vector length (the sub-vector length for this processor); `N`, the global vector length (the problem size N , and the sum of all the values of `Nlocal`); and the active set of processors.

3. Set vector of initial values

To set the vector `y0` of initial values, use functions defined by a particular `NVECTOR` implementation. If a `realtype` array `ydata` already exists, containing the initial values of y , make the call:

[S] `y0 = NV_Make_Serial(N, ydata);`

[P] `y0 = NV_Make_Parallel(comm, Nlocal, N, ydata);`

Otherwise, make the call:

[S] `y0 = NV_New_Serial(N);`

[P] `y0 = NV_New_Parallel(comm, Nlocal, N);`

and load initial values into the structure defined by:

[S] `NV_DATA_S(y0)`

[P] `NV_DATA_P(y0)`

Here `comm` is the MPI communicator, set in one of two ways: If a proper subset of active processors is to be used, `comm` must be set by suitable MPI calls. Otherwise, to specify that all processors are to be used, `comm` must be `MPI_COMM_WORLD`.

4. Create CVODE object

Call `cvode_mem = CVodeCreate(lmm, iter)`; to create the CVODE memory block and specify the solution method (linear multistep method and nonlinear solver iteration type). `CVodeCreate` returns a pointer to the CVODE memory structure. See §5.5.1 for details.

5. Allocate internal memory

Call `CVodeMalloc(...)`; to provide required problem specifications, allocate internal memory for CVODE, and initialize CVODE. `CVodeMalloc` returns an error flag to indicate success or an illegal argument value. See §5.5.1 for details.

6. Set optional inputs

Call `CVodeSet*` functions to change from their default values any optional inputs that control the behavior of CVODE. See §5.5.4 for details.

7. Attach linear solver module

If Newton iteration is chosen, initialize the linear solver module with one of the following calls (for details see §5.5.2):

[S] `ier = CVDense(...);`

[S] `ier = CVBand(...);`

`ier = CVDiag(...);`

```
ier = CVSpgrm(...);
```

8. Set linear solver optional inputs

Call `CV*Set*` functions from the selected linear solver module to change optional inputs specific to that linear solver. See §5.5.4 for details.

9. Specify rootfinding problem

Optionally, call `CVodeRootInit` to initialize a rootfinding problem to be solved during the integration of the ODE system. See §5.7.1 for details.

10. Advance solution in time

For each point at which output is desired, call `ier = CVode(cvode_mem, tout, yout, &tret, itask)`; Set `itask` to specify the return mode. The vector `y` (which can be the same as the vector `y0` above) will contain $y(t)$. See §5.5.3 for details.

11. Get optional outputs

Call `CV*Get*` functions to obtain optional output. See §5.5.6 and §5.7.1 for details.

12. Deallocate memory for solution vector

Upon completion of the integration, deallocate memory for the vector `y` by calling the destructor function defined by the `NVECTOR` implementation:

```
[S] NV_Destroy_Serial(y);
[P] NV_Destroy_Parallel(y);
```

13. Free solver memory

`CVodeFree(cvode_mem)`; to free the memory allocated for `CVODE`.

14. [P] Finalize MPI

Call `MPI_Finalize()`; to terminate MPI.

5.5 User-callable functions

This section describes the `CVODE` functions that are called by the user to set up and solve an IVP. Some of these are required. However, starting with §5.5.4, the functions listed involve optional inputs/outputs or restarting, and those paragraphs can be skipped for a casual use of `CVODE`. In any case, refer to §5.4 for the correct order of these calls. Calls related to rootfinding are described in §5.7.

5.5.1 CVODE initialization and deallocation functions

The following three functions must be called in the order listed. The last one is to be called only after the IVP solution is complete, as it frees the `CVODE` memory block created and allocated by the first two calls.

CVodeCreate

Call `cvode_mem = CVodeCreate(lmm, iter)`;

Description The function `CVodeCreate` instantiates a `CVODE` solver object and specifies the solution method.

Arguments `lmm` (`int`) specifies the linear multistep method and must be one of two possible values: `CV_ADAMS` or `CV_BDF`.

`iter` (`int`) specifies the type of nonlinear solver iteration and may be either `CV_NEWTON` or `CV_FUNCTIONAL`.

The recommended choices for `(lmm, iter)` are `(CV_ADAMS, CV_FUNCTIONAL)` for nonstiff problems and `(CV_BDF, CV_NEWTON)` for stiff problems.

Return value If successful, `CVodeCreate` returns a pointer to the newly created CVODE memory block (of type `void *`). If an error occurred, `CVodeCreate` prints an error message to `stderr` and returns `NULL`.

CVodeMalloc

Call `flag = CVodeMalloc(cvode_mem, f, t0, y0, itol, reltol, abstol);`

Description The function `CVodeMalloc` provides required problem and solution specifications, allocates internal memory, and initializes CVODE.

Arguments

- `cvode_mem` (`void *`) pointer to the CVODE memory block returned by `CVodeCreate`.
- `f` (`CVRhsFn`) is the C function which computes f in the ODE. This function has the form `f(t, y, ydot, f_data)` (for full details see §5.6.1).
- `t0` (`realtype`) is the initial value of t .
- `y0` (`N_Vector`) is the initial value of y .
- `itol` (`int`) is one of `CV_SS`, `CV_SV`, or `CV_WF`, where `itol=SS` indicates scalar relative error tolerance and scalar absolute error tolerance, while `itol=CV_SV` indicates scalar relative error tolerance and vector absolute error tolerance. The latter choice is important when the absolute error tolerance needs to be different for each component of the ODE. If `itol=CV_WF`, the arguments `reltol` and `abstol` are ignored and the user is expected to provide a function to evaluate the error weight vector W from (3.6). See `CVodeSetEwtFn` in §5.5.4.
- `reltol` (`realtype`) is the relative error tolerance.
- `abstol` (`void *`) is a pointer to the absolute error tolerance. If `itol=CV_SS`, `abstol` must be a pointer to a `realtype` variable. If `itol=CV_SV`, `abstol` must be an `N_Vector` variable.

Return value The return flag `flag` (of type `int`) will be one of the following:

- `CV_SUCCESS` The call to `CVodeMalloc` was successful.
- `CV_MEM_NULL` The CVODE memory block was not initialized through a previous call to `CVodeCreate`.
- `CV_MEM_FAIL` A memory allocation request has failed.
- `CV_ILL_INPUT` An input argument to `CVodeMalloc` has an illegal value.

Notes If an error occurred, `CVodeMalloc` also prints an error message to the file specified by the optional input `errfp`.

The tolerance values in `reltol` and `abstol` may be changed between calls to `CVode` (see `CVodeSetTolerances` in §5.5.4).



It is the user's responsibility to provide compatible `itol` and `abstol` arguments.

CVodeFree

Call `CVodeFree(cvode_mem);`

Description The function `CVodeFree` frees the pointer allocated by a previous call to `CVodeMalloc`.

Arguments The argument is the pointer to the CVODE memory block (of type `void *`).

Return value The function `CVodeFree` has no return value.

5.5.2 Linear solver specification functions

As previously explained, Newton iteration requires the solution of linear systems of the form (3.4). There are four CVODE linear solvers currently available for this task: CVDENSE, CVBAND, CVDIAG, and CVSPGMR. The first three are direct solvers and derive their name from the type of approximation used for the Jacobian $J = \partial f / \partial y$. CVDENSE, CVBAND, and CVDIAG work with dense, banded, and diagonal approximations to J , respectively. The fourth CVODE linear solver, CVSPGMR, is an iterative solver. The SPGMR in the name indicates that it uses a scaled preconditioned GMRES method.

To specify a CVODE linear solver, after the call to `CVodeCreate` but before any calls to `CVode`, the user's program must call one of the functions `CVDense`, `CVBand`, `CVDiag`, `CVSpGmr`, as documented below. The first argument passed to these functions is the CVODE memory pointer returned by `CVodeCreate`. A call to one of these functions links the main CVODE integrator to a linear solver and allows the user to specify parameters which are specific to a particular solver, such as the half-bandwidths in the CVBAND case. The use of each of the linear solvers involves certain constants and possibly some macros, that are likely to be needed in the user code. These are available in the corresponding header file associated with the linear solver, as specified below.

In each case except the diagonal approximation case CVDIAG, the linear solver module used by CVODE is actually built on top of a generic linear system solver, which may be of interest in itself. These generic solvers, denoted DENSE, BAND, and SPGMR, are described separately in Chapter 8.

CVDense

Call `flag = CVDense(cvode_mem, N);`

Description The function `CVDense` selects the CVDENSE linear solver.

The user's main function must include the `cvdense.h` header file.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.

`N` (`long int`) problem dimension.

Return value The return value `flag` (of type `int`) is one of

`CVDENSE_SUCCESS` The CVDENSE initialization was successful.

`CVDENSE_MEM_NULL` The `cvode_mem` pointer is NULL.

`CVDENSE_ILL_INPUT` The CVDENSE solver is not compatible with the current NVECTOR module.

`CVDENSE_MEM_FAIL` A memory allocation request failed.

Notes The CVDENSE linear solver may not be compatible with a particular implementation of the NVECTOR module. Of the two NVECTOR modules provided by SUNDIALS, only NVECTOR_SERIAL is compatible, while NVECTOR_PARALLEL is not.

CVBand

Call `flag = CVBand(cvode_mem, N, mupper, mlower);`

Description The function `CVBand` selects the CVBAND linear solver.

The user's main function must include the `cvband.h` header file.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.

`N` (`long int`) problem dimension.

`mupper` (`long int`) upper half-bandwidth of the problem Jacobian (or of the approximation of it).

`mlower` (`long int`) lower half-bandwidth of the problem Jacobian (or of the approximation of it).

Return value The return value `flag` (of type `int`) is one of

`CVBAND_SUCCESS` The CVBAND initialization was successful.

`CVBAND_MEM_NULL` The `cvode_mem` pointer is NULL.

CVBAND_ILL_INPUT The CVBAND solver is not compatible with the current NVECTOR module, or one of the Jacobian half-bandwidths is outside its valid range ($0 \dots N-1$).

CVBAND_MEM_FAIL A memory allocation request failed.

Notes The CVBAND linear solver may not be compatible with a particular implementation of the NVECTOR module. Of the two NVECTOR modules provided by SUNDIALS, only NVECTOR_SERIAL is compatible, while NVECTOR_PARALLEL is not. The half-bandwidths are to be set so that the nonzero locations (i, j) in the banded (approximate) Jacobian satisfy $-m_{lower} \leq j - i \leq m_{upper}$.

CVDiag

Call `flag = CVDiag(cvode_mem);`

Description The function CVDiag selects the CVDIAG linear solver.
The user's main function must include the `cvdiag.h` header file.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.

Return value The return value `flag` (of type `int`) is one of

CVDIAG_SUCCESS The CVDIAG initialization was successful.

CVDIAG_MEM_NULL The `cvode_mem` pointer is NULL.

CVDIAG_ILL_INPUT The CVDIAG solver is not compatible with the current NVECTOR module.

CVDIAG_MEM_FAIL A memory allocation request failed.

Notes The CVDIAG solver is the simplest of all the current CVODE linear solvers. The CVDIAG solver uses an approximate diagonal Jacobian formed by way of a difference quotient. The user does *not* have the option to supply a function to compute an approximate diagonal Jacobian.

CVSpgmr

Call `flag = CVSpgmr(cvode_mem, pretype, maxl);`

Description The function CVSpgmr selects the CVSPGMR linear solver.
The user's main function must include the `cvspgmr.h` header file.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.

`pretype` (`int`) specifies the preconditioning type and must be one of: `PREC_NONE`, `PREC_LEFT`, `PREC_RIGHT`, or `PREC_BOTH`.

`maxl` (`int`) maximum dimension of the Krylov subspace to be used. Pass 0 to use the default value `CVSPGMR_MAXL=5`.

Return value The return value `flag` (of type `int`) is one of

CVSPGMR_SUCCESS The CVSPGMR initialization was successful.

CVSPGMR_MEM_NULL The `cvode_mem` pointer is NULL.

CVSPGMR_ILL_INPUT The preconditioner type `pretype` is not valid.

CVSPGMR_MEM_FAIL A memory allocation request failed.

Notes The CVSPGMR solver uses a scaled preconditioned GMRES iterative method to solve the linear system (3.4).

With this SPGMR method, preconditioning can be done on the left only, on the right only, on both the left and the right, or not at all. For a given preconditioner matrix, the merits of left vs. right preconditioning are unclear in general, and the user should experiment with both choices. Performance will differ because the inverse of the left

preconditioner is included in the linear system residual whose norm is being tested in the SPGMR algorithm. As a rule, however, if the preconditioner is the product of two matrices, we recommend that preconditioning be done either on the left only or the right only, rather than using one factor on each side. For specification of preconditioner, see §5.5.4 and §5.6.

If preconditioning is done, user-supplied functions define left and right preconditioner matrices P_1 and P_2 (either of which could be the identity matrix), such that the product $P_1 P_2$ approximates the Newton matrix $M = I - \gamma J$ of (3.5).

5.5.3 CVODE solver function

This is the central step in the solution process — the call to perform the integration of the IVP.

CVode

Call `flag = CVode(cvode_mem, tout, yout, tret, itask);`

Description The function `CVode` integrates the ODE over an interval in t .

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.

`tout` (`realtype`) the next time at which a computed solution is desired.

`yout` (`N_Vector`) the computed solution vector.

`tret` (`realtype *`) the time reached by the solver.

`itask` (`int`) a flag indicating the job of the solver for the next user step. The `CV_NORMAL` task is to have the solver take internal steps until it has reached or just passed the user specified `tout` parameter. The solver then interpolates in order to return an approximate value of $y(\text{tout})$. The `CV_ONE_STEP` option tells the solver to just take one internal step and return the solution at the point reached by that step. The `CV_NORMAL_TSTOP` and `CV_ONE_STEP_TSTOP` modes are similar to `CV_NORMAL` and `CV_ONE_STEP`, respectively, except that the integration never proceeds past the value `tstop` (specified through the function `CVodeSetStopTime`).

Return value On return, `CVode` returns a vector `yout` and a corresponding independent variable value $t = \text{*tret}$, such that `yout` is the computed value of $y(t)$.

In `CV_NORMAL` mode with no errors, `*tret` will be equal to `tout` and `yout = y(tout)`.

The return value `flag` (of type `int`) will be one of the following:

`CV_SUCCESS` `CVode` succeeded and no root was found.

`CV_TSTOP_RETURN` `CVode` succeeded by reaching the stopping point specified through the optional input function `CVodeSetStopTime` (see §5.5.4).

`CV_ROOT_RETURN` `CVode` succeeded and found one or more roots. If `nrtfn > 1`, call `CVodeGetRootInfo` to see which g_i were found to have a root. See §5.7 for more information.

`CV_MEM_NULL` The `cvode_mem` argument was `NULL`.

`CV_NO_MALLOC` The CVODE memory was not allocated by a call to `CVodeMalloc`.

`CV_ILL_INPUT` One of the inputs to `CVode` is illegal. This includes the situation where a root of one of the root functions was found both at a point t and also very near t . It also includes the situation where a component of the error weight vector becomes negative during internal time-stepping. The `CV_ILL_INPUT` flag will also be returned if the linear solver function initialization (called by the user after calling `CVodeCreate`) failed to set the linear solver-specific `lsolve` field in `cvode_mem`. In any case, the user should see the printed error message for details.

CV_LINIT_FAIL	The linear solver's initialization function failed.
CV_TOO_MUCH_WORK	The solver took <code>mxstep</code> internal steps but could not reach <code>tout</code> . The default value for <code>mxstep</code> is <code>MXSTEP_DEFAULT = 500</code> .
CV_TOO_MUCH_ACC	The solver could not satisfy the accuracy demanded by the user for some internal step.
CV_ERR_FAILURE	Error test failures occurred too many times (<code>MXNEF = 7</code>) during one internal time step or occurred with $ h = h_{min}$.
CV_CONV_FAILURE	Convergence test failures occurred too many times (<code>MXNCF = 10</code>) during one internal time step or occurred with $ h = h_{min}$.
CV_LSETUP_FAIL	The linear solver's setup function failed in an unrecoverable manner.
CV_LSOLVE_FAIL	The linear solver's solve function failed in an unrecoverable manner.

Notes The vector `yout` can occupy the same space as the `y0` vector of initial conditions that was passed to `CVodeMalloc`.

In the `CV_ONE_STEP` mode, `tout` is used on the first call only, to get the direction and rough scale of the independent variable.

All failure return values are negative and therefore a test `flag < 0` will trap all `CVode` failures.

On any error return in which one or more internal steps were taken by `CVode`, the returned values of `tret` and `yout` correspond to the farthest point reached in the integration. On all other error returns, `tret` and `yout` are left unchanged from the previous `CVode` return.

5.5.4 Optional input functions

CVODE provides an extensive list of functions that can be used to change from their default values various optional input parameters that control the behavior of the CVODE solver. Table 5.1 lists all optional input functions in CVODE which are then described in detail in the remainder of this section. For the most casual use of CVODE, the reader can skip to §5.6.

We note that, on error return, all these functions also print an error message to `stderr` (or to the file pointed to by `errfp` if already specified). We also note that all error return values are negative, so a test `flag < 0` will catch any error.

Main solver optional input functions

The calls listed here can be executed in any order.

`CVodeSetErrFile`

Call `flag = CVodeSetErrFile(cvode_mem, errfp);`

Description The function `CVodeSetErrFile` specifies the pointer to the file where all CVODE messages should be directed.

Arguments `cvode_mem` (void *) pointer to the CVODE memory block.
 `errfp` (FILE *) pointer to output file.

Return value The return value `flag` (of type `int`) is one of
 `CV_SUCCESS` The optional value has been successfully set.
 `CV_MEM_NULL` The `cvode_mem` pointer is NULL.

Notes The default value for `errfp` is `stderr`.

Passing a value of NULL disables all future error message output (except for the case in which the CVODE memory pointer is NULL).

Table 5.1: Optional inputs for CVODE, CVDENSE, CVBAND, and CVSPGMR

Optional input	Function name	Default
CVODE main solver		
Pointer to an error file	CVodeSetErrFile	stderr
Data for right-hand side function	CVodeSetFdata	NULL
Maximum order for BDF method	CVodeSetMaxOrd	5
Maximum order for Adams method	CVodeSetMaxOrd	12
Maximum no. of internal steps before t_{out}	CVodeSetMaxNumSteps	500
Maximum no. of warnings for $t_n + h = t_n$	CVodeSetMaxHnilWarns	10
Flag to activate stability limit detection	CVodeSetStabLimDet	FALSE
Initial step size	CVodeSetInitStep	estimated
Minimum absolute step size	CVodeSetMinStep	0.0
Maximum absolute step size	CVodeSetMaxStep	∞
Value of t_{stop}	CVodeSetStopTime	∞
Maximum no. of error test failures	CVodeSetMaxErrTestFails	7
Maximum no. of nonlinear iterations	CVodeSetMaxNonlinIters	3
Maximum no. of convergence failures	CVodeSetMaxConvFails	10
Coefficient in the nonlinear convergence test	CVodeSetNonlinConvCoef	0.1
Data for rootfinding function	CVodeSetGdata	NULL
Nonlinear iteration type	CVodeSetIterType	none
Integration tolerances	CVodeSetTolerances	none
Ewt computation function	CVodeSetEwtFn	internal fn.
CVDENSE linear solver		
Dense Jacobian function and data	CVDenseSetJacFn	internal DQ, NULL
CVBAND linear solver		
Band Jacobian function and data	CVBandSetJacFn	internal DQ, NULL
CVSPGMR linear solver		
Preconditioner functions and data	CVSpgrSetPreconditioner	NULL, NULL, NULL
Jacobian times vector function and data	CVSpgrSetJacTimesVecFn	internal DQ, NULL
Type of Gram-Schmidt orthogonalization	CVSpgrSetGSType	classical GS
Ratio between linear and nonlinear tolerances	CVSpgrSetDelt	0.05
Preconditioning type	CVSpgrSetPrecType	none



If `CVodeSetErrFile` is to be called, it should be called before any other optional input functions, in order to take effect for any later error message.

`CVodeSetFdata`

Call `flag = CVodeSetFdata(cvode_mem, f_data);`

Description The function `CVodeSetFdata` specifies the user data block `f_data`, for use by the user right-hand side function `f`, and attaches it to the main CVODE memory block.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`f_data` (`void *`) pointer to the user data.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is NULL.

Notes If `f_data` is not specified, a NULL pointer is passed to the `f` function.

`CVodeSetMaxOrd`

Call `flag = CVodeSetMaxOrder(cvode_mem, maxord);`

Description The function `CVodeSetMaxOrder` specifies the maximum order of the linear multistep method.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`maxord` (`int`) value of the maximum method order.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is NULL.
`CV_ILL_INPUT` The specified value `maxord` is negative, or larger than its previous value.

Notes The default value is `ADAMS_Q_MAX= 12` for the Adams-Moulton method and `BDF_Q_MAX= 5` for the BDF method. Since `maxord` affects the memory requirements for the internal CVODE memory block, its value can not be increased past its previous value.

`CVodeSetMaxNumSteps`

Call `flag = CVodeSetMaxNumSteps(cvode_mem, mxsteps);`

Description The function `CVodeSetMaxNumSteps` specifies the maximum number of steps to be taken by the solver in its attempt to reach the next output time.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`mxsteps` (`long int`) maximum allowed number of steps.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is NULL.
`CV_ILL_INPUT` `mxsteps` is non-positive.

Notes Passing `mxsteps= 0` results in CVODE using the default value (500).

CVodeSetMaxHnilWarns

Call `flag = CVodeSetMaxHnilWarns(cvode_mem, mxhnil);`

Description The function `CVodeSetMaxHnilWarns` specifies the maximum number of warning messages issued by the solver that $t + h = t$ on the next internal step.

Arguments `cvode_mem` (void *) pointer to the CVODE memory block.
`mxhnil` (int) maximum number of warning messages

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is NULL.

Notes The default value is 10. A negative `mxhnil` value indicates that no warning messages should be issued.

CVodeSetStabLimDet

Call `flag = CVodeSetstabLimDet(cvode_mem, stldet);`

Description The function `CVodeSetStabLimDet` indicates to turn on/off the BDF stability limit detection algorithm. See §3.2.

Arguments `cvode_mem` (void *) pointer to the CVODE memory block.
`stldet` (boolean type) flag to control stability limit detection (TRUE = on; FALSE = off).

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is NULL.
`CV_ILL_INPUT` The linear multistep method is not set to `CV_BDF`.

Notes The default value is FALSE. If `stldet = TRUE`, when BDF is used and the method order is 3 or greater, an internal function, `CVsldet`, is called to detect stability limit. If limit is detected, the order is reduced.

CVodeSetInitStep

Call `flag = CVodeSetInitStep(cvode_mem, hin);`

Description The function `CVodeSetInitStep` specifies the initial step size.

Arguments `cvode_mem` (void *) pointer to the CVODE memory block.
`hin` (real type) value of the initial step size.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is NULL.

Notes By default, CVODE estimates the initial stepsize as the solution h of $\|0.5h^2\ddot{y}\|_{\text{WRMS}} = 1$, where \ddot{y} is an estimated second derivative of the solution at the initial time.

CVodeSetMinStep

Call `flag = CVodeSetMinStep(cvode_mem, hmin);`

Description The function `CVodeSetMinStep` specifies the minimum absolute value of the step size.

Arguments `cvode_mem` (void *) pointer to the CVODE memory block.
`hmin` (real type) minimum absolute value of the step size.

Return value The return value `flag` (of type `int`) is one of

CV_SUCCESS The optional value has been successfully set.
 CV_MEM_NULL The `cvode_mem` pointer is NULL.
 CV_ILL_INPUT Either `hmin` is not positive or it is larger than the maximum allowable step.

Notes The default value is 0.0.

CVodeSetMaxStep

Call `flag = CVodeSetMaxStep(cvode_mem, hmax);`

Description The function `CVodeSetMaxStep` specifies the maximum absolute value of the step size.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`hmax` (`realtype`) maximum absolute value of the step size.

Return value The return value `flag` (of type `int`) is one of

CV_SUCCESS The optional value has been successfully set.
 CV_MEM_NULL The `cvode_mem` pointer is NULL.
 CV_ILL_INPUT Either `hmax` is not positive or it is smaller than the minimum allowable step.

Notes Pass `hmax=0` to obtain the default value ∞ .

CVodeSetStopTime

Call `flag = CVodeSetStopTime(cvode_mem, tstop);`

Description The function `CVodeSetStopTime` specifies the value of the independent variable t past which the solution is not to proceed.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`tstop` (`realtype`) value of the independent variable past which the solution should not proceed.

Return value The return value `flag` (of type `int`) is one of

CV_SUCCESS The optional value has been successfully set.
 CV_MEM_NULL The `cvode_mem` pointer is NULL.

Notes The default value is ∞ .

CVodeSetMaxErrTestFails

Call `flag = CVodeSetMaxErrTestFails(cvode_mem, maxnef);`

Description The function `CVodeSetMaxErrTestFails` specifies the maximum number of error test failures in attempting one step.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`maxnef` (`int`) maximum number of error test failures allowed on one step.

Return value The return value `flag` (of type `int`) is one of

CV_SUCCESS The optional value has been successfully set.
 CV_MEM_NULL The `cvode_mem` pointer is NULL.

Notes The default value is 7.

CVodeSetMaxNonlinIters

Call `flag = CVodeSetMaxNonlinIters(cvode_mem, maxcor);`

Description The function `CVodeSetMaxNonlinIters` specifies the maximum number of nonlinear solver iterations at one step.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`maxcor` (`int`) maximum number of nonlinear solver iterations allowed on one step.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is `NULL`.

Notes The default value is 3.

CVodeSetMaxConvFails

Call `flag = CVodeSetMaxConvFails(cvode_mem, maxncf);`

Description The function `CVodeSetMaxConvFails` specifies the maximum number of nonlinear solver convergence failures at one step.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`maxncf` (`int`) maximum number of allowable nonlinear solver convergence failures on one step.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is `NULL`.

Notes The default value is 10.

CVodeSetNonlinConvCoef

Call `flag = CVodeSetNonlinConvCoef(cvode_mem, nlscoef);`

Description The function `CVodeSetNonlinConvCoef` specifies the safety factor in the nonlinear convergence test (see §3.1).

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`nlscoef` (`realtype`) coefficient in nonlinear convergence test.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is `NULL`.

Notes The default value is 0.1.

CVodeSetIterType

Call `flag = CVodeSetIterType(cvode_mem, iter);`

Description The function `CVodeSetIterType` resets the nonlinear solver iteration type `iter`.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`iter` (`int`) specifies the type of nonlinear solver iteration and may be either `CV_NEWTON` or `CV_FUNCTIONAL`.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is `NULL`.
`CV_ILL_INPUT` The `iter` value passed is neither `CV_NEWTON` nor `CV_FUNCTIONAL`.

Notes The nonlinear solver iteration type is initially specified in the call to `CVodeCreate` (see §5.5.1). This function call is needed only if `iter` is being changed from its value in the prior call to `CVodeCreate`.

CVodeSetTolerances

Call `flag = CVodeSetTolerances(cvode_mem, itol, reltol, abstol);`

Description The function `CVodeSetTolerances` resets the integration tolerances.

Arguments `cvode_mem` (`void *`) pointer to the CVODES memory block.
`itol` (`int`) is either `CV_SS` or `CV_SV`, where `itol=CV_SS` indicates scalar relative error tolerance and scalar absolute error tolerance, while `itol=CV_SV` indicates scalar relative error tolerance and vector absolute error tolerance. The latter choice is important when the absolute error tolerance needs to be different for each component of the ODE.
`reltol` (`realtype`) is the relative error tolerance.
`abstol` (`void *`) is a pointer to the absolute error tolerance. If `itol=CV_SS`, `abstol` must be a pointer to a `realtype` variable. If `itol=CV_SV`, `abstol` must be an `N_Vector` variable.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The tolerances have been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is NULL.
`CV_ILL_INPUT` An input argument has an illegal value.

Notes The integration tolerances are initially specified in the call to `CVodeMalloc` (see §5.5.1). This function call is needed only if the tolerances are being changed from their values between successive calls to `CVode`.



It is the user's responsibility to provide compatible `itol` and `abstol` arguments.



It is illegal to call `CVodeSetTolerances` before a call to `CVodeMalloc`.

CVodeSetEwtFn

Call `flag = CVodeSetEwtFn(cvode_mem, efun, e_data);`

Description The function `CVodeSetEwtFn` specifies the user-defined function to be used in computing the error weight vector W in (3.6).

Arguments `cvode_mem` (`void *`) pointer to the CVODES memory block.
`efun` (`CVewtFn`) is the C function which defines the `ewt` vector (see §5.6.2).
`e_data` (`void *`) pointer to user data passed to `efun` every time it is called.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The function `efun` and data pointer `e_data` have been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is NULL.

Notes This function can be called between successive calls to `CVode`.
 If not needed, pass NULL for `edata`.



It is illegal to call `CVodeSetEwtFn` before a call to `CVodeMalloc`.

Linear solver optional input functions

The linear solver modules, with one exception, allow for various optional inputs, which are described here. The diagonal linear solver module has no optional inputs.

Dense Linear solver. The CVDENSE solver needs a function to compute a dense approximation to the Jacobian matrix $J(t, y)$. This function must be of type `CVDenseJacFn`. The user can supply his/her own dense Jacobian function, or use the default difference quotient function `CVDenseDQJac` that comes with the CVDENSE solver. To specify a user-supplied Jacobian function `djac` and associated user data `jac_data`, CVDENSE provides the function `CVDenseSetJacFn`. The CVDENSE solver passes the pointer `jac_data` to its dense Jacobian function. This allows the user to create an arbitrary structure with relevant problem data and access it during the execution of the user-supplied Jacobian function, without using global data in the program. The pointer `jac_data` may be identical to `f_data`, if the latter was specified through `CVodeSetFdata`.

`CVDenseSetJacFn`

Call `flag = CVDenseSetJacFn(cvode_mem, djac, jac_data);`

Description The function `CVDenseSetJacFn` specifies the dense Jacobian approximation function to be used and the pointer to user data.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`djac` (`CVDenseJacFn`) user-defined dense Jacobian approximation function.
`jac_data` (`void *`) pointer to the user-defined data structure.

Return value The return value `flag` (of type `int`) is one of
`CVDENSE_SUCCESS` The optional value has been successfully set.
`CVDENSE_MEM_NULL` The `cvode_mem` pointer is NULL.
`CVDENSE_LMEM_NULL` The CVDENSE linear solver has not been initialized.

Notes By default, CVDENSE uses the difference quotient function `CVDenseDQJac`. If NULL is passed to `djac`, this default function is used.
The function type `CVDenseJacFn` is described in §5.6.3.

Band Linear solver. The CVDENSE solver needs a function to compute a banded approximation to the Jacobian matrix $J(t, y)$. This function must be of type `CVBandJacFn`. The user can supply his/her own banded Jacobian approximation function, or use the default difference quotient function `CVBandDQJac` that comes with the CVBAND solver. To specify a user-supplied Jacobian function `bjac` and associated user data `jac_data`, CVBAND provides the function `CVBandSetJacFn`. The CVBAND solver passes the pointer `jac_data` to its banded Jacobian approximation function. This allows the user to create an arbitrary structure with relevant problem data and access it during the execution of the user-supplied Jacobian function, without using global data in the program. The pointer `jac_data` may be identical to `f_data`, if the latter was specified through `CVodeSetFdata`.

`CVBandSetJacFn`

Call `flag = CVBandSetJacFn(cvode_mem, bjac, jac_data);`

Description The function `CVBandSetJacFn` specifies the banded Jacobian approximation function to be used and the pointer to user data.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`bjac` (`CVBandJacFn`) user-defined banded Jacobian approximation function.
`jac_data` (`void *`) pointer to the user-defined data structure.

Return value The return value `flag` (of type `int`) is one of
`CVBAND_SUCCESS` The optional value has been successfully set.
`CVBAND_MEM_NULL` The `cvode_mem` pointer is NULL.
`CVBAND_LMEM_NULL` The CVBAND linear solver has not been initialized.

Notes By default, CVBAND uses the difference quotient function `CVBandDQJac`. If NULL is passed to `bjac`, this default function is used.
The function type `CVBandJacFn` is described in §5.6.4.

SPGMR Linear solver. If any type of preconditioning is to be done within the SPGMR method, then the user must supply a preconditioner solve function `psolve` and specify its name through a call to `CVSpgmrSetPreconditioner`. The evaluation and preprocessing of any Jacobian-related data needed by the user's preconditioner solve function is done in the optional user-supplied function `psetup`. Both of these functions are fully specified in §5.6. If used, the `psetup` function should also be specified in the call to `CVSpgmrSetPreconditioner`. Optionally, the CVSPGMR solver passes the pointer it receives through `CVSpgmrSetPreconditioner` to the preconditioner setup and solve functions. This allows the user to create an arbitrary structure with relevant problem data and access it during the execution of the user-supplied preconditioner functions without using global data in the program. The pointer `p_data` may be identical to `f_data`, if the latter was specified through `CVodeSetFdata`.

The CVSPGMR solver requires a function to compute an approximation to the product between the Jacobian matrix $J(t, y)$ and a vector v . The user can supply his/her own Jacobian times vector approximation function, or use the difference quotient function `CVSpgmrDQJtimes` that comes with the CVSPGMR solver. A user-defined Jacobian-vector function must be of type `CVSpgmrJtimesFn` and can be specified through a call to `CVSpgmrSetJacTimesVecFn` (see §5.6 for specification details). As with the preconditioner user data structure `p_data`, the user can also specify in the call to `CVSpgmrSetJacFn`, a pointer to a user-defined data structure, `jac_data`, which the CVSPGMR solver passes to the Jacobian times vector function `jtimes` each time it is called. The pointer `jac_data` may be identical to `p_data` and/or `f_data`.

CVSpgmrSetPreconditioner

Call `flag = CVSpgmrSetPrecSolveFn(cvode_mem, psolve, psetup, p_data);`

Description The function `CVSpgmrSet` specifies the preconditioner setup and solve functions and the pointer to user data.

Arguments

- `cvode_mem` (`void *`) pointer to the CVODE memory block.
- `psolve` (`CVSpgmrPrecSolveFn`) user-defined preconditioner solve function.
- `psetup` (`CVSpgmrPrecSetupFn`) user-defined preconditioner setup function.
- `p_data` (`void *`) pointer to the user-defined data structure.

Return value The return value `flag` (of type `int`) is one of

- `CVSPGMR_SUCCESS` The optional value has been successfully set.
- `CVSPGMR_MEM_NULL` The `cvode_mem` pointer is NULL.
- `CVSPGMR_LMEM_NULL` The CVSPGMR linear solver has not been initialized.

Notes The function type `CVSpgmrPrecSolveFn` is described in §5.6.6. The function type `CVSpgmrPrecSetupFn` is described in §5.6.7.

CVSpgmrSetJacTimesVecFn

Call `flag = CVSpgmrSetJacTimesVecFn(cvode_mem, jtimes, jac_data);`

Description The function `CVSpgmrSetJacTimesVecFn` specifies the Jacobian-vector function to be used and the pointer to user data.

Arguments

- `cvode_mem` (`void *`) pointer to the CVODE memory block.
- `jtimes` (`CVSpgmrJacTimesVecFn`) user-defined Jacobian-vector product function.
- `jac_data` (`void *`) pointer to the user-defined data structure.

Return value The return value `flag` (of type `int`) is one of

- `CVSPGMR_SUCCESS` The optional value has been successfully set.
- `CVSPGMR_MEM_NULL` The `cvode_mem` pointer is NULL.
- `CVSPGMR_LMEM_NULL` The CVSPGMR linear solver has not been initialized.

Notes By default, CVSPGMR uses the difference quotient function `CVSpgmrDQJtimes`. If `NULL` is passed to `jtimes`, this default function is used.

The function type `CVSpgmrJacTimesVecFn` is described in §5.6.5.

CVSpgmrSetGSType

Call `flag = CVSpgmrSetGSType(cvode_mem, gstype);`

Description The function `CVSpgmrSetGSType` specifies the Gram-Schmidt orthogonalization to be used. This must be one of the enumeration constants `MODIFIED_GS` or `CLASSICAL_GS`. These correspond to using modified Gram-Schmidt and classical Gram-Schmidt, respectively.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`gstype` (`int`) type of Gram-Schmidt orthogonalization.

Return value The return value `flag` (of type `int`) is one of
`CVSPGMR_SUCCESS` The optional value has been successfully set.
`CVSPGMR_MEM_NULL` The `cvode_mem` pointer is `NULL`.
`CVSPGMR_LMEM_NULL` The CVSPGMR linear solver has not been initialized.
`CVSPGMR_ILL_INPUT` The Gram-Schmidt orthogonalization type `gstype` is not valid.

Notes The default value is `MODIFIED_GS`.

CVSpgmrSetDelt

Call `flag = CVSpgmrSetDelt(cvode_mem, delt);`

Description The function `CVSpgmrSetDelt` specifies the factor by which the GMRES convergence test constant is reduced from the Newton iteration test constant.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`delt` (`realtype`)

Return value The return value `flag` (of type `int`) is one of
`CVSPGMR_SUCCESS` The optional value has been successfully set.
`CVSPGMR_MEM_NULL` The `cvode_mem` pointer is `NULL`.
`CVSPGMR_LMEM_NULL` The CVSPGMR linear solver has not been initialized.
`CVSPGMR_ILL_INPUT` The factor `delt` is negative.

Notes The default value is 0.05.

Passing a value `delt= 0.0` also indicates using the default value.

CVSpgmrSetPrecType

Call `flag = CVSpgmrSetPrecType(cvode_mem, pretype);`

Description The function `CVSpgmrSetPrecType` resets the type of preconditioning to be used.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`pretype` (`int`) specifies the type of preconditioning and must be one of: `PREC_NONE`, `PREC_LEFT`, `PREC_RIGHT`, or `PREC_BOTH`.

Return value The return value `flag` (of type `int`) is one of
`CVSPGMR_SUCCESS` The optional value has been successfully set.
`CVSPGMR_MEM_NULL` The `cvode_mem` pointer is `NULL`.
`CVSPGMR_LMEM_NULL` The CVSPGMR linear solver has not been initialized.
`CVSPGMR_ILL_INPUT` The preconditioner type `pretype` is not valid.

Notes The preconditioning type is initially specified in the call to `CVSpgmr` (see §5.5.2). This function call is needed only if `pretype` is being changed from its value in the previous call to `CVSpgmr`.

5.5.5 Interpolated output function

An optional function `CVodeGetDky` is available to obtain additional output values. This function must be called after a successful return from `CVode` and provides interpolated values of y or its derivatives, up to the current order of the integration method, interpolated to any value of t in the last internal step taken by `CVODE`.

The call to the `CVodeGetDky` function has the following form:

<code>CVodeGetDky</code>	
Call	<code>flag = CVodeGetDky(cvode_mem, t, k, dky);</code>
Description	The function <code>CVodeGetDky</code> computes the k -th derivative of the y function at time t , i.e. $d^{(k)}y/dt^{(k)}(t)$, where $t_n - h_u \leq t \leq t_n$, t_n denotes the current internal time reached, and h_u is the last internal step size successfully used by the solver. The user may request $k = 0, 1, \dots, q_u$, where q_u is the current order.
Arguments	<p><code>cvode_mem</code> (void *) pointer to the <code>CVODE</code> memory block.</p> <p><code>t</code> (realtype) the value of the independent variable at which the derivative is requested.</p> <p><code>k</code> (int) the derivative order requested.</p> <p><code>dky</code> (N_Vector) vector containing the derivative. This vector must be allocated by the caller.</p>
Return value	<p>The return value <code>flag</code> (of type <code>int</code>) is one of</p> <p><code>CV_SUCCESS</code> <code>CVodeGetDky</code> succeeded.</p> <p><code>CV_BAD_K</code> k is not in the range $0, 1, \dots, q_u$.</p> <p><code>CV_BAD_T</code> t is not in the interval $[t_n - h_u, t_n]$.</p> <p><code>CV_BAD_DKY</code> The <code>dky</code> argument was <code>NULL</code>.</p> <p><code>CV_MEM_NULL</code> The <code>cvode_mem</code> argument was <code>NULL</code>.</p>
Notes	It is only legal to call the function <code>CVodeGetDky</code> after a successful return from <code>CVode</code> . See <code>CVodeGetCurrentTime</code> , <code>CVodeGetLastOrder</code> , and <code>CVodeGetLastStep</code> in the next section for access to t_n , q_u , and h_u , respectively.

5.5.6 Optional output functions

`CVODE` provides an extensive list of functions that can be used to obtain solver performance information. Table 5.2 lists all optional output functions in `CVODE`, which are then described in detail in the remainder of this section.

Main solver optional output functions

`CVODE` provides several user-callable functions that can be used to obtain different quantities that may be of interest to the user, such as solver workspace requirements, solver performance statistics, as well as additional data from the `CVODE` memory block (a suggested tolerance scaling factor, the error weight vector, and the vector of estimated local errors). Also provided are functions to extract statistics related to the performance of the `CVODE` nonlinear solver being used. As a convenience, additional extraction functions provide the optional outputs in groups. These optional output functions are described next.

Table 5.2: Optional outputs from CVODE, CVDENSE, CVBAND, CVDIAG, and CVSPGMR

Optional output	Function name
CVODE main solver	
Size of CVODE real and integer workspaces	CVodeGetWorkSpace
Cumulative number of internal steps	CVodeGetNumSteps
No. of calls to r.h.s. function	CVodeGetNumRhsEvals
No. of calls to linear solver setup function	CVodeGetNumLinSolvSetups
No. of local error test failures that have occurred	CVodeGetNumErrTestFails
Order used during the last step	CVodeGetLastOrder
Order to be attempted on the next step	CVodeGetCurrentOrder
Order reductions due to stability limit detection	CVodeGetNumStabLimOrderReds
Actual initial step size used	CVodeGetActualInitStep
Step size used for the last step	CVodeGetLastStep
Step size to be attempted on the next step	CVodeGetCurrentStep
Current internal time reached by the solver	CVodeGetCurrentTime
Suggested factor for tolerance scaling	CVodeGetTolScaleFactor
Error weight vector for state variables	CVodeGetErrWeights
Estimated local error vector	CVodeGetEstLocalErrors
No. of nonlinear solver iterations	CVodeGetNumNonlinSolvIters
No. of nonlinear convergence failures	CVodeGetNumNonlinSolvConvFails
All CVODE integrator statistics	CVodeGetIntegratorStats
CVODE nonlinear solver statistics	CVodeGetNonlinSolvStats
Array showing roots found	CvodeGetRootInfo
No. of calls to user root function	CVodeGetNumGEvals
CVDENSE linear solver	
Size of CVDENSE real and integer workspaces	CVDenseGetWorkSpace
No. of Jacobian evaluations	CVDenseGetNumJacEvals
No. of r.h.s. calls for finite diff. Jacobian evals.	CVDenseGetNumRhsEvals
Last return from a CVDENSE function	CVDenseGetLastFlag
CVBAND linear solver	
Size of CVBAND real and integer workspaces	CVBandGetWorkSpace
No. of Jacobian evaluations	CVBandGetNumJacEvals
No. of r.h.s. calls for finite diff. Jacobian evals.	CVBandGetNumRhsEvals
Last return from a CVBAND function	CVBandGetLastFlag
CVDIAG linear solver	
Size of CVDIAG real and integer workspaces	CVDiagGetWorkSpace
No. of r.h.s. calls for finite diff. Jacobian evals.	CVDiagGetNumRhsEvals
Last return from a CVDIAG function	CVDiagGetLastFlag
CVSPGMR linear solver	
Size of CVSPGMR real and integer workspaces	CVSpgmrGetWorkSpace
No. of linear iterations	CVSpgmrGetNumLinIters
No. of linear convergence failures	CVSpgmrGetNumConvFails
No. of preconditioner evaluations	CVSpgmrGetNumPrecEvals
No. of preconditioner solves	CVSpgmrGetNumPrecSolves
No. of Jacobian-vector product evaluations	CVSpgmrGetNumJtimesEvals
No. of r.h.s. calls for finite diff. Jacobian-vector evals.	CVSpgmrGetNumRhsEvals
Last return from a CVSPGMR function	CVSpgmrGetLastFlag

CVodeGetWorkSpace

Call `flag = CVodeGetWorkSpace(cvode_mem, &lenrw, &leniw);`

Description The function `CVodeGetWorkSpace` returns the CVODE integer and real workspace sizes.

Arguments `cvode_mem` (void *) pointer to the CVODE memory block.
`lenrw` (long int) the number of `realtype` values in the CVODE workspace.
`leniw` (long int) the number of integer values in the CVODE workspace.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional output value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is NULL.

Notes In terms of the problem size N and maximum method order `maxord`, the actual size of the real workspace given in `realtype` words is:

- Base value: $\text{lenrw} = 89 + (\text{maxord} + 5)N$
- With `itol = CV_SV`: $\text{lenrw} = \text{lenrw} + N$
- With rootfinding for N_g functions (see §5.7): $\text{lenrw} = \text{lenrw} + 3N_g$

The size of the integer workspace (without distinction between `int` and `long int`) is:

- Base value: $\text{leniw} = 40 + (\text{maxord} + 5)N$
- With `itol = CV_SV`: $\text{leniw} = \text{leniw} + N$
- With rootfinding for N_g functions: $\text{leniw} = \text{leniw} + N_g$

For the default value of `maxord`, the base values are:

- For the Adams method: $\text{lenrw} = 89 + 17N$ and $\text{leniw} = 40 + 17N$
- For the BDF method: $\text{lenrw} = 89 + 10N$ and $\text{leniw} = 40 + 10N$

CVodeGetNumSteps

Call `flag = CVodeGetNumSteps(cvode_mem, &nsteps);`

Description The function `CVodeGetNumSteps` returns the cumulative number of internal steps taken by the solver (total so far).

Arguments `cvode_mem` (void *) pointer to the CVODE memory block.
`nsteps` (long int) number of steps taken by CVODE.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional output value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is NULL.

CVodeGetNumRhsEvals

Call `flag = CVodeGetNumRhsEvals(cvode_mem, &nfevals);`

Description The function `CVodeGetNumRhsEvals` returns the number of calls to the user's right-hand side evaluation function.

Arguments `cvode_mem` (void *) pointer to the CVODE memory block.
`nfevals` (long int) number of calls to the user's `f` function.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional output value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is NULL.

Notes The `nfevals` value returned by `CVodeGetNumRhsEvals` does not account for calls made to `f` from a linear solver or preconditioner module.

CVodeGetNumLinSolvSetups

Call `flag = CVodeGetNumLinSolvSetups(cvode_mem, &nlinsetups);`

Description The function `CVodeGetNumLinSolvSetups` returns the number of calls made to the linear solver's setup function.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`nlinsetups` (`long int`) number of calls made to the linear solver setup function.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional output value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is `NULL`.

CVodeGetNumErrTestFails

Call `flag = CVodeGetNumErrTestFails(cvode_mem, &netfails);`

Description The function `CVodeGetNumErrTestFails` returns the number of local error test failures that have occurred.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`netfails` (`long int`) number of error test failures.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional output value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is `NULL`.

CVodeGetLastOrder

Call `flag = CVodeGetLastOrder(cvode_mem, &qlast);`

Description The function `CVodeGetLastOrder` returns the integration method order used during the last internal step.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`qlast` (`int`) method order used on the last internal step.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional output value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is `NULL`.

CVodeGetCurrentOrder

Call `flag = CVodeGetCurrentOrder(cvode_mem, &qcur);`

Description The function `CVodeGetCurrentOrder` returns the integration method order to be used on the next internal step.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`qcur` (`int`) method order to be used on the next internal step.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional output value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is `NULL`.

CVodeGetLastStep

Call `flag = CVodeGetLastStep(cvode_mem, &hlast);`

Description The function `CVodeGetLastStep` returns the integration step size taken on the last internal step.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`hlast` (`realtype`) step size taken on the last internal step.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional output value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is NULL.

CVodeGetCurrentStep

Call `flag = CVodeGetCurrentStep(cvode_mem, &hcur);`

Description The function `CVodeGetCurrentStep` returns the integration step size to be attempted on the next internal step.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`hcur` (`realtype`) step size to be attempted on the next internal step.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional output value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is NULL.

CVodeGetActualInitStep

Call `flag = CVodeGetActualInitStep(cvode_mem, &hinused);`

Description The function `CVodeGetActualInitStep` returns the value of the integration step size used on the first step.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`hinused` (`realtype`) actual value of initial step size.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional output value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is NULL.

Notes Even if the value of the initial integration step size was specified by the user through a call to `CVodeSetInitStep`, this value might have been changed by CVODE to ensure that the step size is within the prescribed bounds ($h_{\min} \leq h_0 \leq h_{\max}$), or to meet the local error test.

CVodeGetCurrentTime

Call `flag = CVodeGetCurrentTime(cvode_mem, &tcur);`

Description The function `CVodeGetCurrentTime` returns the current internal time reached by the solver.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`tcur` (`realtype`) current internal time reached.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional output value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is NULL.

CVodeGetNumStabLimOrderReds

Call `flag = CVodeGetNumStabLimOrderReds(cvode_mem, &nslred);`

Description The function `CVodeGetNumStabLimOrderReds` returns the number of order reductions dictated by the BDF stability limit detection algorithm (see §3.2).

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`nslred` (`long int`) number of order reductions due to stability limit detection.

Return value The return value `flag` (of type `int`) is one of

- `CV_SUCCESS` The optional output value has been successfully set.
- `CV_MEM_NULL` The `cvode_mem` pointer is `NULL`.
- `CV_NO_SLDET` The stability limit detection algorithm was not activated through a call to `CVodeSetStabLimDet`.

CVodeGetTolScaleFactor

Call `flag = CVodeGetTolScaleFactor(cvode_mem, &tolsfac);`

Description The function `CVodeGetTolScaleFactor` returns a suggested factor by which the user's tolerances should be scaled when too much accuracy has been requested for some internal step.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`tolsfac` (`realtype`) suggested scaling factor for user tolerances.

Return value The return value `flag` (of type `int`) is one of

- `CV_SUCCESS` The optional output value has been successfully set.
- `CV_MEM_NULL` The `cvode_mem` pointer is `NULL`.

CVodeGetErrWeights

Call `flag = CVodeGetErrWeights(cvode_mem, eweight);`

Description The function `CVodeGetErrWeights` returns the solution error weights at the current time. These are the reciprocals of the W_i of (3.6).

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`eweight` (`N_Vector`) solution error weights at the current time.

Return value The return value `flag` (of type `int`) is one of

- `CV_SUCCESS` The optional output value has been successfully set.
- `CV_MEM_NULL` The `cvode_mem` pointer is `NULL`.

Notes  The user must allocate memory for `eweight`.

CVodeGetEstLocalErrors

Call `flag = CVodeGetEstLocalErrors(cvode_mem, ele);`

Description The function `CVodeGetEstLocalErrors` returns the vector of estimated local errors.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`ele` (`N_Vector`) estimated local errors.

Return value The return value `flag` (of type `int`) is one of

- `CV_SUCCESS` The optional output value has been successfully set.
- `CV_MEM_NULL` The `cvode_mem` pointer is `NULL`.

Notes  The user must allocate memory for `ele`.

CVodeGetIntegratorStats

Call `flag = CVodeGetIntegratorStats(cvode_mem, &nsteps, &nfevals, &nlinsetups, &netfails, &qlast, &qcur, &hinused, &hlast, &hcur, &tcu);`

Description The function `CVodeGetIntegratorStats` returns the CVODE integrator statistics as a group.

Arguments `cvode_mem` (void *) pointer to the CVODE memory block.
 `nsteps` (long int) number of steps taken by CVODE.
 `nfevals` (long int) number of calls to the user's `f` function.
 `nlinsetups` (long int) number of calls made to the linear solver setup function.
 `netfails` (long int) number of error test failures.
 `qlast` (int) method order used on the last internal step.
 `qcur` (int) method order to be used on the next internal step.
 `hinused` (realtype) actual value of initial step size.
 `hlast` (realtype) step size taken on the last internal step.
 `hcur` (realtype) step size to be attempted on the next internal step.
 `tcu` (realtype) current internal time reached.

Return value The return value `flag` (of type `int`) is one of
 `CV_SUCCESS` the optional output values have been successfully set.
 `CV_MEM_NULL` the `cvode_mem` pointer is NULL.

CVodeGetNumNonlinSolvIters

Call `flag = CVodeGetNumNonlinSolvIters(cvode_mem, &nniters);`

Description The function `CVodeGetNumNonlinSolvIters` returns the number of nonlinear (functional or Newton) iterations performed.

Arguments `cvode_mem` (void *) pointer to the CVODE memory block.
 `nniters` (long int) number of nonlinear iterations performed.

Return value The return value `flag` (of type `int`) is one of
 `CV_SUCCESS` The optional output value has been successfully set.
 `CV_MEM_NULL` The `cvode_mem` pointer is NULL.

CVodeGetNumNonlinSolvConvFails

Call `flag = CVodeGetNumNonlinSolvConvFails(cvode_mem, &nncfails);`

Description The function `CVodeGetNumNonlinSolvConvFails` returns the number of nonlinear convergence failures that have occurred.

Arguments `cvode_mem` (void *) pointer to the CVODE memory block.
 `nncfails` (long int) number of nonlinear convergence failures.

Return value The return value `flag` (of type `int`) is one of
 `CV_SUCCESS` The optional output value has been successfully set.
 `CV_MEM_NULL` The `cvode_mem` pointer is NULL.

CVodeGetNonlinSolvStats

Call `flag = CVodeGetNonlinSolvStats(cvode_mem, &nniters, &nncfails);`

Description The function `CVodeGetNonlinSolvStats` returns the CVODE nonlinear solver statistics as a group.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`nniters` (`long int`) number of nonlinear iterations performed.
`nncfails` (`long int`) number of nonlinear convergence failures.

Return value The return value `flag` (of type `int`) is one of
`CV_SUCCESS` The optional output value has been successfully set.
`CV_MEM_NULL` The `cvode_mem` pointer is `NULL`.

Linear solver optional output functions

For each of the linear system solver modules, there are various optional outputs that describe the performance of the module. The functions available to access these are described below.

Dense Linear solver. The following optional outputs are available from the `CVDENSE` module: workspace requirements, number of calls to the Jacobian routine, number of calls to the right-hand side routine for finite-difference Jacobian approximation, and last return value from a `CVDENSE` function.

CVDenseGetWorkSpace

Call `flag = CVDenseGetWorkSpace(cvode_mem, &lenrwd, &leniwd);`

Description The function `CVDenseGetWorkSpace` returns the `CVDENSE` real and integer workspace sizes.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`lenrwd` (`long int`) the number of `realtyp`e values in the `CVDENSE` workspace.
`leniwd` (`long int`) the number of integer values in the `CVDENSE` workspace.

Return value The return value `flag` (of type `int`) is one of
`CVDENSE_SUCCESS` The optional output value has been successfully set.
`CVDENSE_MEM_NULL` The `cvode_mem` pointer is `NULL`.
`CVDENSE_LMEM_NULL` The `CVDENSE` linear solver has not been initialized.

Notes In terms of the problem size N , the actual size of the real workspace is $2N^2$ `realtyp`e words, and the actual size of the integer workspace is N integer words.

CVDenseGetNumJacEvals

Call `flag = CVDenseGetNumJacEvals(cvode_mem, &njevaled);`

Description The function `CVDenseGetNumJacEvals` returns the number of calls to the dense Jacobian approximation function.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`njevaled` (`long int`) the number of calls to the Jacobian function.

Return value The return value `flag` (of type `int`) is one of
`CVDENSE_SUCCESS` The optional output value has been successfully set.
`CVDENSE_MEM_NULL` The `cvode_mem` pointer is `NULL`.
`CVDENSE_LMEM_NULL` The `CVDENSE` linear solver has not been initialized.

CVDenseGetNumRhsEvals

Call `flag = CVDenseGetNumRhsEvals(cvode_mem, &nfevalsD);`

Description The function `CVDenseGetNumRhsEvals` returns the number of calls to the user right-hand side function due to the finite difference dense Jacobian approximation.

Arguments `cvode_mem` (`void *`) pointer to the CVOICE memory block.
`nfevalsD` (`long int`) the number of calls to the user right-hand side function.

Return value The return value `flag` (of type `int`) is one of
`CVDENSE_SUCCESS` The optional output value has been successfully set.
`CVDENSE_MEM_NULL` The `cvode_mem` pointer is `NULL`.
`CVDENSE_LMEM_NULL` The CVDENSE linear solver has not been initialized.

Notes The value `nfevalsD` is incremented only if the default `CVDenseDQJac` difference quotient function is used.

CVDenseGetLastFlag

Call `flag = CVDenseGetLastFlag(cvode_mem, &lsflag);`

Description The function `CVDenseGetLastFlag` returns the last return value from a CVDENSE routine.

Arguments `cvode_mem` (`void *`) pointer to the CVOICE memory block.
`lsflag` (`int`) the value of the last return flag from a CVDENSE function.

Return value The return value `flag` (of type `int`) is one of
`CVDENSE_SUCCESS` The optional output value has been successfully set.
`CVDENSE_MEM_NULL` The `cvode_mem` pointer is `NULL`.
`CVDENSE_LMEM_NULL` The CVDENSE linear solver has not been initialized.

Notes If the CVDENSE setup function failed (`CVode` returned `CV_LSETUP_FAIL`), the value `lsflag` is equal to the column index (numbered from one) at which a zero diagonal element was encountered during the LU factorization of the dense Jacobian matrix.

Band Linear solver. The following optional outputs are available from the CVBAND module: workspace requirements, number of calls to the Jacobian routine, number of calls to the right-hand side routine for finite-difference Jacobian approximation, and last return value from a CVBAND function.

CVBandGetWorkSpace

Call `flag = CVBandGetWorkSpace(cvode_mem, &lenrWB, &leniWB);`

Description The function `CVBandGetWorkSpace` returns the CVBAND real and integer workspace sizes.

Arguments `cvode_mem` (`void *`) pointer to the CVOICE memory block.
`lenrWB` (`long int`) the number of `realtype` values in the CVBAND workspace.
`leniWB` (`long int`) the number of integer values in the CVBAND workspace.

Return value The return value `flag` (of type `int`) is one of
`CVBAND_SUCCESS` The optional output value has been successfully set.
`CVBAND_MEM_NULL` The `cvode_mem` pointer is `NULL`.
`CVBAND_LMEM_NULL` The CVBAND linear solver has not been initialized.

Notes In terms of the problem size N and Jacobian half-bandwidths, the actual size of the real workspace is $(2 \text{ mupper} + 3 \text{ mlower} + 2) N$ `realtype` words, and the actual size of the integer workspace is N integer words.

CVBandGetNumJacEvals

Call `flag = CVBandGetNumJacEvals(cvode_mem, &njevalsB);`

Description The function `CVBandGetNumJacEvals` returns the number of calls to the banded Jacobian approximation function.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`njevalsB` (`long int`) the number of calls to the Jacobian function.

Return value The return value `flag` (of type `int`) is one of

- `CVBAND_SUCCESS` The optional output value has been successfully set.
- `CVBAND_MEM_NULL` The `cvode_mem` pointer is NULL.
- `CVBAND_LMEM_NULL` The CVBAND linear solver has not been initialized.

CVBandGetNumRhsEvals

Call `flag = CVBandGetNumRhsEvals(cvode_mem, &nfevalsB);`

Description The function `CVBandGetNumRhsEvals` returns the number of calls to the user right-hand side function due to the finite difference banded Jacobian approximation.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`nfevalsB` (`long int`) the number of calls to the user right-hand side function.

Return value The return value `flag` (of type `int`) is one of

- `CVBAND_SUCCESS` The optional output value has been successfully set.
- `CVBAND_MEM_NULL` The `cvode_mem` pointer is NULL.
- `CVBAND_LMEM_NULL` The CVBAND linear solver has not been initialized.

Notes The value `nfevalsB` is incremented only if the default `CVBandDQJac` difference quotient function is used.

CVBandGetLastFlag

Call `flag = CVBandGetLastFlag(cvode_mem, &lsflag);`

Description The function `CVBandGetLastFlag` returns the last return value from a CVBAND routine.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`lsflag` (`int`) the value of the last return flag from a CVBAND function.

Return value The return value `flag` (of type `int`) is one of

- `CVBAND_SUCCESS` The optional output value has been successfully set.
- `CVBAND_MEM_NULL` The `cvode_mem` pointer is NULL.
- `CVBAND_LMEM_NULL` The CVBAND linear solver has not been initialized.

Notes If the CVBAND setup function failed (`CVode` returned `CV_LSETUP_FAIL`), the value `lsflag` is equal to the column index (numbered from one) at which a zero diagonal element was encountered during the LU factorization of the banded Jacobian matrix.

Diagonal Linear solver. The following optional outputs are available from the CVDIAG module: workspace requirements, number of calls to the right-hand side routine for finite-difference Jacobian approximation, and last return value from a CVDIAG function.

CVDiagGetWorkSpace

Call `flag = CVDiagGetWorkSpace(cvode_mem, &lenrwdI, &leniwDI);`

Description The function `CVDiagGetWorkSpace` returns the CVDIAG real and integer workspace sizes.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`lenrwdI` (`long int`) the number of `realtype` values in the CVDIAG workspace.
`leniwDI` (`long int`) the number of integer values in the CVDIAG workspace.

Return value The return value `flag` (of type `int`) is one of
`CVDIAG_SUCCESS` The optional output value has been successfully set.
`CVDIAG_MEM_NULL` The `cvode_mem` pointer is NULL.
`CVDIAG_LMEM_NULL` The CVDIAG linear solver has not been initialized.

Notes In terms of the problem size N , the actual size of the real workspace is $3N$ `realtype` words.

CVDiagGetNumRhsEvals

Call `flag = CVDiagGetNumRhsEvals(cvode_mem, &nfevalsDI);`

Description The function `CVDiagGetNumRhsEvals` returns the number of calls to the user right-hand side function due to the finite difference Jacobian approximation.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`nfevalsDI` (`long int`) the number of calls to the user right-hand side function.

Return value The return value `flag` (of type `int`) is one of
`CVDIAG_SUCCESS` The optional output value has been successfully set.
`CVDIAG_MEM_NULL` The `cvode_mem` pointer is NULL.
`CVDIAG_LMEM_NULL` The CVDIAG linear solver has not been initialized.

Notes The number of diagonal approximate Jacobians formed is equal to the number of calls to the linear solver setup function (available by calling `CVodeGetNumLinsolvSetups`).

CVDiagGetLastFlag

Call `flag = CVDiagGetLastFlag(cvode_mem, &lsflag);`

Description The function `CVDiagGetLastFlag` returns the last return value from a CVDIAG routine.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`lsflag` (`int`) the value of the last return flag from a CVDIAG function.

Return value The return value `flag` (of type `int`) is one of
`CVDIAG_SUCCESS` The optional output value has been successfully set.
`CVDIAG_MEM_NULL` The `cvode_mem` pointer is NULL.
`CVDIAG_LMEM_NULL` The CVDIAG linear solver has not been initialized.

Notes If the CVDIAG setup function failed (`CVode` returned `CV_LSETUP_FAIL`), the value `lsflag` is equal to `CVDIAG_INV_FAIL`, indicating that a zero diagonal element was encountered. The same value for `lsflag` is set if the CVDIAG solve function failed (`CVode` returned `CV_LSOLVE_FAIL`).

SPGMR Linear solver. The following optional outputs are available from the CVSPGMR module: workspace requirements, number of linear iterations, number of linear convergence failures, number of calls to the preconditioner setup and solve routines, number of calls to the Jacobian-vector product routine, number of calls to the right-hand side routine for finite-difference Jacobian-vector product approximation, and last return value from a CVSPGMR function.

CVSpgmrGetWorkSpace

Call `flag = CVSpgmrGetWorkSpace(cvode_mem, &lenrwsG, &leniwsG);`

Description The function `CVSpgmrGetWorkSpace` returns the CVSPGMR real and integer workspace sizes.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`lenrwsG` (`long int`) the number of `realtype` values in the CVSPGMR workspace.
`leniwsG` (`long int`) the number of integer values in the CVSPGMR workspace.

Return value The return value `flag` (of type `int`) is one of
`CVSPGMR_SUCCESS` The optional output value has been successfully set.
`CVSPGMR_MEM_NULL` The `cvode_mem` pointer is NULL.
`CVSPGMR_LMEM_NULL` The CVSPGMR linear solver has not been initialized.

Notes In terms of the problem size N and maximum subspace size `maxl`, the actual size of the real workspace is $(\text{maxl}+5) * N + \text{maxl} * (\text{maxl}+4) + 1$ `realtype` words. (In a parallel setting, this value is global — summed over all processors.)

CVSpgmrGetNumLinIters

Call `flag = CVSpgmrGetNumLinIters(cvode_mem, &nliters);`

Description The function `CVSpgmrGetNumLinIters` returns the cumulative number of linear iterations.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`nliters` (`long int`) the current number of linear iterations.

Return value The return value `flag` (of type `int`) is one of
`CVSPGMR_SUCCESS` The optional output value has been successfully set.
`CVSPGMR_MEM_NULL` The `cvode_mem` pointer is NULL.
`CVSPGMR_LMEM_NULL` The CVSPGMR linear solver has not been initialized.

CVSpgmrGetNumConvFails

Call `flag = CVSpgmrGetNumConvFails(cvode_mem, &nlcfails);`

Description The function `CVSpgmrGetNumConvFails` returns the cumulative number of linear convergence failures.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`nlcfails` (`long int`) the current number of linear convergence failures.

Return value The return value `flag` (of type `int`) is one of
`CVSPGMR_SUCCESS` The optional output value has been successfully set.
`CVSPGMR_MEM_NULL` The `cvode_mem` pointer is NULL.
`CVSPGMR_LMEM_NULL` The CVSPGMR linear solver has not been initialized.

CVSpgmrGetNumPrecEvals

Call `flag = CVSpgmrGetNumPrecEvals(cvode_mem, &npevals);`

Description The function `CVSpgmrGetNumPrecEvals` returns the number of preconditioner evaluations, i.e., the number of calls made to `psetup` with `jok=FALSE`.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`npevals` (`long int`) the current number of calls to `psetup`.

Return value The return value `flag` (of type `int`) is one of

CVSPGMR_SUCCESS The optional output value has been successfully set.
 CVSPGMR_MEM_NULL The `cvode_mem` pointer is NULL.
 CVSPGMR_LMEM_NULL The CVSPGMR linear solver has not been initialized.

CVSpgmrGetNumPrecSolves

Call `flag = CVSpgmrGetNumPrecSolves(cvode_mem, &npsolves);`
 Description The function `CVSpgmrGetNumPrecSolves` returns the cumulative number of calls made to the preconditioner solve function, `psolve`.
 Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`npsolves` (`long int`) the current number of calls to `psolve`.
 Return value The return value `flag` (of type `int`) is one of
 CVSPGMR_SUCCESS The optional output value has been successfully set.
 CVSPGMR_MEM_NULL The `cvode_mem` pointer is NULL.
 CVSPGMR_LMEM_NULL The CVSPGMR linear solver has not been initialized.

CVSpgmrGetNumJtimesEvals

Call `flag = CVSpgmrGetNumJtimesEvals(cvode_mem, &njvevals);`
 Description The function `CVSpgmrGetNumJtimesEvals` returns the cumulative number made to the Jacobian-vector function, `jtimes`.
 Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`njvevals` (`long int`) the current number of calls to `jtimes`.
 Return value The return value `flag` (of type `int`) is one of
 CVSPGMR_SUCCESS The optional output value has been successfully set.
 CVSPGMR_MEM_NULL The `cvode_mem` pointer is NULL.
 CVSPGMR_LMEM_NULL The CVSPGMR linear solver has not been initialized.

CVSpgmrGetNumRhsEvals

Call `flag = CVSpgmrGetNumRhsEvals(cvode_mem, &nfevalsSG);`
 Description The function `CVSpgmrGetNumRhsEvals` returns the number of calls to the user right-hand side function for finite difference Jacobian-vector product approximation.
 Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.
`nfevalsSG` (`long int`) the number of calls to the user right-hand side function.
 Return value The return value `flag` (of type `int`) is one of
 CVSPGMR_SUCCESS The optional output value has been successfully set.
 CVSPGMR_MEM_NULL The `cvode_mem` pointer is NULL.
 CVSPGMR_LMEM_NULL The CVSPGMR linear solver has not been initialized.
 Notes The value `nfevalsSG` is incremented only if the default `CVSpgmrDQJtimes` difference quotient function is used.

CVSpgmrGetLastFlag

Call `flag = CVSpgmrGetLastFlag(cvode_mem, &lsflag);`
 Description The function `CVSpgmrGetLastFlag` returns the last return value from a CVSPGMR routine.
 Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block.

	<code>flag</code>	(<code>int</code>) the value of the last return flag from a CVSPGMR function.
Return value	The return value <code>flag</code> (of type <code>int</code>) is one of	
	<code>CVSPGMR_SUCCESS</code>	The optional output value has been successfully set.
	<code>CVSPGMR_MEM_NULL</code>	The <code>cvode_mem</code> pointer is <code>NULL</code> .
	<code>CVSPGMR_LMEM_NULL</code>	The CVSPGMR linear solver has not been initialized.
Notes	If the CVSPGMR setup function failed (<code>CVode</code> returned <code>CV_LSETUP_FAIL</code>), <code>lsflag</code> contains the return value of the preconditioner setup function <code>psetup</code> .	
	If the CVSPGMR solve function failed (<code>CVode</code> returned <code>CV_LSOLVE_FAIL</code>), <code>lsflag</code> contains the error return flag from <code>SpgmrSolve</code> and will be one of: <code>SPGMR_CONV_FAIL</code> , indicating a failure to converge; <code>SPGMR_QRFACT_FAIL</code> , indicating a singular matrix found during the QR factorization; <code>SPGMR_PSOLVE_FAIL_REC</code> , indicating that the preconditioner solve function <code>psolve</code> failed recoverably; <code>SPGMR_MEM_NULL</code> , indicating that the SPGMR memory is <code>NULL</code> ; <code>SPGMR_ATIMES_FAIL</code> , indicating a failure in the Jacobian times vector function; <code>SPGMR_PSOLVE_FAIL_UNREC</code> , indicating that the preconditioner solve function <code>psolve</code> failed unrecoverably; <code>SPGMR_GS_FAIL</code> , indicating a failure in the Gram-Schmidt procedure; or <code>SPGMR_QRSOL_FAIL</code> , indicating that the matrix R was found to be singular during the QR solve phase.	

5.5.7 CVODE reinitialization function

The function `CVodeReInit` reinitializes the main CVODE solver for the solution of a problem, where a prior call to `CVodeMalloc` has been made. The new problem must have the same size as the previous one. `CVodeReInit` performs the same input checking and initializations that `CVodeMalloc` does, but does no memory allocation, assuming that the existing internal memory is sufficient for the new problem.

The use of `CVodeReInit` requires that the maximum method order, `maxord`, is no larger for the new problem than for the problem specified in the last call to `CVodeMalloc`. This condition is automatically fulfilled if the multistep method parameter `lmm` is unchanged (or changed from `CV_ADAMS` to `CV_BDF`) and the default value for `maxord` is specified.

If there are changes to the linear solver specifications, make the appropriate `Set` calls, as described in §5.5.2

CVodeReInit

Call	<code>flag = CVodeReInit(cvode_mem, f, t0, y0, itol, reltol, abstol);</code>
Description	The function <code>CVodeReInit</code> provides required problem specifications and reinitializes CVODE.
Arguments	<p><code>cvode_mem</code> (<code>void *</code>) pointer to the CVODE memory block.</p> <p><code>f</code> (<code>CVRhsFn</code>) is the C function which computes f in the ODE. This function has the form <code>f(N, t, y, ydot, f_data)</code> (for full details see §5.6).</p> <p><code>t0</code> (<code>realtype</code>) is the initial value of t.</p> <p><code>y0</code> (<code>N_Vector</code>) is the initial value of y.</p> <p><code>itol</code> (<code>int</code>) is one of <code>CV_SS</code>, <code>CV_SV</code>, or <code>CV_WF</code>, where <code>itol=SS</code> indicates scalar relative error tolerance and scalar absolute error tolerance, while <code>itol=CV_SV</code> indicates scalar relative error tolerance and vector absolute error tolerance. The latter choice is important when the absolute error tolerance needs to be different for each component of the ODE. If <code>itol=CV_WF</code>, the arguments <code>reltol</code> and <code>abstol</code> are ignored and the user is expected to provide a function to evaluate the error weight vector W from (3.6). See <code>CVodeSetEwtFn</code> in §5.5.4.</p> <p><code>reltol</code> (<code>realtype</code>) is the relative error tolerance.</p>

`abstol` (void *) is a pointer to the absolute error tolerance. If `itol=CV_SS`, `abstol` must be a pointer to a `realtype` variable. If `itol=CV_SV`, `abstol` must be an `N_Vector` variable.

Return value The return flag `flag` (of type `int`) will be one of the following:

`CV_SUCCESS` The call to `CVodeReInit` was successful.
`CV_MEM_NULL` The CVODE memory block was not initialized through a previous call to `CVodeCreate`.
`CV_NO_MALLOC` Memory space for the CVODE memory block was not allocated through a previous call to `CVodeMalloc`.
`CV_ILL_INPUT` An input argument to `CVodeReInit` has an illegal value.

Notes If an error occurred, `CVodeReInit` also prints an error message to the file specified by the optional input `errfp`.



It is the user's responsibility to provide compatible `itol` and `abstol` arguments.

5.6 User-supplied functions

The user-supplied functions consist of one function defining the ODE, (optionally) a function that provides the error weight vector, (optionally) a function that provides Jacobian related information for the linear solver (if Newton iteration is chosen), and (optionally) one or two functions that define the preconditioner for use in the SPGMR algorithm.

5.6.1 ODE right-hand side

The user must provide a function of type `CVRhsFn` defined as follows:

CVRhsFn

Definition `typedef void (*CVRhsFn)(realtype t, N_Vector y, N_Vector ydot,
void *f_data);`

Purpose This function computes the ODE right-hand side for a given value of the independent variable t and state vector y .

Arguments `t` is the current value of the independent variable.
`y` is the current value of the dependent variable vector, $y(t)$.
`ydot` is the output vector $f(t, y)$.
`f_data` is a pointer to user data — the same as the `f_data` parameter passed to `CVodeSetFdata`.

Return value A `CVRhsFn` function type does not have a return value.

Notes Allocation of memory for `ydot` is handled within CVODE.

5.6.2 Error weight function

As an alternative to providing the relative and absolute tolerances, the user may provide a function of type `CVWtFn` to compute a vector `ewt` containing the weights in the WRMS norm $\|v\|_{\text{WRMS}} = \sqrt{(1/N) \sum_1^N W_i \cdot v_i}$. The function type `CVWtFn` is defined as follows:

CVWtFn

Definition `typedef int (*CVWtFn)(N_Vector y, N_Vector ewt, void *e_data);`

Purpose This function computes the WRMS error weights for the vector y .

Arguments `y` is the value of the vector for which the WRMS norm must be computed.
`ewt` is the output vector containing the error weights.
`e_data` is a pointer to user data — the same as the `e_data` parameter passed to `CVodeSetEwtFn`.

Return value A `CVEwtFn` function type must return 0 if it successfully set the error weights and -1 otherwise. In case of failure, a message is printed and the integration stops.

Notes Allocation of memory for `ewt` is handled within `CVODE`.



The error weight vector must have all components positive. It is the user's responsibility to perform this test and return -1 if it is not satisfied.

5.6.3 Jacobian information (direct method with dense Jacobian)

If the direct linear solver with dense treatment of the Jacobian is used (i.e. `CVDense` is called in Step 7 of §5.4), the user may provide a function of type `CVDenseJacFn` defined by

`CVDenseJacFn`

Definition

```
typedef void (*CVDenseJacFn)(long int N, DenseMat J, realtype t,
                             N_Vector y, N_Vector fy, void *jac_data,
                             N_Vector tmp1, N_Vector tmp2, N_Vector tmp3);
```

Purpose This function computes the dense Jacobian $J = \partial f / \partial y$ (or an approximation to it).

Arguments `N` is the problem size.
`J` is the output Jacobian matrix.
`t` is the current value of the independent variable.
`y` is the current value of the dependent variable vector, namely the predicted value of $y(t)$.
`fy` is the vector $f(t, y)$.
`jac_data` is a pointer to user data — the same as the `jac_data` parameter passed to `CVDenseSetJacData`.
`tmp1`
`tmp2`
`tmp3` are pointers to memory allocated for variables of type `N_Vector` which can be used by `CVDenseJacFn` as temporary storage or work space.

Return value A `CVDenseJacFn` function type does not have a return value.

Notes A user-supplied dense Jacobian function must load the N by N dense matrix `J` with an approximation to the Jacobian matrix J at the point (t, y) . Only nonzero elements need to be loaded into `J` because `J` is set to the zero matrix before the call to the Jacobian function. The type of `J` is `DenseMat`.

The accessor macros `DENSE_ELEM` and `DENSE_COL` allow the user to read and write dense matrix elements without making explicit references to the underlying representation of the `DenseMat` type. `DENSE_ELEM(J, i, j)` references the (i, j) -th element of the dense matrix `J` ($i, j = 0 \dots N - 1$). This macro is for use in small problems in which efficiency of access is not a major concern. Thus, in terms of indices m and n running from 1 to N , the Jacobian element $J_{m,n}$ can be loaded with the statement `DENSE_ELEM(J, m-1, n-1) = J_{m,n}`. Alternatively, `DENSE_COL(J, j)` returns a pointer to the storage for the j th column of `J` ($j = 0 \dots N - 1$), and the elements of the j th column are then accessed via ordinary array indexing. Thus $J_{m,n}$ can be loaded with the statements `col_n = DENSE_COL(J, n-1); col_n[m-1] = J_{m,n}`. For large problems, it is more efficient to use `DENSE_COL` than to use `DENSE_ELEM`. Note that both of these macros number rows and columns starting from 0, not 1.

The `DenseMat` type and the accessor macros `DENSE_ELEM` and `DENSE_COL` are documented in §8.1.

If the user's `CVDenseJacFn` function uses difference quotient approximations, it may need to access quantities not in the call list. These include the current stepsize, the error weights, etc. To obtain these, use the `CVodeGet*` functions described in §5.5.6. The unit roundoff can be accessed as `UNIT_ROUNDOFF` defined in `sundialtypes.h`.

5.6.4 Jacobian information (direct method with banded Jacobian)

If the direct linear solver with banded treatment of the Jacobian is used (i.e. `CVBand` is called in Step 7 of §5.4), the user may provide a function of type `CVBandJacFn` defined as follows:

<code>CVBandJacFn</code>	
Definition	<code>typedef void (*CVBandJacFn)(long int N, long int mupper, long int mlower, BandMat J, realtype t, N_Vector y, N_Vector fy, void *jac_data, N_Vector tmp1, N_Vector tmp2, N_Vector tmp3);</code>
Purpose	This function computes the banded Jacobian $J = \partial f / \partial y$ (or a banded approximation to it).
Arguments	<code>N</code> is the problem size. <code>mlower</code> <code>mupper</code> are the lower and upper half-bandwidths of the Jacobian. <code>J</code> is the output Jacobian matrix. <code>t</code> is the current value of the independent variable. <code>y</code> is the current value of the dependent variable vector, namely the predicted value of $y(t)$. <code>fy</code> is the vector $f(t, y)$. <code>jac_data</code> is a pointer to user data — the same as the <code>jac_data</code> parameter passed to <code>CVBandSetJacData</code> . <code>tmp1</code> <code>tmp2</code> <code>tmp3</code> are pointers to memory allocated for variables of type <code>N_Vector</code> which can be used by <code>CVBandJacFn</code> as temporary storage or work space.
Return value	A <code>CVBandJacFn</code> function type does not have a return value.
Notes	A user-supplied band Jacobian function must load the band matrix <code>J</code> of type <code>BandMat</code> with the elements of the Jacobian $J(t, y)$ at the point (t, y) . Only nonzero elements need to be loaded into <code>J</code> because <code>J</code> is preset to zero before the call to the Jacobian function.

The accessor macros `BAND_ELEM`, `BAND_COL`, and `BAND_COL_ELEM` allow the user to read and write band matrix elements without making specific references to the underlying representation of the `BandMat` type. `BAND_ELEM(J, i, j)` references the (i, j) th element of the band matrix `J`, counting from 0. This macro is for use in small problems in which efficiency of access is not a major concern. Thus, in terms of indices m and n running from 1 to N with (m, n) within the band defined by `mupper` and `mlower`, the Jacobian element $J_{m,n}$ can be loaded with the statement `BAND_ELEM(J, m-1, n-1) = Jm,n`. The elements within the band are those with $-mupper \leq m-n \leq mlower$. Alternatively, `BAND_COL(J, j)` returns a pointer to the diagonal element of the j th column of `J`, and if we assign this address to `realtype *col_j`, then the i th element of the j th column is given by `BAND_COL_ELEM(col_j, i, j)`, counting from 0. Thus for (m, n) within the band, $J_{m,n}$ can be loaded by setting `col_n = BAND_COL(J, n-1)`;

`BAND_COL_ELEM(col_n, m-1, n-1) = $J_{m,n}$` . The elements of the j th column can also be accessed via ordinary array indexing, but this approach requires knowledge of the underlying storage for a band matrix of type `BandMat`. The array `col_n` can be indexed from `-mupper` to `mlower`. For large problems, it is more efficient to use the combination of `BAND_COL` and `BAND_COL_ELEM` than to use the `BAND_ELEM`. As in the dense case, these macros all number rows and columns starting from 0, not 1.

The `BandMat` type and the accessor macros `BAND_ELEM`, `BAND_COL`, and `BAND_COL_ELEM` are documented in §8.2.

If the user's `CVBandJacFn` function uses difference quotient approximations, it may need to access quantities not in the call list. These include the current stepsize, the error weights, etc. To obtain these, use the `CVodeGet*` functions described in §5.5.6. The unit roundoff can be accessed as `UNIT_ROUNDOFF` defined in `sundialstypes.h`.

5.6.5 Jacobian information (SPGMR matrix-vector product)

If an iterative SPGMR linear solver is selected (`CVSpgmr` is called in step 7 of §5.4) the user may provide a function of type `CVSpgmrJacTimesVecFn` in the following form:

<code>CVSpgmrJacTimesVecFn</code>

Definition `typedef int (*CVSpgmrJacTimesVecFn)(N_Vector v, N_Vector Jv, realtype t, N_Vector y, N_Vector fy, void *jac_data, N_Vector tmp);`

Purpose This function computes the product $Jv = (\partial f / \partial y)v$ (or an approximation to it).

Arguments `v` is the vector by which the Jacobian must be multiplied to the right.

`Jv` is the output vector computed.

`t` is the current value of the independent variable.

`y` is the current value of the dependent variable vector.

`fy` is the vector $f(t, y)$.

`jac_data` is a pointer to user data — the same as the `jac_data` parameter passed to `CVSpgmrSetJacData`.

`tmp` is a pointer to memory allocated for a variable of type `N_Vector` which can be used for work space.

Return value The value to be returned by the Jacobian times vector function should be 0 if successful. Any other return value will result in an unrecoverable error of the SPGMR generic solver, in which case the integration is halted.

Notes If the user's `CVSpgmrJacTimesVecFn` function uses difference quotient approximations, it may need to access quantities not in the call list. These include the current stepsize, the error weights, etc. To obtain these, use the `CVodeGet*` functions described in §5.5.6. The unit roundoff can be accessed as `UNIT_ROUNDOFF` defined in `sundialstypes.h`.

5.6.6 Preconditioning (SPGMR linear system solution)

If preconditioning is used, then the user must provide a C function to solve the linear system $Pz = r$ where P may be either a left or a right preconditioner matrix. This function must be of type `CVSpgmrPrecSolveFn`, defined as follows:

CVSpgmrPrecSolveFn

Definition `typedef int (*CVSpgmrPrecSolveFn)(realtyp t, N_Vector y, N_Vector fy, N_Vector r, N_Vector z, realtyp gamma, realtyp delta, int lr, void *p_data, N_Vector tmp);`

Purpose This function solves the preconditioning system $Pz = r$.

Arguments `t` is the current value of the independent variable.
`y` is the current value of the dependent variable vector.
`fy` is the vector $f(t, y)$.
`r` is the right-hand side vector of the linear system.
`z` is the output vector computed.
`gamma` is the scalar γ appearing in the Newton matrix $M = I - \gamma J$.
`delta` is an input tolerance to be used if an iterative method is employed in the solution. In that case, the residual vector $Res = r - Pz$ of the system should be made less than `delta` in weighted l_2 norm, i.e., $\sqrt{\sum_i (Res_i \cdot ewt_i)^2} < delta$. To obtain the `N_Vector` `ewt`, call `CVodeGetErrWeights` (see §5.5.6).
`lr` is an input flag indicating whether the preconditioner solve function is to use the left preconditioner (`lr=1`) or the right preconditioner (`lr=2`);
`p_data` is a pointer to user data — the same as the `p_data` parameter passed to the function `CVSpgmrSetPrecData`.
`tmp` is a pointer to memory allocated for a variable of type `N_Vector` which can be used for work space.

Return value The value to be returned by the preconditioner solve function is a flag indicating whether it was successful. This value should be 0 if successful, positive for a recoverable error (in which case the step will be retried), negative for an unrecoverable error (in which case the integration is halted).

5.6.7 Preconditioning (SPGMR Jacobian data)

If the user's preconditioner requires that any Jacobian related data be evaluated or preprocessed, then this needs to be done in a user-supplied C function of type `CVSpgmrPrecSetupFn`, defined as follows:

CVSpgmrPrecSetupFn

Definition `typedef int (*CVSpgmrPrecSetupFn)(realtyp t, N_Vector y, N_Vector fy, booleantyp jok, booleantyp *jcurPtr, realtyp gamma, void *p_data, N_Vector tmp1, N_Vector tmp2, N_Vector tmp3);`

Purpose This function evaluates and/or preprocesses Jacobian related data needed by the preconditioner.

Arguments The arguments of a `CVSpgmrPrecSetupFn` are as follows:
`t` is the current value of the independent variable.
`y` is the current value of the dependent variable vector, namely the predicted value of $y(t)$.
`fy` is the vector $f(t, y)$.
`jok` is an input flag indicating whether Jacobian-related data needs to be recomputed. The `jok` argument provides for the re-use of Jacobian data in the preconditioner solve function. `jok == FALSE` means that Jacobian-related

data must be recomputed from scratch. `jok == TRUE` means that Jacobian data, if saved from the previous call to this function, can be reused (with the current value of `gamma`). A call with `jok == TRUE` can only occur after a call with `jok == FALSE`.

`jcurPtr` is a pointer to an output integer flag which is to be set to `TRUE` if Jacobian data was recomputed or to `FALSE` if Jacobian data was not recomputed, but saved data was reused.

`gamma` is the scalar γ appearing in the Newton matrix $M = I - \gamma P$.

`p_data` is a pointer to user data, the same as the `p_data` parameter passed to `CVSpgmrSetPrecData`.

`tmp1`

`tmp2`

`tmp3` are pointers to memory allocated for variables of type `N_Vector` which can be used by `CVSpgmrPrecSetupFn` as temporary storage or work space.

Return value The value to be returned by the preconditioner setup function is a flag indicating whether it was successful. This value should be 0 if successful, positive for a recoverable error (in which case the step will be retried), negative for an unrecoverable error (in which case the integration is halted).

Notes The operations performed by this function might include forming a crude approximate Jacobian, and performing an LU factorization on the resulting approximation to $M = I - \gamma J$.

Each call to the preconditioner setup function is preceded by a call to the `CVRhsFn` user function with the same `(t,y)` arguments. Thus the preconditioner setup function can use any auxiliary data that is computed and saved during the evaluation of the ODE right hand side.

This function is not called in advance of every call to the preconditioner solve function, but rather is called only as often as needed to achieve convergence in the Newton iteration.

If the user's `CVSpgmrPrecSetupFn` function uses difference quotient approximations, it may need to access quantities not in the call list. These include the current stepsize, the error weights, etc. To obtain these, use the `CVodeGet*` functions described in §5.5.6. The unit roundoff can be accessed as `UNIT_ROUNDOFF` defined in `sundialstypes.h`.

5.7 Rootfinding

While integrating the IVP, CVODE has the capability of finding the roots of a set of user-defined functions. This section describes the user-callable functions used to initialize and define the rootfinding problem and obtain solution information, and it also describes the required additional user-supplied function.

5.7.1 User-callable functions for rootfinding

`CVodeRootInit`

Call `flag = CVodeRootInit(cvode_mem, nrtfn, g, g_data);`

Description The function `CVodeRootInit` specifies that the roots of a set of functions $g_i(t, y)$ are to be found while the IVP is being solved.

Arguments `cvode_mem` (`void *`) pointer to the CVODE memory block returned by `CVodeCreate`.
`nrtfn` (`int`) is the number of root functions g_i .

g (CVRtFn) is the C function which defines the **nrtfn** functions $g_i(t, y)$ whose roots are sought. See §5.7.2 for details.

g_data (void *) pointer to the user data for use by the user's root function g .

Return value The return value **flag** (of type **int**) is one of

CV_SUCCESS The call to **CVodeRootInit** was successful.

CV_MEM_NULL The **cvode_mem** argument was **NULL**.

CV_MEM_FAIL A memory allocation failed.

CV_RTFUNC_NULL The function **g** is **NULL**, but **nrtfn** > 0.

Notes If a new IVP is to be solved with a call to **CVodeReInit**, where the new IVP has no rootfinding problem but the prior one did, then call **CVodeRootInit** with **nrtfn**=0.

There are two optional output functions associated with rootfinding.

CVodeGetRootInfo

Call **flag** = **CVodeGetRootInfo**(**cvode_mem**, **rootsfound**);

Description The function **CVodeGetRootInfo** returns an array showing which functions were found to have a root.

Arguments **cvode_mem** (void *) pointer to the CVODE memory block.

rootsfound (int *) the indices of the user functions g_i found to have a root. For $i = 0, \dots, \text{nrtfn}-1$, **rootsfound**[i] = 1 if g_i has a root, and = 0 if not.

Return value The return value **flag** (of type **int**) is one of

CV_SUCCESS The optional output values have been successfully set.

CV_MEM_NULL The **cvode_mem** pointer is **NULL**.

Notes  The user must allocate memory for the vector **rootsfound**.

CVodeGetNumGEvals

Call **flag** = **CVodeGetNumGEvals**(**cvode_mem**, **&ngevals**);

Description The function **CVodeGetNumGEvals** returns the cumulative number of calls to the user root function g .

Arguments **cvode_mem** (void *) pointer to the CVODE memory block.

ngevals (long int) number of calls to the user's function g so far.

Return value The return value **flag** (of type **int**) is one of

CV_SUCCESS The optional output value has been successfully set.

CV_MEM_NULL The **cvode_mem** pointer is **NULL**.

5.7.2 User-supplied function for rootfinding

If a rootfinding problem is to be solved during the integration of the ODE system, the user must supply a C function of type **CVRtFn**, defined as follows:

CVRtFn

Definition

```
typedef void (*CVRtFn)(realtype t, N_Vector y, realtype *gout, void *g_data);
```

Purpose This function computes a vector-valued function $g(t, y)$ such that the roots of the **nrtfn** components $g_i(t, y)$ are to be found during the integration.

Arguments **t** is the current value of the independent variable.

`y` is the current value of the dependent variable vector, $y(t)$.
`gout` is the output array, of length `nrtfn`, with components $g_i(t, y)$.
`g_data` is a pointer to user data — the same as the `g_data` parameter passed to `CVodeSetGdata`.

Return value A `CVRootFn` function type does not have a return value.

Notes Allocation of memory for `gout` is handled within `CVODE`.

5.8 Preconditioner modules

The efficiency of Krylov iterative methods for the solution of linear systems can be greatly enhanced through preconditioning. For problems in which the user cannot define a more effective, problem-specific preconditioner, `CVODE` provides a banded preconditioner in the module `CVBANDPRE` and a band-block-diagonal preconditioner module `CVBBDPRE`.

5.8.1 A serial banded preconditioner module

This preconditioner provides a band matrix preconditioner based on difference quotients of the ODE right-hand side function `f`. It generates a band matrix of bandwidth $m_l + m_u + 1$, where the number of super-diagonals (m_u , the upper half-bandwidth) and sub-diagonals (m_l , the lower half-bandwidth) are specified by the user and uses this to form a preconditioner for use with the Krylov linear solver in `CVSPGMR`. Although this matrix is intended to approximate the Jacobian $\partial f / \partial y$, it may be a very crude approximation. The true Jacobian need not be banded, or its true bandwidth may be larger than $m_l + m_u + 1$, as long as the banded approximation generated here is sufficiently accurate to speed convergence as a preconditioner.

In order to use the `CVBANDPRE` module, the user need not define any additional functions. Besides the header files required for the integration of the ODE problem (see §5.3), to use the `CVBANDPRE` module, the main program must include the header file `cvbandpre.h` which declares the needed function prototypes. The following is a summary of the usage of this module and describes the sequence of calls in the user main program. Steps that are unchanged from the user main program presented in §5.4 are grayed-out.

1. Set problem dimensions
2. Set vector of initial values
3. Create `CVODE` object
4. Set optional inputs
5. Allocate internal memory

6. Initialize the `CVBANDPRE` preconditioner module

Specify the upper and lower half-bandwidths `mu` and `m1` and call

```
bp_data = CVBandPrecAlloc(cvode_mem, N, mu, m1);
```

to allocate memory for and initialize a data structure `bp_data` to be passed to the `CVSPGMR` linear solver.

7. Attach the `CVSPGMR` linear solver

```
flag = CVBPSpgmr(cvode_mem, pretype, maxl, bp_data);
```

The function `CVBPSpgmr` is a wrapper around the `CVSPGMR` specification function `CVSPgmr` and performs the following actions:

- Attaches the `CVSPGMR` linear solver to the main `CVODE` solver memory;

- Sets the preconditioner data structure for CVBANDPRE;
- Sets the preconditioner setup function for CVBANDPRE;
- Sets the preconditioner solve function for CVBANDPRE;

The arguments `pretype` and `maxl` are described below. The last argument of `CVBPSpgmr` is the pointer to the CVBANDPRE data returned by `CVBandPrecAlloc`.

8. Set linear solver optional inputs

Note that the user should not overwrite the preconditioner data, setup function, or solve function through calls to CVSPGMR optional input functions.

9. Advance solution in time

10. Deallocate memory for solution vector

11. Free the CVBANDPRE data structure

```
CVBandPrecFree(bp_data);
```

12. Free solver memory

The three user-callable functions that initialize, attach, and deallocate the CVBANDPRE preconditioner module (steps 6, 7, and 11 above) are described in more detail below.

CVBandPrecAlloc

Call	<code>bp_data = CVBandPrecAlloc(cvode_mem, N, mu, ml);</code>
Description	The function <code>CVBandPrecAlloc</code> initializes and allocates memory for the CVBANDPRE preconditioner.
Arguments	<p><code>cvode_mem</code> (void *) pointer to the CVODE memory block.</p> <p><code>N</code> (long int) problem dimension.</p> <p><code>mu</code> (long int) upper half-bandwidth of the problem Jacobian approximation.</p> <p><code>ml</code> (long int) lower half-bandwidth of the problem Jacobian approximation.</p>
Return value	If successful, <code>CVBandPrecAlloc</code> returns a pointer to the newly created CVBANDPRE memory block (of type <code>void *</code>). If an error occurred, <code>CVBandPrecAlloc</code> returns <code>NULL</code> .
Notes	The banded approximate Jacobian will have its nonzeros only in locations (i, j) with $-ml \leq j - i \leq mu$.

CVBPSpgmr

Call	<code>flag = CVBPSpgmr(cvode_mem, pretype, maxl, bp_data);</code>
Description	The function <code>CVBPSpgmr</code> links the CVBANDPRE data to the CVSPGMR linear solver and attaches the latter to the CVODE memory block.
Arguments	<p><code>cvode_mem</code> (void *) pointer to the CVODE memory block.</p> <p><code>pretype</code> (int) preconditioning type. Must be one of <code>PREC_LEFT</code> or <code>PREC_RIGHT</code>.</p> <p><code>maxl</code> (int) maximum dimension of the Krylov subspace to be used. Pass 0 to use the default value <code>CVSPGMR_MAXL=5</code>.</p> <p><code>bp_data</code> (void *) pointer to the CVBANDPRE data structure.</p>
Return value	The return value <code>flag</code> (of type <code>int</code>) is one of <ul style="list-style-type: none"> <code>CVSPGMR_SUCCESS</code> The CVSPGMR initialization was successful. <code>CVSPGMR_MEM_NULL</code> The <code>cvode_mem</code> pointer is <code>NULL</code>. <code>CVSPGMR_ILL_INPUT</code> The preconditioner type <code>pretype</code> is not valid. <code>CVSPGMR_MEM_FAIL</code> A memory allocation request failed. <code>CV_PDATA_NULL</code> The CVBANDPRE preconditioner has not been initialized.

CVBandPrecFree

Call `CVBandPrecFree(bp_data);`

Description The function `CVBandPrecFree` frees the pointer allocated by `CVBandPrecAlloc`.

Arguments The only argument of `CVBandPrecFree` is the pointer to the `CVBANDPRE` data structure (of type `void *`).

Return value The function `CVBandPrecFree` has no return value.

The following three optional output functions are available for use with the `CVBANDPRE` module:

CVBandPrecGetWorkSpace

Call `flag = CVBandPrecGetWorkSpace(bp_data, &lenrwp, &leniwBP);`

Description The function `CVBandPrecGetWorkSpace` returns the `CVBANDPRE` real and integer workspace sizes.

Arguments `bp_data` (`void *`) pointer to the `CVBANDPRE` data structure.
`lenrwp` (`long int`) the number of `realtype` values in the `CVBANDPRE` workspace.
`leniwBP` (`long int`) the number of integer values in the `CVBANDPRE` workspace.

Return value The return value `flag` (of type `int`) is one of

`CV_SUCCESS` The optional output value has been successfully set.

`CV_PDATA_NULL` The `CVBANDPRE` preconditioner has not been initialized.

Notes In terms of problem size N , and $\text{smu} = \min(N - 1, \text{mu} + \text{ml})$, the actual size of the real workspace is $(2 \text{ ml} + \text{mu} + \text{smu} + 2) N$ `realtype` words, and the actual size of the integer workspace is N integer words.

CVBandPrecGetNumRhsEvals

Call `flag = CVBandPrecGetNumRhsEvals(bp_data, &nfevalsBP);`

Description The function `CVBandPrecGetNumRhsEvals` returns the number of calls to the user right-hand side function for finite difference banded Jacobian approximation used within `CVBANDPRE`'s preconditioner setup function.

Arguments `bp_data` (`void *`) pointer to the `CVBANDPRE` data structure.
`nfevalsBP` (`long int`) the number of calls to the user right-hand side function.

Return value The return value `flag` (of type `int`) is one of

`CV_SUCCESS` The optional output value has been successfully set.

`CV_PDATA_NULL` The `CVBANDPRE` preconditioner has not been initialized.

5.8.2 A parallel band-block-diagonal preconditioner module

A principal reason for using a parallel ODE solver such as `CVODE` lies in the solution of partial differential equations (PDEs). Moreover, the use of a Krylov iterative method for the solution of many such problems is motivated by the nature of the underlying linear system of equations (3.4) that must be solved at each time step. The linear algebraic system is large, sparse, and structured. However, if a Krylov iterative method is to be effective in this setting, then a nontrivial preconditioner needs to be used. Otherwise, the rate of convergence of the Krylov iterative method is usually unacceptably slow. Unfortunately, an effective preconditioner tends to be problem-specific.

However, we have developed one type of preconditioner that treats a rather broad class of PDE-based problems. It has been successfully used for several realistic, large-scale problems [15] and is included in a software module within the `CVODE` package. This module works with the parallel vector module `NVECTOR_PARALLEL` and generates a preconditioner that is a block-diagonal matrix with each block being a band matrix. The blocks need not have the same number of super-

and sub-diagonals and these numbers may vary from block to block. This Band-Block-Diagonal Preconditioner module is called CVBBDPRE.

One way to envision these preconditioners is to think of the domain of the computational PDE problem as being subdivided into M non-overlapping subdomains. Each of these subdomains is then assigned to one of the M processors to be used to solve the ODE system. The basic idea is to isolate the preconditioning so that it is local to each processor, and also to use a (possibly cheaper) approximate right-hand side function. This requires the definition of a new function $g(t, y)$ which approximates the function $f(t, y)$ in the definition of the ODE system (3.1). However, the user may set $g = f$. Corresponding to the domain decomposition, there is a decomposition of the solution vector y into M disjoint blocks y_m , and a decomposition of g into blocks g_m . The block g_m depends on y_m and also on components of blocks $y_{m'}$ associated with neighboring subdomains (so-called ghost-cell data). Let \bar{y}_m denote y_m augmented with those other components on which g_m depends. Then we have

$$g(t, y) = [g_1(t, \bar{y}_1), g_2(t, \bar{y}_2), \dots, g_M(t, \bar{y}_M)]^T \quad (5.1)$$

and each of the blocks $g_m(t, \bar{y}_m)$ is uncoupled from the others.

The preconditioner associated with this decomposition has the form

$$P = \text{diag}[P_1, P_2, \dots, P_M] \quad (5.2)$$

where

$$P_m \approx I - \gamma J_m \quad (5.3)$$

and J_m is a difference quotient approximation to $\partial g_m / \partial y_m$. This matrix is taken to be banded, with upper and lower half-bandwidths `mudq` and `mldq` defined as the number of non-zero diagonals above and below the main diagonal, respectively. The difference quotient approximation is computed using `mudq + mldq + 2` evaluations of g_m , but only a matrix of bandwidth `mu + ml + 1` is retained.

Neither pair of parameters need be the true half-bandwidths of the Jacobian of the local block of g , if smaller values provide a more efficient preconditioner. Such an efficiency gain may occur if the couplings in the ODE system outside a certain bandwidth are considerably weaker than those within the band. Reducing `mu` and `ml` while keeping `mudq` and `mldq` at their true values, discards the elements outside the narrower band. Reducing both pairs has the additional effect of lumping the outer Jacobian elements into the computed elements within the band, and requires more caution and experimentation.

The solution of the complete linear system

$$Px = b \quad (5.4)$$

reduces to solving each of the equations

$$P_m x_m = b_m \quad (5.5)$$

and this is done by banded LU factorization of P_m followed by a banded backsolve.

The CVBBDPRE module calls two user-provided functions to construct P : a required function `gloc` (of type `CVLocalFn`) which approximates the right-hand side function $g(t, y) \approx f(t, y)$ and which is computed locally, and an optional function `cfm` (of type `CVCommFn`) which performs all inter-process communication necessary to evaluate the approximate right-hand side g . These are in addition to the user-supplied right-hand side function `f`. Both functions take as input the same pointer `f_data` as that passed by the user to `CVodeSetFdata` and passed to the user's function `f`, and neither function has a return value. The user is responsible for providing space (presumably within `f_data`) for components of `y` that are communicated by `cfm` from the other processors, and that are then used by `gloc`, which is not expected to do any communication.

CVLocalFn

Definition `typedef void (*CVLocalFn)(long int Nlocal, realtype t, N_Vector y, N_Vector glocal, void *f_data);`

Purpose This function computes $g(t, y)$. It loads the vector `glocal` as a function of `t` and `y`.

Arguments `Nlocal` is the local vector length.
`t` is the value of the independent variable.
`y` is the dependent variable.
`glocal` is the output vector.
`f_data` is a pointer to user data — the same as the `f_data` parameter passed to `CVodeSetFdata`.

Return value A `CVLocalFn` function type does not have a return value.

Notes This function assumes that all inter-processor communication of data needed to calculate `glocal` has already been done, and this data is accessible within `f_data`.
The case where g is mathematically identical to f is allowed.

CVCommFn

Definition

```
typedef void (*CVCommFn)(long int Nlocal, realtype t,
                        N_Vector y, void *f_data);
```

Purpose This function performs all inter-processor communications necessary for the execution of the `gloc` function above, using the input vector `y`.

Arguments `Nlocal` is the local vector length.
`t` is the value of the independent variable.
`y` is the dependent variable.
`f_data` is a pointer to user data — the same as the `f_data` parameter passed to `CVodeSetFdata`.

Return value A `CVCommFn` function type does not have a return value.

Notes The `cfn` function is expected to save communicated data in space defined within the structure `f_data`.
Each call to the `cfn` function is preceded by a call to the right-hand side function `f` with the same `(t, y)` arguments. Thus `cfn` can omit any communications done by `f` if relevant to the evaluation of `glocal`. If all necessary communication was done in `f`, then `cfn = NULL` can be passed in the call to `CVBBDPreAlloc` (see below).

Besides the header files required for the integration of the ODE problem (see §5.3), to use the `CVBBDPRE` module, the main program must include the header file `cvbbdpre.h` which declares the needed function prototypes.

The following is a summary of the usage of this module and describes the sequence of calls in the user main program. Steps that are unchanged from the user main program presented in §5.4 are grayed-out.

1. Initialize MPI
2. Set problem dimensions
3. Set vector of initial values
4. Create `CVODE` object
5. Set optional inputs
6. Allocate internal memory
7. Initialize the `CVBBDPRE` preconditioner module

Specify the upper and lower half-bandwidths `mudq`, `mldq` and `mukeep`, `mlkeep` and call

```

bbd_data = CVBBDPrecAlloc(cvode_mem, local_N, mudq, mldq,
                          mukeep, mlkeep, dqrely, gloc, cfn);

```

to allocate memory for and initialize a data structure `bbd_data` to be passed to the CVSPGMR linear solver. The last two arguments of `CVBBDPrecAlloc` are the two user-supplied functions described above.

8. Attach the CVSPGMR linear solver

```
flag = CVBBDSPgmr(cvode_mem, pretype, maxl, bbd_data);
```

The function `CVBBDSPgmr` is a wrapper around the CVSPGMR specification function `CVSPgmr` and performs the following actions:

- Attaches the CVSPGMR linear solver to the main CVODE solver memory;
- Sets the preconditioner data structure for CVBBDPRE;
- Sets the preconditioner setup function for CVBBDPRE;
- Sets the preconditioner solve function for CVBBDPRE;

The arguments `pretype` and `maxl` are described below. The last argument of `CVBBDSPgmr` is the pointer to the CVBBDPRE data returned by `CVBBDPrecAlloc`.

9. Set linear solver optional inputs

Note that the user should not overwrite the preconditioner data, setup function, or solve function through calls to CVSPGMR optional input functions.

10. Advance solution in time

11. Deallocate memory for solution vector

12. Free the CVBBDPRE data structure

```
CVBBDPrecFree(bbd_data);
```

13. Free solver memory

14. Finalize MPI

The three user-callable functions that initialize, attach, and deallocate the CVBBDPRE preconditioner module (steps 7, 8, and 12 above) are described next.

CVBBDPrecAlloc

Call	<pre>bbd_data = CVBBDPrecAlloc(cvode_mem, local_N, mudq, mldq, mukeep, mlkeep, dqrely, gloc, cfn);</pre>
Description	The function <code>CVBBDPrecAlloc</code> initializes and allocates memory for the CVBBDPRE preconditioner.
Arguments	<p><code>cvode_mem</code> (void *) pointer to the CVODE memory block.</p> <p><code>local_N</code> (long int) local vector length.</p> <p><code>mudq</code> (long int) upper half-bandwidth to be used in the difference-quotient Jacobian approximation.</p> <p><code>mldq</code> (long int) lower half-bandwidth to be used in the difference-quotient Jacobian approximation.</p> <p><code>mukeep</code> (long int) upper half-bandwidth of the retained banded approximate Jacobian block.</p> <p><code>mlkeep</code> (long int) lower half-bandwidth of the retained banded approximate Jacobian block.</p>

<code>dqrely</code>	(<code>realt</code>) the relative increment in components of <code>y</code> used in the difference quotient approximations. The default is <code>dqrely</code> = $\sqrt{\text{unit roundoff}}$, which can be specified by passing <code>dqrely</code> = 0.0.
<code>gloc</code>	(<code>CVLocalFn</code>) the C function which computes the approximation $g(t, y) \approx f(t, y)$.
<code>cfn</code>	(<code>CVCommFn</code>) the optional C function which performs all inter-process communication required for the computation of $g(t, y)$.
Return value	If successful, <code>CVBBDPrecAlloc</code> returns a pointer to the newly created <code>CVBBDPRE</code> memory block (of type <code>void *</code>). If an error occurred, <code>CVBBDPrecAlloc</code> returns <code>NULL</code> .
Notes	If one of the half-bandwidths <code>mudq</code> or <code>mldq</code> to be used in the difference-quotient calculation of the approximate Jacobian is negative or exceeds the value <code>local_N-1</code> , it is replaced with 0 or <code>local_N-1</code> accordingly. The half-bandwidths <code>mudq</code> and <code>mldq</code> need not be the true half-bandwidths of the Jacobian of the local block of g , when smaller values may provide a greater efficiency. Also, the half-bandwidths <code>muk</code> and <code>mlk</code> of the retained banded approximate Jacobian block may be even smaller, to reduce storage and computation costs further. For all four half-bandwidths, the values need not be the same on every processor.

CVBBDSpgmr

Call	<code>flag = CVBBDSpgmr(cvode_mem, pretype, maxl, bbd_data);</code>
Description	The function <code>CVBBDSpgmr</code> links the <code>CVBBDPRE</code> data to the <code>CVSPGMR</code> linear solver and attaches the latter to the <code>CVODE</code> memory block.
Arguments	<code>cvode_mem</code> (<code>void *</code>) pointer to the <code>CVODE</code> memory block. <code>pretype</code> (<code>int</code>) preconditioning type. Must be one of <code>PREC_LEFT</code> or <code>PREC_RIGHT</code> . <code>maxl</code> (<code>int</code>) maximum dimension of the Krylov subspace to be used. Pass 0 to use the default value <code>CVSPGMR_MAXL= 5</code> . <code>bbd_data</code> (<code>void *</code>) pointer to the <code>CVBBDPRE</code> data structure.
Return value	The return value <code>flag</code> (of type <code>int</code>) is one of <code>CVSPGMR_SUCCESS</code> The <code>CVSPGMR</code> initialization was successful. <code>CVSPGMR_MEM_NULL</code> The <code>cvode_mem</code> pointer is <code>NULL</code> . <code>CVSPGMR_ILL_INPUT</code> The preconditioner type <code>pretype</code> is not valid. <code>CVSPGMR_MEM_FAIL</code> A memory allocation request failed. <code>CV_PDATA_NULL</code> The <code>CVBBDPRE</code> preconditioner has not been initialized.

CVBBDPrecFree

Call	<code>CVBBDPrecFree(bbd_data);</code>
Description	The function <code>CVBBDPrecFree</code> frees the pointer allocated by <code>CVBBDPrecAlloc</code> .
Arguments	The only argument of <code>CVBBDPrecFree</code> is the pointer to the <code>CVBBDPRE</code> data structure (of type <code>void *</code>).
Return value	The function <code>CVBBDPrecFree</code> has no return value.

The `CVBBDPRE` module also provides a reinitialization function to allow solving a sequence of problems of the same size with `CVSPGMR/CVBBDPRE`, provided there is no change in `local_N`, `muk`, or `mlk`. After solving one problem, and after calling `CVodeReInit` to re-initialize `CVODE` for a subsequent problem, a call to `CVBBDPrecReInit` can be made to change any of the following: the half-bandwidths `mudq` and `mldq` used in the difference-quotient Jacobian approximations, the relative increment `dqrely`, or one of the user-supplied functions `gloc` and `cfn`.

CVBBDPrecReInit

Call `flag = CVBBDPrecReInit(bbd_data, mudq, mldq, dqrely, gloc, cfn);`

Description The function `CVBBDPrecReInit` reinitializes the CVBBDPRE preconditioner.

Arguments

- `bbd_data` (`void *`) pointer to the CVBBDPRE data structure.
- `mudq` (`long int`) upper half-bandwidth to be used in the difference-quotient Jacobian approximation.
- `mldq` (`long int`) lower half-bandwidth to be used in the difference-quotient Jacobian approximation.
- `dqrely` (`realtype`) the relative increment in components of `y` used in the difference quotient approximations. The default is `dqrely = $\sqrt{\text{unit roundoff}}$` , which can be specified by passing `dqrely = 0.0`.
- `gloc` (`CVLocalFn`) the C function which computes the approximation $g(t, y) \approx f(t, y)$.
- `cfn` (`CVCommFn`) the optional C function which performs all inter-process communication required for the computation of $g(t, y)$.

Return value The return value of `CVBBDPrecReInit` is always `CV_SUCCESS`.

Notes If one of the half-bandwidths `mudq` or `mldq` is negative or exceeds the value `local_N-1`, it is replaced with 0 or `local_N-1` accordingly.

The following two optional output functions are available for use with the CVBBDPRE module:

CVBBDPrecGetWorkSpace

Call `flag = CVBBDPrecGetWorkSpace(bbd_data, &lenrWBBDP, &leniwWBBDP);`

Description The function `CVBBDPrecGetWorkSpace` returns the local CVBBDPRE real and integer workspace sizes.

Arguments

- `bbd_data` (`void *`) pointer to the CVBBDPRE data structure.
- `lenrWBBDP` (`long int`) local number of `realtype` values in the CVBBDPRE workspace.
- `leniwWBBDP` (`long int`) local number of integer values in the CVBBDPRE workspace.

Return value The return value `flag` (of type `int`) is one of

- `CV_SUCCESS` The optional output value has been successfully set.
- `CV_PDATA_NULL` The CVBBDPRE preconditioner has not been initialized.

Notes In terms of `local_N` and `smu = min(local_N - 1, mukeep + mlkeep)`, the actual size of the real workspace is `(2 mlkeep + mukeep + smu + 2) local_N realtype` words, and the actual size of the integer workspace is `local_N` integer words. These values are local to the current processor.

CVBBDPrecGetNumGfnEvals

Call `flag = CVBBDPrecGetNumGfnEvals(bbd_data, &ngevalsBBDP);`

Description The function `CVBBDPrecGetNumGfnEvals` returns the number of calls to the user `gloc` function due to the finite difference approximation of the Jacobian blocks used within CVBBDPRE's preconditioner setup function.

Arguments

- `bbd_data` (`void *`) pointer to the CVBBDPRE data structure.
- `ngevalsBBDP` (`long int`) the number of calls to the user `gloc` function.

Return value The return value `flag` (of type `int`) is one of

- `CV_SUCCESS` The optional output value has been successfully set.
- `CV_PDATA_NULL` The CVBBDPRE preconditioner has not been initialized.

The costs associated with CVBBDPRE also include `nlinsetups` LU factorizations, `nlinsetups` calls to `cfn`, and `npsolves` banded backsolve calls, where `nlinsetups` and `npsolves` are optional CVODE outputs (see §5.5.6).

Similar block-diagonal preconditioners could be considered with different treatment of the blocks P_m . For example, incomplete LU factorization or an iterative method could be used instead of banded LU factorization.

5.9 FCVODE, a FORTRAN-C interface module

The FCVODE interface module is a package of C functions which support the use of the CVODE solver, for the solution of ODE systems $dy/dt = f(t, y)$, in a mixed FORTRAN/C setting. While CVODE is written in C, it is assumed here that the user's calling program and user-supplied problem-defining routines are written in FORTRAN. This package provides the necessary interface to CVODE for both the serial and the parallel NVECTOR implementations.

5.9.1 FCVODE routines

The user-callable functions, with the corresponding CVODE functions, are as follows:

- Interface to the NVECTOR modules
 - FNVINITS (defined by NVECTOR_SERIAL) interfaces to NV_New_Serial.
 - FNVINITP (defined by NVECTOR_PARALLEL) interfaces to NV_New_Parallel.
 - FNVFREES (defined by NVECTOR_SERIAL) interface to NV_Destroy_Serial.
 - FNVFREEP (defined by NVECTOR_PARALLEL) interfaces to NV_Destroy_Parallel.
- Interface to the main CVODE module
 - FCMALLOC interfaces to CCodeCreate, CCodeSet* functions, and CCodeMalloc.
 - FCVREINIT interfaces to CCodeReInit and CCodeSet* functions.
 - FCVODE interfaces to CCode, CCodeGet* functions, and to the optional output functions for the selected linear solver module.
 - FCVDKY interfaces to the interpolated output function CCodeGetDky.
 - FCVFREE interfaces to CCodeFree.
 - FCVEWTSET interfaces to CCodeSetEwtFn.
- Interface to the linear solver modules
 - FCVDIAG interfaces to CVDiag
 - FCVDENSE interfaces to CVDense.
 - FCVDENSESETJAC interfaces to CVDenseSetJacFn.
 - FCVBAND interfaces to CVBand.
 - FCVBANDSETJAC interfaces to CVBandSetJacFn.
 - FCVSPGMR interfaces to CVSpgmr and SPGMR optional input functions.
 - FCVSPGMRREINIT interfaces to SPGMR optional input functions.
 - FCVSPGMRSETJAC interfaces to CVSpgmrSetJacTimesVecFn.
 - FCVSPGMRSETPREC interfaces to CVSpgmrSetPreconditioner.

The user-supplied functions, each listed with the corresponding interface function which calls it (and its type within CVODE), are as follows:

FCVODE routine (FORTRAN)	CVODE function (C)	CVODE function type
FCVFUN	FCVf	CVRhsFn
FCVEWT	FCVEwtSet	CVEwtFn
FCVDJAC	FCVDenseJac	CVDenseJacFn
FCVBJAC	FCVBandJac	CVBandJacFn
FCVPSOL	FCVPSol	CVSpgmrPrecSolveFn
FCVPSET	FCVPSet	CVSpgmrPrecSetupFn
FCVJTICES	FCVJtimes	CVSpgmrJacTimesVecFn

In contrast to the case of direct use of CVODE, and of most FORTRAN ODE solvers, the names of all user-supplied routines here are fixed, in order to maximize portability for the resulting mixed-language program.

Important note on portability

In this package, the names of the interface functions, and the names of the FORTRAN user routines called by them, appear as dummy names which are mapped to actual values by a series of definitions in the header files `fcvode.h` and `fcvbbd.h`. By default, those mapping definitions depend in turn on the C macro `F77_FUNC` defined in the header file `config.h` by `configure`. However, the set of flags — `SUNDIALS_CASE_UPPER`, `SUNDIALS_CASE_LOWER`, `SUNDIALS_UNDERSCORE_NONE`, `SUNDIALS_UNDERSCORE_ONE`, and `SUNDIALS_UNDERSCORE_TWO` can be explicitly defined in `config.h` when configuring SUNDIALS via the `--with-f77underscore` and `--with-f77case` options to override the default behavior if necessary (see Chapter 2). Either way, the names into which the dummy names are mapped are in upper or lower case and have up to two underscores appended.

The user must also ensure that variables in the user FORTRAN code are declared in a manner consistent with their counterparts in CVODE. All real variables must be declared as `REAL`, `DOUBLE PRECISION`, or perhaps as `REAL*n`, where n denotes the number of bytes, depending on whether CVODE was built in single, double or extended precision (see Chapter 2). Moreover, some of the FORTRAN integer variables must be declared as `INTEGER*4` or `INTEGER*8` according to the C type `long int`. These integer variables include: the array of integer optional inputs and outputs (`IOPT`), problem dimensions (`NEQ`, `NLOCAL`, `NGLOBAL`), and Jacobian half-bandwidths (`MU`, `ML`, `MUDQ`, and `MLDQ`). This is particularly important when using CVODE and the FCVODE package on 64-bit architectures.

5.9.2 FCVODE optional input and output

In order to keep the number of user-callable FCVODE interface routines to a minimum, optional inputs and outputs to the CVODE solver and to related modules are not accessed through individual functions, but rather through a pair of arrays, `IOPT` of integer type and `ROPT` of real type. Table 5.3 lists the entries in these two arrays and specifies the FCVODE user-callable routine which sets/accesses the corresponding optional variable, as well as the CVODE optional function which is actually called. For more details on the optional inputs and outputs, see §5.5.4 and §5.5.6.

5.9.3 Usage of the FCVODE interface module

The usage of FCVODE requires calls to six or seven interface functions, depending on the method options selected, and one or more user-supplied routines which define the problem to be solved. These function calls and user routines are summarized separately below. Some details are omitted, and the user is referred to the description of the corresponding CVODE functions for information on the arguments of any given user-callable interface routine, or of a given user-supplied function called by an interface function. The usage of FCVODE with preconditioner modules is described in later subsections.

Steps marked with [S] in the instructions below apply to the serial `NVECTOR` implementation (`NVECTOR_SERIAL`) only, while those marked with [P] apply to `NVECTOR_PARALLEL`.

1. Right-hand side specification

Table 5.3: Description of the FCVODE optional input-output arrays IOPT and ROPT

Integer input-output array IOPT

Index	Optional input	Optional output	CVODE function
CVODE main solver			
1	MAXORD		CVodeSetMaxOrd
2	MXSTEP		CVodeSetMaxNumSteps
3	MXHNIL		CVodeSetMaxHnilWarns
4		NST	CVodeGetNumSteps
5		NFE	CVodeGetNumRhsEvals
6		NSETUPS	CVodeGetNumLinSolvSetups
7		NNI	CVodeGetNumNonlinSolvIters
8		NCFN	CVodeGetNumNonlinSolvConvFails
9		NETF	CVodeGetNumErrTestFails
10		QU	CVodeGetLastOrder
11		QCUR	CVodeGetCurrentOrder
12, 13		LENRW, LENIW	CVodeGetWorkSpace
14	SLDET		CVodeSetStabLimDet
15		NOR	CVodeGetNumStabLimOrderReds
22	MAXERRTESTFAILS		CVodeSetMaxErrTestFails
23	MAXNONLINITERS		CVodeSetMaxNonlinIters
24	MAXCONVFAILS		CVodeSetMaxConvFails
25		NGE	CVodeGetNumGEvals
CVDENSE linear solver			
16, 17		LRW, LIW	CVDenseGetWorkSpace
18		NJE	CVDenseGetNumJacEvals
26		LS_FLAG	CVDenseGetLastFlag
CVBAND linear solver			
16, 17		LRW, LIW	CVBandGetWorkSpace
18		NJE	CVBandGetNumJacEvals
26		LS_FLAG	CVBandGetLastFlag
CVDIAG linear solver			
16, 17		LRW, LIW	CVDiagGetWorkSpace
26		LS_FLAG	CVDiagGetLastFlag
CVSPGMR linear solver			
16, 17		LRW, LIW	CVSpgmrGetWorkSpace
18		NPE	CVSpgmrGetNumPrecEvals
19		NLI	CVSpgmrGetNumLinIters
20		NPS	CVSpgmrGetNumPrecSolves
21		NCFL	CVSpgmrGetNumConvFails
26		LS_FLAG	CVSpgmrGetLastFlag

Real input-output array ROPT

Index	Optional input	Optional output	CVODE function
1	HO		CVodeSetInitStep
2	HMAX		CVodeSetMaxStep
3	HMIN		CVodeSetMinStep
4		HU	CVodeGetLastStep
5		HCUR	CVodeGetCurrentStep
6		TCUR	CVodeGetCurrentTime
7		TOLSF	CVodeGetTolScaleFactor
8	TSTOP		CVodeSetStopTime
9	NONLINCONVCOEF		CVodeSetNonlinConvCoef
10		UROUND	unit roundoff

The user must in all cases supply the following Fortran routine

```
SUBROUTINE FCVFUN(T, Y, YDOT)
  DIMENSION Y(*), YDOT(*)
```

It must set the YDOT array to $f(t, y)$, the right-hand side of the ODE system, as function of $T = t$ and the array $Y = y$.

2. NVECTOR module initialization

[S] To initialize the serial NVECTOR module, the user must make the following call:

```
CALL FNVINITS(NEQ, IER)
```

where NEQ is the size of vectors and IER is a return completion flag which is set to 0 on success and -1 if a failure occurred.

[P] To initialize the parallel vector module, the user must make the following call:

```
CALL FNVINITP(NLOCAL, NGLOBAL, IER)
```

in which the arguments are: NLOCAL the local size of vectors on this processor, NGLOBAL the system size (and the global size of vectors, that is the sum of all values of NLOCAL). The return completion flag IER is set on 0 upon successful return and on -1 otherwise. Note that if MPI was initialized by the user, the communicator must be set to MPI_COMM_WORLD. If not, this routine initializes MPI and sets the communicator equal to MPI_COMM_WORLD.

3. Problem specification

To set various problem and solution parameters and allocate internal memory, make the following call:

FCVMALLOC

Call	CALL FCVMALLOC(TO, YO, METH, ITMETH, IATOL, RTOL, ATOL, INOPT, & IOPT, ROPT, IER)
Description	This function provides required problem and solution specifications, specifies optional inputs, allocates internal memory, and initializes CVODE.
Arguments	<p>TO is the initial value of t.</p> <p>YO is an array of initial conditions.</p> <p>METH specifies the basic integration method: 1 for Adams (nonstiff) or 2 for BDF (stiff).</p> <p>ITMETH specifies the nonlinear iteration method: 1 for functional iteration or 2 for Newton iteration.</p> <p>IATOL specifies the type for absolute tolerance ATOL: 1 for scalar or 2 for array. If IATOL = 3, the arguments RTOL and ATOL are ignored and the user is expected to subsequently call FCVEWTSET and provide the function FCVEWT.</p> <p>RTOL is the relative tolerance (scalar).</p> <p>ATOL is the absolute tolerance (scalar or array).</p> <p>INOPT is the optional input flag: 0 if none or 1 if optional inputs are used.</p> <p>IOPT is an array of length 40 for integer optional inputs and outputs.</p> <p>ROPT is an array of length 40 for real optional inputs and outputs.</p>
Return value	IER is a return completion flag. Values are 0 for successful return and -1 otherwise. See printed message for details in case of failure.

Notes The optional inputs and outputs associated with the main CVODE integrator are listed in Table 5.3. If any of the optional inputs are used, the others must be set to zero to indicate default values.

As an alternative to providing tolerances in the call to FCVMALLOC, the user may provide a routine to compute the error weights used in the WRMS norm evaluations. If supplied, it must have the following form:

```
SUBROUTINE FCVEWT (Y, EWT, IER)
  DIMENSION Y(*), EWT(*)
```

It must set the positive components of the error weight vector EWT for the calculation of the WRMS norm of Y. On return, set IER=0 if FCVEWT was successful, and nonzero otherwise.

If the FCVEWT routine is provided, then, following the call to FCVMALLOC, the user must make the call:

```
CALL FCVEWTSET (FLAG, IER)
```

with FLAG \neq 0 to specify use of the user-supplied error weight routine. The argument IER is an error return flag which can be 0 for success or non-zero if an error occurred.

4. Linear solver specification

In the case of a stiff system, the implicit BDF method involves the solution of linear systems related to the Jacobian $J = \partial f / \partial y$ of the ODE system. CVODE presently includes four choices for the treatment of these systems, and the user of FCVODE must call a routine with a specific name to make the desired choice.

[S] Diagonal approximate Jacobian

This choice is appropriate when the Jacobian can be well approximated by a diagonal matrix. The user must make the call:

```
CALL FCVDIAG(IER)
```

IER is an error return flag set on 0 on success or -1 if a memory failure occurred. There is no additional user-supplied routine. Optional outputs specific to the DIAG case listed in Table 5.3.

[S] Dense treatment of the linear system

The user must make the call:

```
CALL FCVDENSE(NEQ, IER)
```

The argument IER is an error return flag which can be 0 for success, -1 if a memory allocation failure occurred, or -2 for illegal input. As an option when using the DENSE linear solver, the user may supply a routine that computes a dense approximation of the system Jacobian $J = \partial f / \partial y$. If supplied, it must have the following form:

```
SUBROUTINE FCVDJAC (NEQ, T, Y, FY, DJAC, EWT, H, WK1, WK2, WK3)
  DIMENSION Y(*), FY(*), EWT(*), DJAC(NEQ,*), WK1(*), WK2(*), WK3(*)
```

Typically this routine will use only NEQ, T, Y, and DJAC. It must compute the Jacobian and store it columnwise in DJAC. FY contains $f(t, y)$. The vectors WK1, WK2, and WK3 of length NEQ are provided as work space for use in FCVDJAC.

If the user's FCVDJAC uses difference quotient approximations, it may need to use the error weight array EWT and current stepsize H in the calculation of suitable increments. It may also need the

unit roundoff, which can be obtained as the optional output `ROPT(10)`, passed from the calling program to this routine using `COMMON`.

If the `FCVDJAC` routine is provided, then, following the call to `FCVDENSE`, the user must make the call:

```
CALL FCVDENSESETJAC (FLAG, IER)
```

with `FLAG` $\neq 0$ to specify use of the user-supplied Jacobian approximation. The argument `IER` is an error return flag which can be 0 for success or non-zero if an error occurred.

Optional outputs specific to the `DENSE` case are listed in Table 5.3.

[S] Band treatment of the linear system

The user must make the call:

```
CALL FCVBAND (NEQ, MU, ML, IER)
```

The arguments are: `MU`, the upper half-bandwidth; `ML`, the lower half-bandwidth; and `IER` an error return flag which can be 0 for success, -1 if a memory allocation failure occurred, or -2 in case an input has an illegal value.

As an option when using the `BAND` linear solver, the user may supply a routine that computes a band approximation of the system Jacobian $J = \partial f / \partial y$. If supplied, it must have the following form:

```
SUBROUTINE FCVBJAC(NEQ, MU, ML, MDIM, T, Y, FY, BJAC,
&                  EWT, H, WK1, WK2, WK3)
DIMENSION Y(*), FY(*), EWT(*), BJAC(MDIM,*), WK1(*), WK2(*), WK3(*)
```

Typically this routine will use only `NEQ`, `MU`, `ML`, `T`, `Y`, and `BJAC`. It must load the `MDIM` by `N` array `BJAC` with the Jacobian matrix at the current (t, y) in band form. Store in `BJAC(k, j)` the Jacobian element $J_{i, j}$ with $k = i - j + MU + 1$, $k = 1 \cdots ML + MU + 1$ and $j = 1 \cdots N$. `FY` contains $f(t, y)$. The vectors `WK1`, `WK2`, and `WK3` of length `NEQ` are provided as work space for use in `FCVBJAC`.

If the user's `FCVBJAC` uses difference quotient approximations, it may need to use the error weight array `EWT` and current stepsize `H` in the calculation of suitable increments. It may also need the unit roundoff, which can be obtained as the optional output `ROPT(10)`, passed from the calling program to this routine using `COMMON`.

If the `FCVBJAC` routine is provided, then, following the call to `FCVBAND`, the user must make the call:

```
CALL FCVBANDSETJAC(FLAG, IER)
```

with `FLAG` $\neq 0$ to specify use of the user-supplied Jacobian approximation. The argument `IER` is an error return flag which can be 0 for success or non-zero if an error occurred.

Optional outputs specific to the `BAND` case are listed in Table 5.3.

[S][P] SPGMR treatment of the linear systems

For the Scaled Preconditioned GMRES solution of the linear systems, the user must make the call

```
CALL FCVSPGMR(IPRETYPE, IGSTYPE, MAXL, DELT, IER)
```

The arguments are as follows. `IPRETYPE` specifies the preconditioner type: 0 for no preconditioning, 1 for left only, 2 for right only, or 3 for both sides. `IGSTYPE` indicates the Gram-Schmidt

process type: 1 for modified G-S or 2 for classical G-S. MAXL is the maximum Krylov subspace dimension (0 indicates default). DELT is the linear convergence tolerance factor (0.0 indicates default). IER is an error return flag which can be 0 to indicate success, -1 if a memory allocation failure occurred, or -2 to indicate an illegal input.

As an option when using the SPGMR linear solver, the user may supply a routine that computes the product of the system Jacobian $J = \partial f / \partial y$ and a given vector v . If supplied, it must have the following form:

```
SUBROUTINE FCVJTIMES (V, FJV, T, Y, FY, EWT, H, WORK, IER)
  DIMENSION V(*), FJV(*), Y(*), FY(*), EWT(*), WORK(*)
```

Typically this routine will use only NEQ, T, Y, V, and FJV. It must compute the product vector Jv , where the vector v is stored in V, and store the product in FJV. On return, set IER=0 if FCVJTIMES was successful, and nonzero otherwise. FY contains $f(t, y)$. The vector WORK, of length NEQ, is provided as work space for use in FCVJTIMES.

If the user's FCVJTIMES uses difference quotient approximations, it may need to use the error weight array EWT and current stepsize H in the calculation of suitable increments. It may also need the unit roundoff, which can be obtained as the optional output ROPT(10), passed from the calling program to this routine using COMMON.

If the FCVJTIMES routine is provided, then, following the call to FCVSPGMR, the user must make the call:

```
CALL FCVSPGMRSETJAC(FLAG, IER)
```

with FLAG \neq 0 to specify use of the user-supplied Jacobian times vector approximation. The argument IER is an error return flag which can be 0 for success or non-zero if an error occurred.

If preconditioning is to be done (IPRETYPE \neq 0), then, following the call to FCVSPGMR, the user must call

```
CALL FCVSPGMRSETPREC(FLAG, IER)
```

with FLAG \neq 0, and the user program must include the following routine for solution of the preconditioner linear system:

```
SUBROUTINE FCVPSOL(T, Y, FY, VT, GAMMA, EWT, DELTA, R, LR, Z, IER)
  DIMENSION Y(*), FY(*), VT(*), EWT(*), R(*), Z(*)
```

It must solve the preconditioner linear system $Pz = r$, where $r = R$ is input, and store the solution z in Z. Here P is the left preconditioner if LR=1 and the right preconditioner if LR=2. The preconditioner (or the product of the left and right preconditioners if both are nontrivial) should be an approximation to the matrix $I - \gamma J$, where I is the identity matrix, J is the system Jacobian, and $\gamma = \text{GAMMA}$.

The arguments EWT and DELTA are input and provide the error weight array and a scalar tolerance, respectively, for use by FCVPSOL if it uses an iterative method in its solution. In that case, the residual vector $\rho = r - Pz$ of the system should be made less than DELTA in weighted ℓ_2 norm, i.e. $\sqrt{\sum (\rho_i * \text{EWT}[i])^2} < \text{DELTA}$. The argument VT is a work array of length NEQ for use by this routine.

If the user's preconditioner requires that any Jacobian related data be evaluated or preprocessed, then the following routine can be used for the evaluation and preprocessing of the preconditioner:

```
SUBROUTINE FCVPSET(T, Y, FY, JOK, JCUR, GAMMA, EWT, H, V1, V2, V3, IER)
  DIMENSION Y(*), FY(*), EWT(*), V1(*), V2(*), V3(*)
```

It must perform any evaluation of Jacobian-related data and preprocessing needed for the solution of the preconditioner linear systems by FCVPSOL. The input argument JOK allows for Jacobian data to be saved and reused: If JOK=0, this data should be recomputed from scratch. If JOK=1, a saved copy of it may be reused, and the preconditioner constructed from it. On return, set JCUR=1 if Jacobian data was computed, and 0 otherwise. Also on return, set IER=0 if FCVPSET was successful, set IER positive if a recoverable error occurred, and set IER negative if a non-recoverable error occurred.

If the user's FCVPSET uses difference quotient approximations, it may need to use the error weight array EWT and current stepsize H in the calculation of suitable increments. It may also need the unit roundoff, which can be obtained as the optional output ROPT(10), passed from the calling program to this routine using COMMON.



If the user calls FCVSPGMRSETPREC, the routine FCVPSET must be provided, even if it's empty.

Optional outputs specific to the SPGMR case are listed in Table 5.3.

If a sequence of problems of the same size is being solved using the SPGMR linear solver, then following the call to FCVREINIT (see below), a call to the FCVSPGMR routine may or may not be needed. If there is a change in input arguments other than MAXL, then the user program should call the routine FCVSPGMRREINIT which reinitializes the SPGMR linear solver, but without reallocating its memory. The arguments of FCVSPGMRREINIT routine have the same names and meanings as those of FCVSPGMR routine. Finally, if the value of MAXL is being changed, then a call to FCVSPGMR must be made.

5. Problem solution

Carrying out the integration is accomplished by making calls as follows:

```
CALL FCVODE(TOUT, T, Y, ITASK, IER)
```

The arguments are as follows. TOUT specifies the next value of t at which a solution is desired (input). T is the value of t reached by the solver on output. Y is an array containing the computed solution on output. ITASK is a task indicator and should be set to 1 for normal mode (overshoot TOUT and interpolate), to 2 for one-step mode (return after each internal step taken), to 3 for normal mode with the additional `tstop` constraint, or to 4 for one-step mode with the additional constraint `tstop`. IER is a completion flag and will be set to a positive value upon successful return or to a negative value if an error occurred. These values correspond to the CVode returns (see §5.5.3) as follows: 0: CV_SUCCESS, 1: CV_TSTOP_RETURN, 2: CV_ROOT_RETURN, -1: CV_MEM_NULL, -2: CV_ILL_INPUT, -3: CV_NO_MALLOC, -4: CV_TOO_MUCH_WORK, -5: CV_TOO_MUCH_ACC, -6: CV_ERR_FAILURE, -7: CV_CONV_FAILURE, -8: CV_LINIT_FAIL, -9: CV_LSETUP_FAIL, and -10: CV_LSOLVE_FAIL from CVode (see §5.5.3). The current values of the optional outputs are available in IOPT and ROPT (see Table 5.3).

6. Additional solution output

To obtain a derivative of the solution, of order up to the current method order, make the following call:

```
CALL FCVDKY(T, K, DKY, IER)
```

where T is the value of t at which solution derivative is desired, K is the derivative order ($0 \leq K \leq QU$), and DKY is an array containing the computed K-th derivative of y on return. The value T must lie between TCUR-HU and TCUR. The return flag IER is set to 0 upon successful return or to a negative value to indicate an illegal input.

7. Problem reinitialization

To re-initialize the CVODE solver for the solution of a new problem of the same size as one already solved, make the following call:

```
CALL FCVREINIT(TO, YO, IATOL, RTOL, ATOL, INOPT, IOPT, ROPT, IER)
```

The arguments have the same names and meanings as those of FCVMALLOC. FCVREINIT performs the same initializations as FCVMALLOC, but does no memory allocation, using instead the existing internal memory created by the previous FCVMALLOC call. The call to specify the linear system solution method may or may not be needed.

8. Memory deallocation

To free the internal memory created by the call to FCVMALLOC, make the call

```
CALL FCVFREE
```

and then, depending on the NVECTOR version (serial or parallel), either

```
CALL FNVFREES
```

or

```
CALL FNVFREEP
```

respectively.

5.9.4 Usage of the FCVROOT interface to rootfinding

The FCVROOT interface package allows programs written in FORTRAN to use the rootfinding feature of the CVODE solver module. The user-callable functions in FCVROOT, with the corresponding CVODE functions, are as follows:

- FCVROOTINIT interfaces to `CVodeRootInit`.
- FCVROOTINFO interfaces to `CVodeGetRootInfo`.
- FCVROOTFREE interfaces to `CVodeRootInit`.

In order to use the rootfinding feature of CVODE, the following call must be made, after calling FCVMALLOC but prior to calling FCVODE, to allocate and initialize memory for the FCVROOT module:

```
CALL FCVROOTINIT (NRTFN, IER)
```

The arguments are as follows: NRTFN is the number of root functions. IER is a return completion flag; its values are 0 for success, -1 if the CVODE memory was NULL, and -11 if a memory allocation failed.

To specify the functions whose roots are to be found, the user must define the following routine:

```
SUBROUTINE FCVROOTFN (T, Y, G)
  DIMENSION Y(*), G(*)
```

It must set the G array, of length NRTFN, with components $g_i(t, y)$, as a function of $T = t$ and the array $Y = y$.

When making calls to FCVODE to solve the ODE system, the occurrence of a root is flagged by the return value $IER = 2$. In that case, if $NRTFN > 1$, the functions g_i which were found to have a root can be identified by making the following call:

```
CALL FCVROOTINFO (NRTFN, INFO, IER)
```

The arguments are as follows: `NRTFN` is the number of root functions. `INFO` is an integer array of length `NRTFN` with root information. `IER` is a return completion flag; its values are 0 for success, negative if there was a memory failure. The returned values of `INFO(i)` ($i = 1, \dots, \text{NRTFN}$) are 0 or 1, such that `INFO(i) = 1` if g_i was found to have a root, and `INFO(i) = 0` otherwise.

The total number of calls made to the root function `FCVROOTFN`, denoted `NGE`, can be obtained from `IOPT(25)`. If the `FCVODE/CVODE` memory block is reinitialized to solve a different problem via a call to `FCVREINIT`, then the counter `NGE` is reset to zero.

To free the memory resources allocated by a prior call to `FCVROOTINIT` make the following call:

```
CALL FCVROOTFREE
```

See §5.7 for additional information on the rootfinding feature.

5.9.5 Usage of the FCVBP interface to CVBANDPRE

The `FCVBP` interface sub-module is a package of C functions which, as part of the `FCVODE` interface module, support the use of the `CVODE` solver with the serial `NVECTOR_SERIAL` module and the `CVBANDPRE` preconditioner module (see §5.8.1), for the solution of ODE systems in a mixed FORTRAN/C setting.

The user-callable functions in this package, with the corresponding `CVODE` and `CVBANDPRE` functions, are as follows:

- `FCVBPINIT` interfaces to `CVBandPrecAlloc`.
- `FCVBSPGMR` interfaces to `CVBSPgmr` and `SPGMR` optional input functions.
- `FCVBPREINIT` interfaces to `CVBandPrecReInit`.
- `FCVBPOPT` interfaces to `CVBANDPRE` optional output functions.
- `FCVBPFREE` interfaces to `CVBandPrecFree`.

As with the rest of the `FCVODE` routines, the names of the user-supplied routines are mapped to actual values through a series of definitions in the header file `fcvbp.h`.

The following is a summary of the usage of this module. Steps that are unchanged from the main program described in §5.9.3 are grayed-out.

1. **Right-hand side specification**
2. `NVECTOR` module initialization
3. **Problem specification**
4. **Linear solver specification**

To initialize the `CVBANDPRE` preconditioner, make the following call:

```
CALL FCVBPINIT(NEQ, MU, ML, IER)
```

The arguments are as follows. `NEQ` is the problem size. `MU` and `ML` are the upper and lower half-bandwidths of the band matrix that is retained as an approximation of the Jacobian. `IER` is a return completion flag. A value of 0 indicates success, while a value of -1 indicates that a memory failure occurred.

To specify the `SPGMR` linear system solver and use the `CVBANDPRE` preconditioner, make the following call:

```
CALL FCVBSPGMR(IPRETYPE, IGSTYPE, MAXL, DELT, IER)
```

Its arguments are the same as those of FCVSPGMR (see step 4 in §5.9.3).

Optionally, to specify that SPGMR should use the supplied FCVJTIMES, make the call

```
CALL FCVSPGMRSETJAC(FLAG, IER)
```

with $FLAG \neq 0$ (see step 4 in §5.9.3 for details).

5. Problem solution

6. CVBBDPRE Optional outputs

Optional outputs specific to the SPGMR solver are NPE, NLI, NPS, NCFL, LRW, and LIW, stored in IOPT(16) \cdots IOPT(21), respectively. To obtain the optional outputs associated with the CVBANDPRE module, make the following call:

```
CALL FCVBPOPT(LENRPW, LENIPW, NFE)
```

The arguments returned are as follows. LENRPW is the length of real preconditioner work space, in `realtype` words. LENIPW is the length of integer preconditioner work space, in integer words. NFE is the number of $f(t, y)$ evaluations (calls to FCVFUN) for finite difference banded Jacobian approximation.

7. Memory deallocation

To free the internal memory created by the call to FCVBPINIT, before calling FCVFREE and FNVFREEP, the user must call

```
CALL FCVBPFREE
```

5.9.6 Usage of the FCVBBD interface to CVBBDPRE

The FCVBBD interface sub-module is a package of C functions which, as part of the FCVODE interface module, support the use of the CVODE solver with the parallel NVECTOR_PARALLEL module and the CVBBDPRE preconditioner module (see §5.8.2), for the solution of ODE systems in a mixed FORTRAN/C setting.

The user-callable functions in this package, with the corresponding CVODE and CVBBDPRE functions, are as follows:

- FCVBBDINIT interfaces to CVBBDPrecAlloc.
- FCVBBDSPGMR interfaces to CVBBDSPgmr and SPGMR optional input functions.
- FCVBBDREINIT interfaces to CVBBDPrecReInit.
- FCVBBDOPT interfaces to CVBBDPRE optional output functions.
- FCVBBDFREE interfaces to CVBBDPrecFree.

In addition to the Fortran right-hand side function FCVFUN, the user-supplied functions used by this package, are listed below, each with the corresponding interface function which calls it (and its type within CVBBDPRE or CVODE):

FCVBBD routine (FORTRAN)	CVODE function (C)	CVODE function type
FCVLOCFN	FCVgloc	CVLocalFn
FCVCOMMF	FCVcfn	CVCommFn
FCVJTIMES	FCVJtimes	CVSpgmrJacTimesVecFn

As with the rest of the FCVODE routines, the names of all user-supplied routines here are fixed, in order to maximize portability for the resulting mixed-language program. Additionally, based on flags discussed above in §5.9.1, the names of the user-supplied routines are mapped to actual values through a series of definitions in the header file `fcvbbd.h`.

The following is a summary of the usage of this module. Steps that are unchanged from the main program described in §5.9.3 are grayed-out.

1. **Right-hand side specification**

2. **NVECTOR module initialization**

3. **Problem specification**

4. **Linear solver specification**

To initialize the CVBBDPRE preconditioner, make the following call:

```
CALL FCVBBDINIT(NLOCAL, MUDQ, MLDQ, MU, ML, DQRELY, IER)
```

The arguments are as follows. `NLOCAL` is the local size of vectors on this processor. `MUDQ` and `MLDQ` are the upper and lower half-bandwidths to be used in the computation of the local Jacobian blocks by difference quotients. These may be smaller than the true half-bandwidths of the Jacobian of the local block of g , when smaller values may provide greater efficiency. `MU` and `ML` are the upper and lower half-bandwidths of the band matrix that is retained as an approximation of the local Jacobian block. These may be smaller than `MUDQ` and `MLDQ`. `DQRELY` is the relative increment factor in y for difference quotients (optional). A value of 0.0 indicates the default, $\sqrt{\text{unit roundoff}}$. `IER` is a return completion flag. A value of 0 indicates success, while a value of -1 indicates that a memory failure occurred or that an input had an illegal value.

To specify the SPGMR linear system solver and use the CVBBDPRE preconditioner, make the following call:

```
CALL FCVBBDSPGMR(IPRETYPE, IGSTYPE, MAXL, DELT, IER)
```

Its arguments are the same as those of `FCVSPGMR` (see step 4 in §5.9.3).

Optionally, to specify that SPGMR should use the supplied `FCVJTIMES`, make the call

```
CALL FCVSPGMRSETJAC(FLAG, IER)
```

with `FLAG` $\neq 0$ (see step 4 in §5.9.3 for details).

5. **Problem solution**

6. **CVBBDPRE Optional outputs**

Optional outputs specific to the SPGMR solver are `NPE`, `MLI`, `NPS`, `NCFL`, `LRW`, and `LIW`, stored in `IOPT(16) ... IOPT(21)`, respectively. To obtain the optional outputs associated with the CVBBDPRE module, make the following call:

```
CALL FCVBBDOPT(LENRPW, LENIPW, NGE)
```

The arguments returned are as follows. `LENRPW` is the length of real preconditioner work space, in `realtype` words. This size is local to the current processor. `LENIPW` is the length of integer preconditioner work space, in integer words. This size is local to the current processor. `NGE` is the number of $g(t, y)$ evaluations (calls to `FCVLOCFN`) so far.

7. Problem reinitialization

If a sequence of problems of the same size is being solved using the SPGMR linear solver in combination with the CVBBDPRE preconditioner, then the CVODE package can be re-initialized for the second and subsequent problems by calling FCVREINIT, following which, a call to FCVBBDINIT may or may not be needed. If the input arguments are the same, no FCVBBDINIT call is needed. If there is a change in input arguments other than MU, ML, or MAXL, then the user program should make the call

```
CALL FCVBBBREINIT(NLOCAL, MUDQ, MLDQ, DQRELY, IER)
```

This reinitializes the CVBBDPRE preconditioner, but without reallocating its memory. The arguments of the FCVBBBREINIT routine have the same names and meanings as those of FCVBBDINIT. If the value of MU or ML is being changed, then a call to FCVBBDINIT must be made. Finally, if MAXL is being changed, then a call to FCVBBDSPGMR must be made; in this case the SPGMR memory is reallocated.

8. Memory deallocation

To free the internal memory created by the call to FCVBBDINIT, before calling FCVFREE and FNVFREEP, the user must call

```
CALL FCVBBDFREE
```


Chapter 6

Description of the NVECTOR module

The SUNDIALS solvers are written in a data-independent manner. They all operate on generic vectors (of type `N_Vector`) through a set of operations defined by the particular NVECTOR implementation. Users can provide their own specific implementation of the NVECTOR module or use one of two provided within SUNDIALS, a serial and an MPI parallel implementations.

The generic `N_Vector` type is a pointer to a structure that has an implementation-dependent *content* field containing the description and actual data of the vector, and an *ops* field pointing to a structure with generic vector operations. The type `N_Vector` is defined as

```
typedef struct _generic_N_Vector *N_Vector;

struct _generic_N_Vector {
    void *content;
    struct _generic_N_Vector_Ops *ops;
};
```

The `_generic_N_Vector_Ops` structure is essentially a list of pointers to the various actual vector operations, and is defined as

```
struct _generic_N_Vector_Ops {
    N_Vector      (*nvclone)(N_Vector);
    N_Vector      (*nvcloneempty)(N_Vector);
    void          (*nvdestroy)(N_Vector);
    void          (*nvspace)(N_Vector, long int *, long int *);
    realtype*     (*nvgetarraypointer)(N_Vector);
    void          (*nvsetarraypointer)(realtype *, N_Vector);
    void          (*nvlinearsum)(realtype, N_Vector, realtype, N_Vector, N_Vector);
    void          (*nvconst)(realtype, N_Vector);
    void          (*nvprod)(N_Vector, N_Vector, N_Vector);
    void          (*nvdiv)(N_Vector, N_Vector, N_Vector);
    void          (*nvscale)(realtype, N_Vector, N_Vector);
    void          (*nvabs)(N_Vector, N_Vector);
    void          (*nvinv)(N_Vector, N_Vector);
    void          (*nvaddconst)(N_Vector, realtype, N_Vector);
    realtype      (*nvdotprod)(N_Vector, N_Vector);
    realtype      (*nvmaxnorm)(N_Vector);
    realtype      (*nvwrmsnorm)(N_Vector, N_Vector);
    realtype      (*nvwrmsnormmask)(N_Vector, N_Vector, N_Vector);
    realtype      (*nvmin)(N_Vector);
```

```

realtype    (*nvw12norm)(N_Vector, N_Vector);
realtype    (*nvl1norm)(N_Vector);
void        (*nvcompare)(realtype, N_Vector, N_Vector);
booleantype (*nvinvtest)(N_Vector, N_Vector);
booleantype (*nvconstrmask)(N_Vector, N_Vector, N_Vector);
realtype    (*nvminquotient)(N_Vector, N_Vector);
};

```

The generic NVECTOR module also defines and implements the vector operations acting on `N_Vector`. These routines are nothing but wrappers for the vector operations defined by a particular NVECTOR implementation, which are accessed through the `ops` field of the `N_Vector` structure. To illustrate this point we show below the implementation of a typical vector operation from the generic NVECTOR module, namely `N_VScale`, which performs the scaling of a vector `x` by a scalar `c`:

```

void N_VScale(realtype c, N_Vector x, N_Vector z)
{
    z->ops->nvscale(c, x, z);
}

```

Table 6.1 contains a complete list of all vector operations defined by the generic NVECTOR module.

Finally, note that the generic NVECTOR module defines the functions `N_VCloneVectorArray` and `N_VCloneEmptyVectorArray`. Both functions create (by cloning) an array of `count` variables of type `N_Vector`, each of the same type as an existing `N_Vector`. Their prototypes are

```

N_Vector *N_VCloneVectorArray(int count, N_Vector w);
N_Vector *N_VCloneEmptyVectorArray(int count, N_Vector w);

```

and their definitions are based on the implementation-specific `N_VClone` and `N_VCloneEmpty` operations, respectively. An array of variables of type `N_Vector` can be destroyed by calling `N_VDestroyVectorArray`, whose prototype is

```

void N_VDestroyVectorArray(N_Vector *vs, int count);

```

and whose definition is based on the implementation-specific `N_VDestroy` operation.

A particular implementation of the NVECTOR module must:

- Specify the *content* field of `N_Vector`.
- Define and implement the vector operations. Note that the names of these routines should be unique to that implementation in order to permit using more than one NVECTOR module (each with different `N_Vector` internal data representations) in the same code.
- Define and implement user-callable constructor and destructor routines to create and free an `N_Vector` with the new *content* field and with *ops* pointing to the new vector operations.
- Optionally, define and implement additional user-callable routines acting on the newly defined `N_Vector` (e.g., a routine to print the content for debugging purposes).
- Optionally, provide accessor macros as needed for that particular implementation to be used to access different parts in the *content* field of the newly defined `N_Vector`.

Table 6.1: Description of the NVECTOR operations

Name	Usage and Description
N_VClone	$v = \text{N_VClone}(w);$ Creates a new <code>N_Vector</code> of the same type as an existing vector <code>w</code> and sets the <code>ops</code> field. It does not copy the vector, but rather allocates storage for the new vector.
N_VCloneEmpty	$v = \text{N_VCloneEmpty}(w);$ Creates a new <code>N_Vector</code> of the same type as an existing vector <code>w</code> and sets the <code>ops</code> field. It does not allocate storage for the data array.
N_VDestroy	$\text{N_VDestroy}(v);$ Destroys the <code>N_Vector</code> <code>v</code> and frees memory allocated for its internal data.
N_VSpace	$\text{N_VSpace}(nvSpec, \&lrw, \&liw);$ Returns storage requirements for one <code>N_Vector</code> . <code>lrw</code> contains the number of realtype words and <code>liw</code> contains the number of integer words.
N_VGetArrayPointer	$vdata = \text{N_VGetArrayPointer}(v);$ Returns a pointer to a <code>realtyp</code> array from the <code>N_Vector</code> <code>v</code> . Note that this assumes that the internal data in <code>N_Vector</code> is a contiguous array of <code>realtyp</code> . This routine is only used in the solver-specific interfaces to the dense and banded linear solvers, as well as the interfaces to the banded preconditioners provided with SUNDIALS.
N_VSetArrayPointer	$\text{N_VSetArrayPointer}(vdata, v);$ Overwrites the data in an <code>N_Vector</code> with a given array of <code>realtyp</code> . Note that this assumes that the internal data in <code>N_Vector</code> is a contiguous array of <code>realtyp</code> . This routine is only used in the interfaces to the dense linear solver.
N_VLinearSum	$\text{N_VLinearSum}(a, x, b, y, z);$ Performs the operation $z = ax + by$, where a and b are scalars and x and y are of type <code>N_Vector</code> : $z_i = ax_i + by_i, i = 0, \dots, n - 1$.
N_VConst	$\text{N_VConst}(c, z);$ Sets all components of the <code>N_Vector</code> <code>z</code> to <code>c</code> : $z_i = c, i = 0, \dots, n - 1$.
N_VProd	$\text{N_VProd}(x, y, z);$ Sets the <code>N_Vector</code> <code>z</code> to be the component-wise product of the <code>N_Vector</code> inputs <code>x</code> and <code>y</code> : $z_i = x_i y_i, i = 0, \dots, n - 1$.
N_VDiv	$\text{N_VDiv}(x, y, z);$ Sets the <code>N_Vector</code> <code>z</code> to be the component-wise ratio of the <code>N_Vector</code> inputs <code>x</code> and <code>y</code> : $z_i = x_i / y_i, i = 0, \dots, n - 1$. The y_i may not be tested for 0 values. It should only be called with an <code>x</code> that is guaranteed to have all nonzero components.

continued on next page

<i>continued from last page</i>	
Name	Usage and Description
N_VScale	N_VScale(c, x, z); Scales the N_Vector x by the scalar c and returns the result in z: $z_i = cx_i, i = 0, \dots, n - 1$.
N_VAbs	N_VAbs(x, y); Sets the components of the N_Vector y to be the absolute values of the components of the N_Vector x: $y_i = x_i , i = 0, \dots, n - 1$.
N_VInv	N_VInv(x, z); Sets the components of the N_Vector z to be the inverses of the components of the N_Vector x: $z_i = 1.0/x_i, i = 0, \dots, n - 1$. This routine may not check for division by 0. It should be called only with an x which is guaranteed to have all nonzero components.
N_VAddConst	N_VAddConst(x, b, z); Adds the scalar b to all components of x and returns the result in the N_Vector z: $z_i = x_i + b, i = 0, \dots, n - 1$.
N_VDotProd	d = N_VDotProd(x, y); Returns the value of the ordinary dot product of x and y: $d = \sum_{i=0}^{n-1} x_i y_i$.
N_VMaxNorm	m = N_VMaxNorm(x); Returns the maximum norm of the N_Vector x: $m = \max_i x_i $.
N_VWrmsNorm	m = N_VWrmsNorm(x, w) Returns the weighted root-mean-square norm of the N_Vector x with weight vector w: $m = \sqrt{(\sum_{i=0}^{n-1} (x_i w_i)^2) / n}$.
N_VWrmsNormMask	m = N_VWrmsNormMask(x, w, id); Returns the weighted root mean square norm of the N_Vector x with weight vector w built using only the elements of x corresponding to nonzero elements of the N_Vector id: $m = \sqrt{(\sum_{i=0}^{n-1} (x_i w_i \text{sign}(id_i))^2) / n}$.
N_VMin	m = N_VMin(x); Returns the smallest element of the N_Vector x: $m = \min_i x_i$.
N_VWL2Norm	m = N_VWL2Norm(x, w); Returns the weighted Euclidean ℓ_2 norm of the N_Vector x with weight vector w: $m = \sqrt{\sum_{i=0}^{n-1} (x_i w_i)^2}$.
N_VL1Norm	m = N_VL1Norm(x); Returns the ℓ_1 norm of the N_Vector x: $m = \sum_{i=0}^{n-1} x_i $.

continued on next page

<i>continued from last page</i>	
Name	Usage and Description
N_VCompare	N_VCompare(<i>c</i> , <i>x</i> , <i>z</i>); Compares the components of the N_Vector <i>x</i> to the scalar <i>c</i> and returns an N_Vector <i>z</i> such that: $z_i = 1.0$ if $ x_i \geq c$ and $z_i = 0.0$ otherwise.
N_VInvTest	<i>t</i> = N_VInvTest(<i>x</i> , <i>z</i>); Sets the components of the N_Vector <i>z</i> to be the inverses of the components of the N_Vector <i>x</i> , with prior testing for zero values: $z_i = 1.0/x_i$, $i = 0, \dots, n - 1$. This routine returns TRUE if all components of <i>x</i> are nonzero (successful inversion) and returns FALSE otherwise.
N_VConstrMask	<i>t</i> = N_VConstrMask(<i>c</i> , <i>x</i> , <i>m</i>); Performs the following constraint tests: $x_i > 0$ if $c_i = 2$, $x_i \geq 0$ if $c_i = 1$, $x_i \leq 0$ if $c_i = -1$, $x_i < 0$ if $c_i = -2$. There is no constraint on x_i if $c_i = 0$. This routine returns FALSE if any element failed the constraint test, TRUE if all passed. It also sets a mask vector <i>m</i> , with elements equal to 1.0 where the constraint test failed, and 0.0 where the test passed. This routine is used only for constraint checking.
N_VMinQuotient	<i>minq</i> = N_VMinQuotient(<i>num</i> , <i>denom</i>); This routine returns the minimum of the quotients obtained by term-wise dividing num_i by $denom_i$. A zero element in <i>denom</i> will be skipped. If no such quotients are found, then the large value BIG_REAL (defined in the header file <code>sundialstypes.h</code>) is returned.

6.1 The NVECTOR_SERIAL implementation

The serial implementation of the NVECTOR module provided with SUNDIALS, NVECTOR_SERIAL, defines the *content* field of N_Vector to be a structure containing the length of the vector, a pointer to the beginning of a contiguous data array, and a boolean flag *own_data* which specifies the ownership of *data*.

```
struct _N_VectorContent_Serial {
    long int length;
    booleantype own_data;
    realtype *data;
};
```

The following five macros are provided to access the content of an NVECTOR_SERIAL vector. The suffix *_S* in the names denotes serial version.

- NV_CONTENT_S

This routine gives access to the contents of the serial vector N_Vector.

The assignment `v_cont = NV_CONTENT_S(v)` sets *v_cont* to be a pointer to the serial N_Vector content structure.

Implementation:

```
#define NV_CONTENT_S(v) ( (N_VectorContent_Serial)(v->content) )
```

- `NV_OWN_DATA_S`, `NV_DATA_S`, `NV_LENGTH_S`

These macros give individual access to the parts of the content of a serial `N_Vector`.

The assignment `v_data = NV_DATA_S(v)` sets `v_data` to be a pointer to the first component of the data for the `N_Vector` `v`. The assignment `NV_DATA_S(v) = v_data` sets the component array of `v` to be `v_data` by storing the pointer `v_data`.

The assignment `v_len = NV_LENGTH_S(v)` sets `v_len` to be the length of `v`. On the other hand, the call `NV_LENGTH_S(v) = len_v` sets the length of `v` to be `len_v`.

Implementation:

```
#define NV_OWN_DATA_S(v) ( NV_CONTENT_S(v)->own_data )
#define NV_DATA_S(v) ( NV_CONTENT_S(v)->data )
#define NV_LENGTH_S(v) ( NV_CONTENT_S(v)->length )
```

- `NV_Ith_S`

This macro gives access to the individual components of the data array of an `N_Vector`.

The assignment `r = NV_Ith_S(v,i)` sets `r` to be the value of the `i`-th component of `v`. The assignment `NV_Ith_S(v,i) = r` sets the value of the `i`-th component of `v` to be `r`.

Here `i` ranges from 0 to $n - 1$ for a vector of length `n`.

Implementation:

```
#define NV_Ith_S(v,i) ( NV_DATA_S(v)[i] )
```

The `NVECTOR_SERIAL` module defines serial implementations of all vector operations listed in Table 6.1 and provides the following user-callable routines:

- `N_VNew_Serial`

This function creates and allocates memory for a serial `N_Vector`. Its only argument is the vector length.

```
N_Vector N_VNew_Serial(long int vec_length);
```

- `N_VNewEmpty_Serial`

This function creates a new serial `N_Vector` with an empty (`NULL`) data array.

```
N_Vector N_VNewEmpty_Serial(long int vec_length);
```

- `N_VMake_Serial`

This function creates and allocates memory for a serial vector with user-provided data array.

```
N_Vector N_VMake_Serial(long int vec_length, realtype *v_data);
```

- `N_VNewVectorArray_Serial`

This function creates an array of `count` serial vectors.

```
N_Vector *N_VNewVectorArray_Serial(int count, long int vec_length);
```

- `N_VNewVectorArrayEmpty_Serial`

This function creates an array of `count` serial vectors, each with an empty (`NULL`) data array.

```
N_Vector *N_VNewVectorArrayEmpty_Serial(int count, long int vec_length);
```

- `N_VDestroyVectorArray_Serial`

This function frees memory allocated for the array of `count` variables of type `N_Vector` created with `N_VNewVectorArray_Serial` or with `N_VNewVectorArrayEmpty_Serial`.

```
void N_VDestroyVectorArray_Serial(N_Vector *vs, int count);
```

- `N_VPrint_Serial`

This function prints the content of a serial vector to `stdout`.

```
void N_VPrint_Serial(N_Vector v);
```

Notes

- When looping over the components of an `N_Vector` `v`, it is more efficient to first obtain the component array via `v_data = NV_DATA_S(v)` and then access `v_data[i]` within the loop than it is to use `NV_Ith_S(v, i)` within the loop.
-  The `NVECTOR_SERIAL` constructor functions `N_VNewEmpty_Serial`, `N_VMake_Serial`, and `N_VNewVectorArrayEmpty_Serial` set the field `own_data = FALSE`. The functions `N_VDestroy_Serial` and `N_VDestroyVectorArray_Serial` will not attempt to free the pointer `data` for any `N_Vector` with `own_data` set to `FALSE`. In such a case, it is the user's responsibility to deallocate the `data` pointer.
-  To maximize efficiency, vector operations in the `NVECTOR_SERIAL` implementation that have more than one `N_Vector` argument do not check for consistent internal representation of these vectors. It is the user's responsibility to ensure that such routines are called with `N_Vector` arguments that were all created with the same internal representations.

6.2 The NVECTOR_PARALLEL implementation

The parallel implementation of the `NVECTOR` module provided with `SUNDIALS`, `NVECTOR_PARALLEL`, defines the `content` field of `N_Vector` to be a structure containing the global and local lengths of the vector, a pointer to the beginning of a contiguous local data array, an MPI communicator, an a boolean flag `own_data` indicating ownership of the data array `data`.

```
struct _N_VectorContent_Parallel {
    long int local_length;
    long int global_length;
    booleantype own_data;
    realtype *data;
    MPI_Comm comm;
};
```

The following seven macros are provided to access the content of a `NVECTOR_PARALLEL` vector. The suffix `_P` in the names denotes parallel version.

- `NV_CONTENT_P`

This macro gives access to the contents of the parallel vector `N_Vector`.

The assignment `v_cont = NV_CONTENT_P(v)` sets `v_cont` to be a pointer to the `N_Vector` content structure of type `struct _N_VectorParallelContent`.

Implementation:

```
#define NV_CONTENT_P(v) ( (_N_VectorContent_Parallel)(v->content) )
```

- `NV_OWN_DATA_P`, `NV_DATA_P`, `NV_LOCLENGTH_P`, `NV_GLOBLENGTH_P`

These macros give individual access to the parts of the content of a parallel `N_Vector`.

The assignment `v_data = NV_DATA_P(v)` sets `v_data` to be a pointer to the first component of the local data for the `N_Vector` `v`. The assignment `NV_DATA_P(v) = v_data` sets the component array of `v` to be `v_data` by storing the pointer `v_data`.

The assignment `v_llen = NV_LOCLENGTH_P(v)` sets `v_llen` to be the length of the local part of `v`. The call `NV_LENGTH_P(v) = llen_v` sets the local length of `v` to be `llen_v`.

The assignment `v_glen = NV_GLOBLENGTH_P(v)` sets `v_glen` to be the global length of the vector `v`. The call `NV_GLOBLENGTH_P(v) = glen_v` sets the global length of `v` to be `glen_v`.

Implementation:

- `N_VNewVectorArrayEmpty_Parallel`

This function creates an array of `count` parallel vectors, each with an empty (NULL) data array.

```
N_Vector *N_VNewVectorArrayEmpty_Parallel(int count,
                                           MPI_Comm comm,
                                           long int local_length,
                                           long int global_length);
```

- `N_VDestroyVectorArray_Parallel`

This function frees memory allocated for the array of `count` variables of type `N_Vector` created with `N_VNewVectorArray_Parallel` or with `N_VNewVectorArrayEmpty_Parallel`.

```
void N_VDestroyVectorArray_Parallel(N_Vector *vs, int count);
```

- `N_VPrint_Parallel`

This function prints the content of a parallel vector to stdout.

```
void N_VPrint_Parallel(N_Vector v);
```

Notes

- When looping over the components of an `N_Vector` `v`, it is more efficient to first obtain the local component array via `v_data = NV_DATA_P(v)` and then access `v_data[i]` within the loop than it is to use `NV_Ith_P(v, i)` within the loop.

-  The `NVECTOR_PARALLEL` constructor functions `N_VNewEmpty_Parallel`, `N_VMake_Parallel`, and `N_VNewVectorArrayEmpty_Parallel` set the field `own_data = FALSE`. The functions `N_VDestroy_Parallel` and `N_VDestroyVectorArray_Parallel` will not attempt to free the pointer `data` for any `N_Vector` with `own_data` set to `FALSE`. In such a case, it is the user's responsibility to deallocate the `data` pointer.

-  To maximize efficiency, vector operations in the `NVECTOR_PARALLEL` implementation that have more than one `N_Vector` argument do not check for consistent internal representation of these vectors. It is the user's responsibility to ensure that such routines are called with `N_Vector` arguments that were all created with the same internal representations.

6.3 NVECTOR functions used by CVODE

In Table 6.2 below, we list the vector functions in the `NVECTOR` module within the `CVODE` package. The table also shows, for each function, which of the code modules uses the function. The `CVODE` column shows function usage within the main integrator module, while the remaining seven columns show function usage within each of the four `CVODE` linear solvers, the `CVBANDPRE` and `CVBBDPRE` preconditioner modules, and the `FCVODE` module.

There is one subtlety in the `CVSPGMR` column hidden by the table. The dot product function `N_VDotProd` is called both within the implementation file `cvspgmr.c` for the `CVSPGMR` solver and within the implementation files `spgmr.c` and `iterative.c` for the generic `SPGMR` solver upon which the `CVSPGMR` solver is implemented. Also, although `N_VDiv` and `N_VProd` are not called within the implementation file `cvspgmr.c`, they are called within the implementation file `spgmr.c` and so are required by the `CVSPGMR` solver module. This issue does not arise for the other three `CVODE` linear solvers because the generic `DENSE` and `BAND` solvers (used in the implementation of `CVDENSE` and `CVBAND`) do not make calls to any vector functions and `CVDIAG` is not implemented using a generic diagonal solver.

Table 6.2: List of vector functions usage by CVOICE code modules

	CVOICE	CVDENSE	CVBAND	CVDIAG	CVSPGMR	CVBANDPRE	CVBDDPRE	FCVOICE
N_VClone	✓			✓	✓			
N_VDestroy	✓			✓	✓			
N_VSpace	✓							
N_VGetArrayPointer		✓	✓			✓	✓	✓
N_VSetArrayPointer		✓						✓
N_VLinearSum	✓	✓		✓	✓			
N_VConst	✓				✓			
N_VProd	✓			✓	✓			
N_VDiv	✓			✓	✓			
N_VScale	✓	✓	✓	✓	✓	✓	✓	
N_VAbs	✓							
N_VInv	✓			✓				
N_VAddConst	✓			✓				
N_VDotProd					✓			
N_VMaxNorm	✓							
N_VWrmsNorm	✓	✓	✓		✓	✓	✓	
N_VMin	✓							
N_VCompare				✓				
N_VInvTest				✓				

At this point, we should emphasize that the CVOICE user does not need to know anything about the usage of vector functions by the CVOICE code modules in order to use CVOICE. The information is presented as an implementation detail for the interested reader.

The vector functions listed in Table 6.1 that are *not* used by CVOICE are: N_VWL2Norm, N_VL1Norm, N_VWrmsNormMask, N_VConstrMask, N_VCloneEmpty, and N_VMinQuotient. Therefore a user-supplied NVECTOR module for CVOICE could omit these five functions.

Chapter 7

Providing Alternate Linear Solver Modules

The central `CVODE` module interfaces with the linear solver module to be used by way of calls to four routines. These are denoted here by `linit`, `lsetup`, `lsolve`, and `lfree`. Briefly, their purposes are as follows:

- `linit`: initialize and allocate memory specific to the linear solver;
- `lsetup`: evaluate and preprocess the Jacobian or preconditioner;
- `lsolve`: solve the linear system;
- `lfree`: free the linear solver memory.

A linear solver module must also provide a user-callable specification routine (like those described in §5.5.2) which will attach the above four routines to the main `CVODE` memory block. Note that of the four interface routines, only the `lsolve` routine is required. The `lfree` routine must be provided only if the solver specification routine makes any memory allocation.

These four routines that interface between `CVODE` and the linear solver module necessarily have fixed call sequences. Thus, a user wishing to implement another linear solver within the `CVODE` package must adhere to this set of interfaces. The following is a complete description of the call list for each of these routines. Note that the call list of each routine includes a pointer to the main `CVODE` memory block, by which the routine can access various data related to the `CVODE` solution. The contents of this memory block are given in the file `cvode_impl.h` (but not reproduced here, for the sake of space).

Initialization routine. The type definition of `linit` is

`linit`

Definition `int (*linit)(CVodeMem cv_mem);`

Purpose The purpose of `linit` is to complete initializations for specific linear solver, such as counters and statistics.

Arguments `cv_mem` is the `CVODE` memory pointer of type `CVodeMem`.

Return value An `linit` function should return 0 if it has successfully initialized the `CVODE` linear solver and `-1` otherwise.

Notes If an error does occur, an appropriate message should be sent to `cv_mem->cv_errfp`.

Setup routine. The type definition of `lsetup` is

lsetup

Definition `int (*lsetup)(CvodeMem cv_mem, int convfail, N_Vector ypred, N_Vector fpred, booleantype *jcurPtr, N_Vector vtemp1, N_Vector vtemp2, N_Vector vtemp3);`

Purpose The job of `lsetup` is to prepare the linear solver for subsequent calls to `lsolve`. It may re-compute Jacobian-related data as it deems necessary.

Arguments `cv_mem` is the CVODE memory pointer of type `CvodeMem`.
`convfail` is an input flag used to indicate any problem that occurred during the solution of the nonlinear equation on the current time step for which the linear solver is being used. This flag can be used to help decide whether the Jacobian data kept by a CVODE linear solver needs to be updated or not. Its possible values are:

- `CV_NO_FAILURES`: this value is passed to `lsetup` if either this is the first call for this step, or the local error test failed on the previous attempt at this step (but the Newton iteration converged).
- `CV_FAIL_BAD_J`: this value is passed to `lsetup` if (a) the previous Newton corrector iteration did not converge and the linear solver's setup routine indicated that its Jacobian-related data is not current, or (b) during the previous Newton corrector iteration, the linear solver's solve routine failed in a recoverable manner and the linear solver's setup routine indicated that its Jacobian-related data is not current.
- `CV_FAIL_OTHER`: this value is passed to `lsetup` if during the current internal step try, the previous Newton iteration failed to converge even though the linear solver was using current Jacobian-related data.

`ypred` is the predicted y vector for the current CVODE internal step.
`fpred` is the value of the right-hand side at `ypred`, i.e. $f(t_n, y_{pred})$.
`jcurPtr` is a pointer to a boolean to be filled in by `lsetup`. The function should set `*jcurPtr = TRUE` if its Jacobian data is current after the call and should set `*jcurPtr = FALSE` if its Jacobian data is not current. If `lsetup` calls for re-evaluation of Jacobian data (based on `convfail` and CVODE state data), it should return `*jcurPtr = TRUE` unconditionally; otherwise an infinite loop can result.

`vtemp1`
`vtemp2`
`vtemp3` are temporary variables of type `N_Vector` provided for use by `lsetup`.

Return value The `lsetup` routine should return 0 if successful, a positive value for a recoverable error, and a negative value for an unrecoverable error.

Solve routine. The type definition of `lsolve` is

lsolve

Definition `int (*lsolve)(CvodeMem cv_mem, N_Vector b, N_Vector weight, N_Vector ycur, N_Vector fcur);`

Purpose The routine `lsolve` must solve the linear equation $Mx = b$, where M is some approximation to $I - \gamma J$, $J = (\partial f / \partial y)(t_n, y_{cur})$ and the right-hand side vector b is input.

Arguments `cv_mem` is the CVODE memory pointer of type `CvodeMem`.
`b` is the right-hand side vector b . The solution is to be returned in the vector `b`.
`weight` is a vector that contains the error weights. These are the reciprocals of the W_i of (3.6).

`ycur` is a vector that contains the solver's current approximation to $y(t_n)$.

`fcur` is a vector that contains $f(t_n, y_{cur})$.

Return value `lsolve` returns a positive value for a recoverable error and a negative value for an unrecoverable error. Success is indicated by a 0 return value.

Memory deallocation routine. The type definition of `lfree` is

`lfree`

Definition `void (*lfree)(CVodeMem cv_mem);`

Purpose The routine `lfree` should free up any memory allocated by the linear solver.

Arguments The argument `cv_mem` is the CVODE memory pointer of type `CVodeMem`.

Return value This routine has no return value.

Notes This routine is called once a problem has been completed and the linear solver is no longer needed.

Chapter 8

Generic Linear Solvers in SUNDIALS

In this chapter, we describe three generic linear solver code modules that are included in CVODE, but which are of potential use as generic packages in themselves, either in conjunction with the use of CVODE or separately. These modules are:

- The DENSE matrix package, which includes the matrix type `DenseMat`, macros and functions for `DenseMat` matrices, and functions for small dense matrices treated as simple array types.
- The BAND matrix package, which includes the matrix type `BandMat`, macros and functions for `BandMat` matrices, and functions for small band matrices treated as simple array types.
- The SPGMR package, which includes a solver for the scaled preconditioned GMRES method.

For the sake of space, the functions for `DenseMat` and `BandMat` matrices and the functions in SPGMR are only summarized briefly, since they are less likely to be of direct use in connection with CVODE. The functions for small dense matrices are fully described, because we expect that they will be useful in the implementation of preconditioners used with the combination of CVODE and the CVSPGMR solver.

8.1 The DENSE module

8.1.1 Type `DenseMat`

The type `DenseMat` is defined to be a pointer to a structure with a `size` and a `data` field:

```
typedef struct {
    long int size;
    realtype **data;
} *DenseMat;
```

The `size` field indicates the number of columns (which is the same as the number of rows) of a dense matrix, while the `data` field is a two dimensional array used for component storage. The elements of a dense matrix are stored columnwise (i.e columns are stored one on top of the other in memory). If `A` is of type `DenseMat`, then the (i,j) -th element of `A` (with $0 \leq i, j \leq \text{size}-1$) is given by the expression `(A->data)[j][i]` or by the expression `(A->data)[0][j*size+i]`. The macros below allow a user to efficiently access individual matrix elements without writing out explicit data structure references and without knowing too much about the underlying element storage. The only storage assumption needed is that elements are stored columnwise and that a pointer to the j -th column of elements can be obtained via the `DENSE_COL` macro. Users should use these macros whenever possible.

8.1.2 Accessor Macros

The following two macros are defined by the DENSE module to provide access to data in the `DenseMat` type:

- `DENSE_ELEM`

Usage : `DENSE_ELEM(A,i,j) = a_ij`; or `a_ij = DENSE_ELEM(A,i,j)`;

`DENSE_ELEM` references the (i,j) -th element of the $N \times N$ `DenseMat` `A`, $0 \leq i, j \leq N - 1$.

- `DENSE_COL`

Usage : `col_j = DENSE_COL(A,j)`;

`DENSE_COL` references the j -th column of the $N \times N$ `DenseMat` `A`, $0 \leq j \leq N - 1$. The type of the expression `DENSE_COL(A,j)` is `realtype *`. After the assignment in the usage above, `col_j` may be treated as an array indexed from 0 to $N - 1$. The (i, j) -th element of `A` is referenced by `col_j[i]`.

8.1.3 Functions

The following functions for `DenseMat` matrices are available in the DENSE package. For full details, see the header file `dense.h`.

- `DenseAllocMat`: allocation of a `DenseMat` matrix;
- `DenseAllocPiv`: allocation of a pivot array for use with `DenseFactor/DenseBacksolve`;
- `DenseFactor`: LU factorization with partial pivoting;
- `DenseBacksolve`: solution of $Ax = b$ using LU factorization;
- `DenseZero`: load a matrix with zeros;
- `DenseCopy`: copy one matrix to another;
- `DenseScale`: scale a matrix by a scalar;
- `DenseAddI`: increment a matrix by the identity matrix;
- `DenseFreeMat`: free memory for a `DenseMat` matrix;
- `DenseFreePiv`: free memory for a pivot array;
- `DensePrint`: print a `DenseMat` matrix to standard output.

8.1.4 Small Dense Matrix Functions

The following functions for small dense matrices are available in the DENSE package:

- `denalloc`

`denalloc(n)` allocates storage for an n by n dense matrix. It returns a pointer to the newly allocated storage if successful. If the memory request cannot be satisfied, then `denalloc` returns `NULL`. The underlying type of the dense matrix returned is `realtype**`. If we allocate a dense matrix `realtype** a` by `a = denalloc(n)`, then `a[j][i]` references the (i,j) -th element of the matrix `a`, $0 \leq i, j \leq n-1$, and `a[j]` is a pointer to the first element in the j -th column of `a`. The location `a[0]` contains a pointer to n^2 contiguous locations which contain the elements of `a`.

- `denallocpiv`

`denallocpiv(n)` allocates an array of `n` integers. It returns a pointer to the first element in the array if successful. It returns `NULL` if the memory request could not be satisfied.

- `gefa`

`gefa(a,n,p)` factors the `n` by `n` dense matrix `a`. It overwrites the elements of `a` with its LU factors and keeps track of the pivot rows chosen in the pivot array `p`.

A successful LU factorization leaves the matrix `a` and the pivot array `p` with the following information:

1. `p[k]` contains the row number of the pivot element chosen at the beginning of elimination step `k`, `k = 0, 1, ..., n-1`.
2. If the unique LU factorization of `a` is given by $Pa = LU$, where P is a permutation matrix, L is a lower triangular matrix with all 1's on the diagonal, and U is an upper triangular matrix, then the upper triangular part of `a` (including its diagonal) contains U and the strictly lower triangular part of `a` contains the multipliers, $I - L$.

`gefa` returns 0 if successful. Otherwise it encountered a zero diagonal element during the factorization. In this case it returns the column index (numbered from one) at which it encountered the zero.

- `gesl`

`gesl(a,n,p,b)` solves the `n` by `n` linear system $ax = b$. It assumes that `a` has been LU-factored and the pivot array `p` has been set by a successful call to `gefa(a,n,p)`. The solution x is written into the `b` array.

- `denzero`

`denzero(a,n)` sets all the elements of the `n` by `n` dense matrix `a` to be 0.0;

- `dencopy`

`dencopy(a,b,n)` copies the `n` by `n` dense matrix `a` into the `n` by `n` dense matrix `b`;

- `denscale`

`denscale(c,a,n)` scales every element in the `n` by `n` dense matrix `a` by `c`;

- `denaddI`

`denaddI(a,n)` increments the `n` by `n` dense matrix `a` by the identity matrix;

- `denfreepiv`

`denfreepiv(p)` frees the pivot array `p` allocated by `denallocpiv`;

- `denfree`

`denfree(a)` frees the dense matrix `a` allocated by `denalloc`;

- `denprint`

`denprint(a,n)` prints the `n` by `n` dense matrix `a` to standard output as it would normally appear on paper. It is intended as a debugging tool with small values of `n`. The elements are printed using the `%g` option. A blank line is printed before and after the matrix.

8.2 The BAND module

8.2.1 Type BandMat

The type `BandMat` is the type of a large band matrix `A` (possibly distributed). It is defined to be a pointer to a structure defined by:

```
typedef struct {
    long int size;
    long int mu, ml, smu;
    realtype **data;
} *BandMat;
```

The fields in the above structure are:

- *size* is the number of columns (which is the same as the number of rows);
- *mu* is the upper half-bandwidth, $0 \leq mu \leq size-1$;
- *ml* is the lower half-bandwidth, $0 \leq ml \leq size-1$;
- *smu* is the storage upper half-bandwidth, $mu \leq smu \leq size-1$. The `BandFactor` routine writes the LU factors into the storage for `A`. The upper triangular factor `U`, however, may have an upper half-bandwidth as big as $\min(size-1, mu+ml)$ because of partial pivoting. The *smu* field holds the upper half-bandwidth allocated for `A`.
- *data* is a two dimensional array used for component storage. The elements of a band matrix of type `BandMat` are stored columnwise (i.e. columns are stored one on top of the other in memory). Only elements within the specified half-bandwidths are stored.

If we number rows and columns in the band matrix starting from 0, then

- `data[0]` is a pointer to $(smu+ml+1)*size$ contiguous locations which hold the elements within the band of `A`
- `data[j]` is a pointer to the uppermost element within the band in the *j*-th column. This pointer may be treated as an array indexed from $smu-mu$ (to access the uppermost element within the band in the *j*-th column) to $smu+ml$ (to access the lowest element within the band in the *j*-th column). Indices from 0 to $smu-mu-1$ give access to extra storage elements required by `BandFactor`.
- `data[j][i-j+smu]` is the (i,j) -th element, $j-mu \leq i \leq j+ml$.

The macros below allow a user to access individual matrix elements without writing out explicit data structure references and without knowing too much about the underlying element storage. The only storage assumption needed is that elements are stored columnwise and that a pointer into the *j*-th column of elements can be obtained via the `BAND_COL` macro. Users should use these macros whenever possible.

See Figure 8.1 for a diagram of the `BandMat` type.

8.2.2 Accessor Macros

The following three macros are defined by the `BAND` module to provide access to data in the `BandMat` type:

- `BAND_ELEM`

Usage : `BAND_ELEM(A,i,j) = a_ij`; or `a_ij = BAND_ELEM(A,i,j)`;

`BAND_ELEM` references the (i,j) -th element of the $N \times N$ band matrix `A`, where $0 \leq i, j \leq N-1$. The location (i,j) should further satisfy $j-(A->mu) \leq i \leq j+(A->ml)$.




Figure 8.1: Diagram of the storage for a band matrix of type `BandMat`. Here A is an $N \times N$ band matrix of type `BandMat` with upper and lower half-bandwidths `mu` and `ml`, respectively. The rows and columns of A are numbered from 0 to $N - 1$ and the (i, j) -th element of A is denoted $A(i, j)$. The greyed out areas of the underlying component storage are used by the `BandFactor` and `BandBacksolve` routines.

- **BAND_COL**

Usage : `col_j = BAND_COL(A, j);`

BAND_COL references the diagonal element of the j -th column of the $N \times N$ band matrix A , $0 \leq j \leq N - 1$. The type of the expression **BAND_COL**(A, j) is `realtype *`. The pointer returned by the call **BAND_COL**(A, j) can be treated as an array which is indexed from $-(A \rightarrow \text{mu})$ to $(A \rightarrow \text{ml})$.

- **BAND_COL_ELEM**

Usage : `BAND_COL_ELEM(col_j, i, j) = a_ij; or a_ij = BAND_COL_ELEM(col_j, i, j);`

This macro references the (i, j) -th entry of the band matrix A when used in conjunction with **BAND_COL** to reference the j -th column through `col_j`. The index (i, j) should satisfy $j - (A \rightarrow \text{mu}) \leq i \leq j + (A \rightarrow \text{ml})$.

8.2.3 Functions

The following functions for **BandMat** matrices are available in the **BAND** package. For full details, see the header file `band.h`.

- **BandAllocMat**: allocation of a **BandMat** matrix;
- **BandAllocPiv**: allocation of a pivot array for use with **BandFactor**/**BandBacksolve**;
- **BandFactor**: LU factorization with partial pivoting;
- **BandBacksolve**: solution of $Ax = b$ using LU factorization;
- **BandZero**: load a matrix with zeros;
- **BandCopy**: copy one matrix to another;
- **BandScale**: scale a matrix by a scalar;
- **BandAddI**: increment a matrix by the identity matrix;
- **BandFreeMat**: free memory for a **BandMat** matrix;
- **BandFreePiv**: free memory for a pivot array;
- **BandPrint**: print a **BandMat** matrix to standard output.

8.3 The SPGMR module

The **SPGMR** package, in the files `spgmr.h` and `spgmr.c`, includes an implementation of the scaled preconditioned GMRES method. A separate code module, `iterative.h` and `iterative.c`, contains auxiliary functions that support **SPGMR**, and also other Krylov solvers to be added later. For full details, including usage instructions, see the files `spgmr.h` and `iterative.h`.

Functions. The following functions are available in the **SPGMR** package:

- **SpgmrMalloc**: allocation of memory for **SpgmrSolve**;
- **SpgmrSolve**: solution of $Ax = b$ by the **SPGMR** method;
- **SpgmrFree**: free memory allocated by **SpgmrMalloc**.

The following functions are available in the support package `iterative.h` and `iterative.c`:

- `ModifiedGS`: performs modified Gram-Schmidt procedure;
- `ClassicalGS`: performs classical Gram-Schmidt procedure;
- `QRfact`: performs QR factorization of Hessenberg matrix;
- `QRsol`: solves a least squares problem with a Hessenberg matrix factored by `QRfact`.

Chapter 9

CVODE Constants

Below we list all input and output constants used by the main solver and linear solver modules, together with their numerical values and a short description of their meaning.

9.1 CVODE input constants

CVODE main solver module

CV_ADAMS	1	Adams-Moulton linear multistep method.
CV_BDF	2	BDF linear multistep method.
CV_FUNCTIONAL	1	Nonlinear system solution through functional iterations.
CV_NEWTON	2	Nonlinear system solution through Newton iterations.
CV_SS	1	Scalar relative tolerance, scalar absolute tolerance.
CV_SV	2	Scalar relative tolerance, vector absolute tolerance.
CV_NORMAL	1	Solver returns at specified output time.
CV_ONE_STEP	2	Solver returns after each successful step.
CV_NORMAL_TSTOP	3	Solver returns at specified output time, but does not proceed past the specified stopping time.
CV_ONE_STEP_TSTOP	4	Solver returns after each successful step, but does not proceed past the specified stopping time.

Iterative linear solver module

PREC_NONE	0	No preconditioning
PREC_LEFT	1	Preconditioning on the left only.
PREC_RIGHT	2	Preconditioning on the right only.
PREC_BOTH	3	Preconditioning on both the left and the right.
MODIFIED_GS	1	Use modified Gram-Schmidt procedure.
CLASSICAL_GS	2	Use classical Gram-Schmidt procedure.

9.2 CVODE output constants

CVODE main solver module

CV_SUCCESS	0	Successful function return.
CV_TSTOP_RETURN	1	CVode succeeded by reaching the specified stopping point.
CV_ROOT_RETURN	2	CVode succeeded and found one or more roots.
CV_MEM_NULL	-1	The <code>cvode_mem</code> argument was NULL.

CV_ILL_INPUT	-2	One of the function inputs is illegal.
CV_NO_MALLOC	-3	The CVODE memory was not allocated by a call to CVodeMalloc.
CV_TOO_MUCH_WORK	-4	The solver took <code>mxstep</code> internal steps but could not reach tout.
CV_TOO_MUCH_ACC	-5	The solver could not satisfy the accuracy demanded by the user for some internal step.
CV_ERR_FAILURE	-6	Error test failures occurred too many times during one internal time step or minimum step size was reached.
CV_CONV_FAILURE	-7	Convergence test failures occurred too many times during one internal time step or minimum step size was reached.
CV_LINIT_FAIL	-8	The linear solver's initialization function failed.
CV_LSETUP_FAIL	-9	The linear solver's setup function failed in an unrecoverable manner.
CV_LSOLVE_FAIL	-10	The linear solver's solve function failed in an unrecoverable manner.
CV_MEM_FAIL	-11	A memory allocation failed.
CV_RTFUNC_NULL	-12	The user-supplied root function is NULL.
CV_NO_SLDET	-13	The stability limit detection algorithm was not activated.
CV_BAD_K	-14	The derivative order k is larger than the order used.
CV_BAD_T	-15	The time t is outside the last step taken.
CV_BAD_DKY	-16	The output derivative vector is NULL.
CV_PDATA_NULL	-17	The preconditioner module has not been initialized.

CVDENSE linear solver module

CVDENSE_SUCCESS	0	Successful function return.
CVDENSE_MEM_NULL	-1	The <code>cvode_mem</code> argument was NULL.
CVDENSE_LMEM_NULL	-2	The CVDENSE linear solver has not been initialized.
CVDENSE_ILL_INPUT	-3	The CVDENSE solver is not compatible with the current NVECTOR module.
CVDENSE_MEM_FAIL	-4	A memory allocation request failed.

CVBAND linear solver module

CVBAND_SUCCESS	0	Successful function return.
CVBAND_MEM_NULL	-1	The <code>cvode_mem</code> argument was NULL.
CVBAND_LMEM_NULL	-2	The CVBAND linear solver has not been initialized.
CVBAND_ILL_INPUT	-3	The CVBAND solver is not compatible with the current NVECTOR module.
CVBAND_MEM_FAIL	-4	A memory allocation request failed.

CVDIAG linear solver module

CVDIAG_SUCCESS	0	Successful function return.
CVDIAG_MEM_NULL	-1	The <code>cvode_mem</code> argument was NULL.
CVDIAG_LMEM_NULL	-2	The CVDIAG linear solver has not been initialized.
CVDIAG_ILL_INPUT	-3	The CVDIAG solver is not compatible with the current NVECTOR module.
CVDIAG_MEM_FAIL	-4	A memory allocation request failed.

CVSPGMR linear solver module

CVSPGMR_SUCCESS	0	Successful function return.
CVSPGMR_MEM_NULL	-1	The <code>cvode_mem</code> argument was NULL.

CVSPGMR_LMEM_NULL	-2	The CVSPGMR linear solver has not been initialized.
CVSPGMR_ILL_INPUT	-3	The CVSPGMR solver is not compatible with the current NVECTOR module.
CVSPGMR_MEM_FAIL	-4	A memory allocation request failed.

SPGMR generic linear solver module

SPGMR_SUCCESS	0	Converged.
SPGMR_RES_REDUCED	1	No convergence, but the residual norm was reduced.
SPGMR_CONV_FAIL	2	Failure to converge.
SPGMR_QRFACT_FAIL	3	A singular matrix was found during the QR factorization.
SPGMR_PSOLVE_FAIL_REC	4	The preconditioner solve function failed recoverably.
SPGMR_MEM_NULL	-1	The SPGMR memory is NULL
SPGMR_ATIMES_FAIL	-2	The Jacobian times vector function failed.
SPGMR_PSOLVE_FAIL_UNREC	-3	The preconditioner solve function failed unrecoverably.
SPGMR_GS_FAIL	-4	Failure in the Gram-Schmidt procedure.
SPGMR_QRSOL_FAIL	-5	The matrix R was found to be singular during the QR solve phase.

Bibliography

- [1] P. N. Brown, G. D. Byrne, and A. C. Hindmarsh. VODE, a Variable-Coefficient ODE Solver. *SIAM J. Sci. Stat. Comput.*, 10:1038–1051, 1989.
- [2] P. N. Brown and A. C. Hindmarsh. Reduced Storage Matrix Methods in Stiff ODE Systems. *J. Appl. Math. & Comp.*, 31:49–91, 1989.
- [3] G. D. Byrne. Pragmatic Experiments with Krylov Methods in the Stiff ODE Setting. In J.R. Cash and I. Gladwell, editors, *Computational Ordinary Differential Equations*, pages 323–356, Oxford, 1992. Oxford University Press.
- [4] G. D. Byrne and A. C. Hindmarsh. A Polyalgorithm for the Numerical Solution of Ordinary Differential Equations. *ACM Trans. Math. Softw.*, 1:71–96, 1975.
- [5] G. D. Byrne and A. C. Hindmarsh. User Documentation for PVODE, An ODE Solver for Parallel Computers. Technical Report UCRL-ID-130884, LLNL, May 1998.
- [6] G. D. Byrne and A. C. Hindmarsh. PVODE, An ODE Solver for Parallel Computers. *Intl. J. High Perf. Comput. Apps.*, 13(4):254–365, 1999.
- [7] S. D. Cohen and A. C. Hindmarsh. CVODE User Guide. Technical Report UCRL-MA-118618, LLNL, September 1994.
- [8] S. D. Cohen and A. C. Hindmarsh. CVODE, a Stiff/Nonstiff ODE Solver in C. *Computers in Physics*, 10(2):138–143, 1996.
- [9] K. L. Hiebert and L. F. Shampine. Implicitly Defined Output Points for Solutions of ODEs. Technical Report SAND80-0180, Sandia National Laboratories, February 1980.
- [10] A. C. Hindmarsh. Detecting Stability Barriers in BDF Solvers. In J.R. Cash and I. Gladwell, editor, *Computational Ordinary Differential Equations*, pages 87–96, Oxford, 1992. Oxford University Press.
- [11] A. C. Hindmarsh. Avoiding BDF Stability Barriers in the MOL Solution of Advection-Dominated Problems. *Appl. Num. Math.*, 17:311–318, 1995.
- [12] A. C. Hindmarsh. The PVODE and IDA Algorithms. Technical Report UCRL-ID-141558, LLNL, December 2000.
- [13] A. C. Hindmarsh, P. N. Brown, K. E. Grant, S. L. Lee, R. Serban, D. E. Shumaker, and C. S. Woodward. SUNDIALS, suite of nonlinear and differential/algebraic equation solvers. *ACM Trans. Math. Softw.*, (submitted), 2004.
- [14] A. C. Hindmarsh and R. Serban. Example Programs for CVODE v2.2.0. Technical report, LLNL, 2004. UCRL-SM-208110.
- [15] A. C. Hindmarsh and A. G. Taylor. PVODE and KINSOL: Parallel Software for Differential and Nonlinear Systems. Technical Report UCRL-ID-129739, LLNL, February 1998.

- [16] K. R. Jackson and R. Sacks-Davis. An Alternative Implementation of Variable Step-Size Multistep Formulas for Stiff ODEs. *ACM Trans. Math. Softw.*, 6:295–318, 1980.
- [17] K. Radhakrishnan and A. C. Hindmarsh. Description and Use of LSODE, the Livermore Solver for Ordinary Differential Equations. Technical Report UCRL-ID-113855, LLNL, march 1994.

Index

- Adams method, 11
- ADAMS_Q_MAX, 32

- BAND generic linear solver
 - functions, 102
 - macros, 100–102
 - type BandMat, 100
- BAND_COL, 56, **102**
- BAND_COL_ELEM, 56, **102**
- BAND_ELEM, 56, **100**
- BandMat, 23, 56, **100**
- BDF method, 11
- BDF_Q_MAX, 32
- BIG_REAL, 22, 87

- CLASSICAL_GS, **39**
- CV_ADAMS, **25**, 53
- CV_BAD_DKY, 40
- CV_BAD_K, 40
- CV_BAD_T, 40
- CV_BDF, **25**, 53
- CV_CONV_FAILURE, 30, 76
- CV_ERR_FAILURE, 30, 76
- CV_FUNCTIONAL, **26**, 35
- CV_ILL_INPUT, 26, 29, 32–36, 54
- Cv_ILL_INPUT, 76
- CV_LINIT_FAIL, 30, 76
- CV_LSETUP_FAIL, 30, 76
- CV_LSOLVE_FAIL, 30, 76
- CV_MEM_FAIL, 26
- CV_MEM_NULL, 26, 29, 30, 32–36, 40, 42–47, 54, 60, 76
- CV_NEWTON, **26**, 35
- CV_NO_MALLOC, 29, 54, 76
- CV_NO_SLDET, 45
- CV_NORMAL, 29
- CV_NORMAL_TSTOP, 29
- CV_ONE_STEP, 29
- CV_ONE_STEP_TSTOP, 29
- CV_PDATA_NULL, 62, 63, 67, 68
- CV_ROOT_RETURN, 29, 76
- CV_SS, **26**, **36**, 53
- CV_SUCCESS, 26, 29, 30, 32–36, 40, 42–47, 54, 60, 63, 68, 76
- CV_SV, **26**, **36**, 53

- CV_TOO_MUCH_ACC, 30, 76
- CV_TOO_MUCH_WORK, 30, 76
- CV_TSTOP_RETURN, 29, 76
- CV_WF, **26**, 53
- CVBAND linear solver
 - Jacobian approximation used by, 37
 - NVECTOR compatibility, 27
 - optional input, 37
 - optional output, 48–49
 - selection of, 27
 - use in FCVODE, 74
- CVBAND linear solver
 - memory requirements, 48
- CVBand, 24, 27, **27**, 56
- cvband.h, 23
- CVBAND_ILL_INPUT, 28
- CVBAND_LMEM_NULL, 37, 48, 49
- CVBAND_MEM_FAIL, 28
- CVBAND_MEM_NULL, 27, 37, 48, 49
- CVBAND_SUCCESS, 27, 37, 48, 49
- CVBandDQJac, 37
- CVBandGetLastFlag, **49**
- CVBandGetNumJacEvals, **49**
- CVBandGetNumRhsEvals, **49**
- CVBandGetWorkSpace, **48**
- CVBandJacFn, **56**
- CVBANDPRE preconditioner
 - description, 61
 - optional output, 63
 - usage, 61–62
 - user-callable functions, 62–63
- CVBandPrecAlloc, **62**
- CVBandPrecFree, **63**
- CVBandPrecGetNumRhsEvals, **63**
- CVBandPrecGetWorkSpace, **63**
- CVBandSetJacFn, **37**
- CVBBDPRE preconditioner
 - description, 64
 - optional output, 68–69
 - usage, 65–66
 - user-callable functions, 66–68
 - user-supplied functions, 64–65
- CVBBDPrecAlloc, **66**
- CVBBDPrecFree, **67**
- CVBBDPrecGetNumGfnEvals, **68**

- CVBBDPrecGetWorkSpace, **68**
- CVBBDPrecReInit, **68**
- CVBBDSPgmr, **67**
- CVBPSpgmr, 61, **62**, 66
- CVDENSE linear solver
 - Jacobian approximation used by, 37
 - NVECTOR compatibility, 27
 - optional input, 37
 - optional output, 47–48
 - selection of, 27
 - use in FCVODE, 73
- CVDENSE linear solver
 - memory requirements, 47
- CVDense, 24, 27, **27**, 55
- cvdense.h, 22
- CVDENSE_ILL_INPUT, 27
- CVDENSE_LMEM_NULL, 37, 47, 48
- CVDENSE_MEM_FAIL, 27
- CVDENSE_MEM_NULL, 27, 37, 47, 48
- CVDENSE_SUCCESS, 27, 37, 47, 48
- CVDenseDQJac, 37
- CVDenseGetLastFlag, **48**
- CVDenseGetNumJacEvals, **47**
- CVDenseGetNumRhsEvals, **48**
- CVDenseGetWorkSpace, **47**
- CVDenseJacFn, **55**
- CVDenseSetJacFn, **37**
- CVDIAG linear solver
 - Jacobian approximation used by, 28
 - optional output, 49–50
 - selection of, 28
 - use in FCVODE, 73
- CVDIAG linear solver
 - memory requirements, 50
- CVDiag, 24, 27, **28**
- cvdiag.h, 23
- CVDIAG_ILL_INPUT, 28
- CVDIAG_LMEM_NULL, 50
- CVDIAG_MEM_FAIL, 28
- CVDIAG_MEM_NULL, 28, 50
- CVDIAG_SUCCESS, 28, 50
- CVDiagGetLastFlag, **50**
- CVDiagGetNumRhsEvals, **50**
- CVDiagGetWorkSpace, **50**
- CVEwtFn, **54**
- CVODE, 1
 - motivation for writing in C, 1
 - package structure, 17
 - relationship to CVODE, PVODE, 1
 - relationship to VODE, VODPK, 1
- CVODE linear solvers
 - built on generic solvers, 27
 - CVBAND, 27
 - CVDENSE, 27
 - CVDIAG, 28
 - CVSPGMR, 28
 - header files, 22
 - implementation details, 19
 - list of, 17–19
 - NVECTOR compatibility, 21
 - selecting one, 27
- CVode, 21, 25, **29**
- cvode.h, 22
- CVodeCreate, **25**
- CVodeFree, 25, **26**
- CVodeGetActualInitStep, **44**
- CVodeGetCurrentOrder, **43**
- CVodeGetCurrentStep, **44**
- CVodeGetCurrentTime, **44**
- CVodeGetDky, **40**
- CVodeGetErrWeights, **45**
- CVodeGetEstLocalErrors, **45**
- CVodeGetIntegratorStats, **46**
- CVodeGetLastOrder, **43**
- CVodeGetLastStep, **44**
- CVodeGetNonlinSolvStats, **47**
- CVodeGetNumErrTestFails, **43**
- CVodeGetNumGEvals, **60**
- CVodeGetNumLinSolvSetups, **43**
- CVodeGetNumNonlinSolvConvFails, **46**
- CVodeGetNumNonlinSolvIters, **46**
- CVodeGetNumRhsEvals, **42**
- CVodeGetNumStabLimOrderReds, **45**
- CVodeGetNumSteps, **42**
- CVodeGetRootInfo, **60**
- CVodeGetTolScaleFactor, **45**
- CVodeGetWorkSpace, **42**
- CVodeMalloc, **26**, 53
- CVodeReInit, **53**
- CVodeRootInit, **59**
- CVODES, 21
- CVodeSetErrFile, **30**
- CVodeSetEwtFn, **36**
- CVodeSetFdata, **32**
- CVodeSetInitStep, **33**
- CVodeSetIterType, **35**
- CVodeSetMaxConvFails, **35**
- CVodeSetMaxErrTestFails, **34**
- CVodeSetMaxHnilWarns, **33**
- CVodeSetMaxNonlinIters, **35**
- CVodeSetMaxNumSteps, **32**
- CVodeSetMaxOrder, **32**
- CVodeSetMaxStep, **34**
- CVodeSetMinStep, **33**
- CVodeSetNonlinConvCoef, **35**
- CVodeSetStabLimDet, **33**
- CVodeSetStopTime, **34**
- CVodeSetTolerances, **36**

- CVRhsFn, 26, 53, **54**
- CVRootFn, **60**
- CVSPGMR linear solver
 - Jacobian approximation used by, 38
 - optional input, 38–40
 - optional output, 50–53
 - preconditioner setup function, 38, 58
 - preconditioner solve function, 38, 57
 - selection of, 28
 - use in FCVODE, 74
- CVSPGMR linear solver
 - memory requirements, 51
- CVSpgmr, 25, 27, **28**
- cvspgmr.h, 23
- CVSPGMR_ILL_INPUT, 28, 39, 62, 67
- CVSPGMR_LMEM_NULL, 38, 39, 51–53
- CVSPGMR_MEM_FAIL, 28, 62, 67
- CVSPGMR_MEM_NULL, 28, 38, 39, 51–53, 62, 67
- CVSPGMR_SUCCESS, 28, 38, 39, 51–53, 62, 67
- CVSpgmrDQJtimes, 38
- CVSpgmrGetLastFlag, **52**
- CVSpgmrGetNumConvFails, **51**
- CVSpgmrGetNumJtimesEvals, **52**
- CVSpgmrGetNumLinIters, **51**
- CVSpgmrGetNumPrecEvals, **51**
- CVSpgmrGetNumPrecSolves, **52**
- CVSpgmrGetNumRhsEvals, **52**
- CVSpgmrGetWorkspace, **51**
- CVSpgmrJacTimesVecFn, **57**
- CVSpgmrPrecSetupFn, **58**
- CVSpgmrPrecSolveFn, **57**
- CVSpgmrSet, **38**
- CVSpgmrSetDelt, **39**
- CVSpgmrSetGStype, **39**
- CVSpgmrSetJacTimesFn, **38**
- CVSpgmrSetPrecType, **39**

- denaddI, **99**
- denalloc, **98**
- denallocpiv, **99**
- dencopy, **99**
- denfree, **99**
- denfreepiv, **99**
- denprint, **99**
- denscale, **99**
- DENSE generic linear solver
 - functions
 - large matrix, 98
 - small matrix, 98–99
 - macros, 98
 - type DenseMat, 97
- DENSE_COL, 55, **98**
- DENSE_ELEM, 55, **98**
- DenseMat, 22, 55, **97**

- denzero, **99**

- e_data, 55
- error control
 - order selection, 14
 - step size selection, 13–14
- error message, 30

- f_data, **32**, 54, 65
- FCVBAND, 74
- FCVBANDSETJAC, 74
- FCVBBDFFREE, 81
- FCVBBDINIT, 80
- FCVBBDLOPT, 80
- FCVBBDREINIT, 81
- FCVBBDSPGMR, 80
- FCVBJAC, 74
- FCVBPFFREE, 79
- FCVBPINIT, 78
- FCVBPOPT, 79
- FCVBPSPGMR, 78
- FCVDENSE, 73
- FCVDENSESETJAC, 74
- FCVDIAG, 73
- FCVDJAC, 73
- FCVDKY, 76
- FCVEWT, 73
- FCVEWTSET, 73
- FCVFREE, 77
- FCVFUN, 72
- FCVJTIMES, 75
- FCVMALLOC, **73**
- FCVMALLOC, 72
- FCVODE, 76
- FCVODE interface module
 - interface to the CVBANDPRE module, 78–79
 - interface to the CVBBDPRE module, 79–81
 - optional input and output, 70
 - rootfinding, 77–78
 - usage, 70–77
 - user-callable functions, 69
 - user-supplied functions, 69
- FCVPSET, 75
- FCVPSOL, 75
- FCVREINIT, 77
- FCVSPGMR, 74
- FCVSPGMRSETJAC, 75, 79, 80
- FCVSPGMRSETPREC, 75
- FNVFREEP, 77
- FNVFREES, 77
- FNVINITP, 72
- FNVINITS, 72

- g_data, 61
- gefa, **99**

- generic linear solvers
 - BAND, 100
 - DENSE, 97
 - SPGMR, 102
 - use in CVODE, 19
- gesl, **99**
- GMRES method, 28, 39, 102
- Gram-Schmidt procedure, 39
- half-bandwidths, 27, 56–57, 62, 66
- header files, 22, 61, 65
- IOPT, 70, 71
- itask, 25, **29**
- iter, **26**, 35
- itol, **26**, **36**, 53
- Jacobian approximation function
 - band
 - difference quotient, 37
 - use in FCVODE, 74
 - user-supplied, 37, 56–57
 - dense
 - difference quotient, 37
 - use in FCVODE, 73
 - user-supplied, 37, 55–56
 - diagonal
 - difference quotient, 28
 - Jacobian times vector
 - difference quotient, 38
 - use in FCVODE, 75
 - user-supplied, 38, 57
- linit, **93**
- lmm, **26**, 53
- LSODE, 1
- maxl, 28, 62, 67
- maxord, **32**, 53
- memory requirements
 - CVBAND linear solver, 48
 - CVBANDPRE preconditioner, 63
 - CVBBDPRE preconditioner, 68
 - CVDENSE linear solver, 47
 - CVDIAG linear solver, 50
 - CVODE solver, 42
 - CVSPGMR linear solver, 51
- MODIFIED_GS, **39**
- MPI, 2
- N_VCloneEmptyVectorArray, **84**
- N_VCloneVectorArray, **84**
- N_VDestroyVectorArray, **84**
- N_VDestroyVectorArray_Parallel, **91**
- N_VDestroyVectorArray_Serial, **88**
- N_Vector, 22, 83, **83**
- N_VMake_Parallel, **90**
- N_VMake_Serial, **88**
- N_VNew_Parallel, **90**
- N_VNew_Serial, **88**
- N_VNewEmpty_Parallel, **90**
- N_VNewEmpty_Serial, **88**
- N_VNewVectorArray_Parallel, **90**
- N_VNewVectorArray_Serial, **88**
- N_VNewVectorArrayEmpty_Parallel, **91**
- N_VNewVectorArrayEmpty_Serial, **88**
- N_VPrint_Parallel, **91**
- N_VPrint_Serial, **88**
- nonlinear system
 - definition, 11
 - Newton convergence test, 12–13
 - Newton iteration, 12
- norm
 - weighted root-mean-square, 12
- NV_COMM_P, **90**
- NV_CONTENT_P, **89**
- NV_CONTENT_S, **87**
- NV_DATA_P, **89**
- NV_DATA_S, **88**
- NV_GLOBLENGTH_P, **89**
- NV_Ith_P, **90**
- NV_Ith_S, **88**
- NV_LENGTH_S, **88**
- NV_LOCLENGTH_P, **89**
- NV_OWN_DATA_P, **89**
- NV_OWN_DATA_S, **88**
- NVECTOR module, 83
- nvector.h, 22
- nvector_parallel.h, 22
- nvector_serial.h, 22
- optional input
 - band linear solver, 37
 - dense linear solver, 37
 - iterative linear solver, 38–40
 - solver, 30–36
- optional output
 - band linear solver, 48–49
 - band-block-diagonal preconditioner, 68–69
 - banded preconditioner, 63
 - dense linear solver, 47–48
 - diagonal linear solver, 49–50
 - interpolated solution, 40
 - iterative linear solver, 50–53
 - solver, 40–47
- output mode, 14
- portability, 22
 - Fortran, 70

PREC_BOTH, 28, 39
PREC_LEFT, 28, 39, 62, 67
PREC_NONE, 28, 39
PREC_RIGHT, 28, 39, 62, 67
preconditioning
 advice on, 19, 28–29
 band-block diagonal, 64
 banded, 61
 setup and solve phases, 19
 user-supplied, 38, 57, 58
pretype, **28**, 39, 62, 67
PVIDE, 1

RCONST, 22
realttype, **22**
reinitialization, 53
right-hand side function, 54
Rootfinding, 15, 25, 59, 77
ROPT, 70, 71

SMALL_REAL, 22
SPGMR generic linear solver
 description of, 102
 functions, 102
 support functions, 102–103
Stability limit detection, 14
step size bounds, 33–34
SUNDIALS_CASE_LOWER, 70
SUNDIALS_CASE_UPPER, 70
SUNDIALS_UNDERSCORE_NONE, 70
SUNDIALS_UNDERSCORE_ONE, 70
SUNDIALS_UNDERSCORE_TWO, 70
sundialstypes.h, 22, **22**

tolerances, 12, 26, 36, 54

UNIT_ROUNDOFF, 22
User main program
 CVBANDPRE usage, 61
 CVBBDPRE usage, 65
 CVODE usage, 23
 FCVBBDD usage, 80
 FCVBP usage, 78
 FCVODE usage, 70

VODE, 1
VODPK, 1

